

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE**

**7.1 PERMITTED RESIDENTIAL USES**

- single family dwelling

**7.2 PERMITTED NON-RESIDENTIAL USES**

- (500-2019-0008) - short-term rental accommodation
- day care, private home
- home occupation
- (2015-0057) - kennel, pursuant to the provisions of Section 2.105 and 5.21(A) of this By-law
- accessory buildings, structures and uses to any permitted use

**7.3 ZONE REQUIREMENTS - RESIDENTIAL USES**

In accordance with the requirements of Section 6 hereof.

**7.4 ZONE REQUIREMENTS - NON-RESIDENTIAL USES**

In accordance with the requirements of Section 5 hereof.













SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

single family dwelling and erected on the same site, but not including open storage.

PROHIBITED USES

- facilities, uses and structures specifically designed toward the use for children, or communal garages.

ZONE REQUIREMENTS

GENERAL

- (a) No single family dwelling shall be erected in a manufactured dwelling park except on a site on a private paved road built to the standards of the Ministry of Transportation and Communications, or as approved by the Regional Municipality of York where a lesser standard is required, and having a minimum road allowance width of 20 metres for main roads and 15 metres for minor roads as set forth in the subdivision agreement. The provisions of Section 5.13 (a) of this by-law shall not apply to the land designated as a Manufactured Dwelling Park.
- (b) No single family dwelling shall be constructed or used except on a site served by a municipal water supply and sewage disposal system, provided under an agreement between the owner of the manufactured dwelling park, the Regional Municipality of York and the Town of Georgina. The design for such systems shall be approved by the Ministry of the Environment.
- (c) No parcel of land within the manufactured dwelling park shall be used for the uses permitted herein unless it is shown as a part on a Deposited Plan, which is in accordance with an approved two lot plan of subdivision and an approved subdivision agreement.



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

For the purposes of this section, the following elements of a site will have a similar relation to the site as the elements of a lot have to a lot.

RESIDENTIAL USES

SITE FRONTAGE (MINIMUM)	15 metres
SITE AREA (MINIMUM)	350 sq metres
FRONT YARD AND EXTERIOR SIDE YARD (MINIMUM)	1.5 metres
REAR YARD (MINIMUM)	3 metres
INTERIOR SIDE YARD (MINIMUM)	1.5 metres
BUILDING SIZE	
(a) floor area (minimum)	100 sq metres
(b) length (minimum)	11 metres
(c) width (minimum)	7 metres
SITE COVERAGE (MAXIMUM)	60%
HEIGHT (MAXIMUM)	5 metres
NUMBER OF SINGLE FAMILY DWELLINGS PER SITE	1 only

ACCESSORY BUILDINGS, STRUCTURES, USES, PARKING,  
PLANNED WIDTH OF STREET ALLOWANCE AND ALL OTHER  
GENERAL PROVISIONS

In accordance with the provisions of Section 5 hereof, with the exception that accessory structures may be erected to within 0.3 metres of a site line. However, no two accessory buildings on opposite sites may be erected within 1.5 metres of each other.

Notwithstanding Section 5.28 (b), (g) and (h), the required parking spaces per unit may be provided on the site or within the part occupied by the access







**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (a) LOT FRONTAGE (MINIMUM)  
- 'R1-44' 15 metres
- (b) LOT AREA (MINIMUM)  
- 'R1-44' 450 sq metres
- (c) FRONT YARD (MINIMUM) 7 metres
- (d) EXTERIOR SIDE YARD (MINIMUM) 5 metres
- (e) REAR YARD (MINIMUM) 9 metres
- (f) INTERIOR SIDE YARD (MINIMUM)  
- 'R1-44'; 1.2 metres plus 0.5 metres for each additional or partial storey above the first. Where there is no attached garage on a lot the minimum interior side yard on one side shall be 2.5 metres.
- (g) LOT COVERAGE (MAXIMUM) 40 %
- (h) SETBACK FROM THE HYPOTENUSE OF A SITE TRIANGLE (MINIMUM) 3.5 metres

**7.5.30**  
(500-95-029)  
(500-99-016)

**PART OF LOT 17, CONCESSION 2 (NG); 'R1-43'**  
**(Map 3)**

Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), in those areas designated 'R1-43' the following shall apply with respect to the specific zones as cited:

- (1) LOT FRONTAGE (MINIMUM)  
- 'R1-43' zone 18 metres
- (2) LOT AREA (MINIMUM)  
- 'R1-43' zone 550 sq.m.
- (3) FRONT YARD (MINIMUM) 7 metres
- (4) EXTERIOR SIDE YARD (MINIMUM) 6 metres

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (5) REAR YARD (MINIMUM) 9 metres
- (6) INTERIOR SIDE YARD (MINIMUM)
  - 2 metres including any additional or partial storey above the first.
  - where there is no attached garage on a lot, the minimum interior side yard on one side shall be 2.5 metres.
- (7) LOT COVERAGE (MAXIMUM) 40%
- (8) SETBACK FROM THE HYPOTENUSE OF A SITE TRIANGLE (MINIMUM) 3.5 metres

**7.5.31 LOT 3, BLOCK 13, PLAN 69; 'R1-45' (Map 7)**

In the area designated 'R1-45' in Schedule 'A' attached hereto, a business and professional office and a health care - clinic shall be permitted uses in addition to those uses permitted under Section 7.2.

Said uses shall be confined to the area of the existing building as shown on plan of survey by A. Karklins, O.L.S. dated April 3, 1989 and attached as Schedule 'B-5' to this by-law.

Further, notwithstanding the provisions of Section 5.31, the required planting strip may be interrupted by the existing driveway as shown on the plan of survey attached as Schedule 'B-5' to this by-law.

**7.5.32 LOT 15, REGISTERED PLAN 529; 'R1-46' (Map 3)**

In the area designated 'R1-46' in Schedule 'A' hereto, an ambulance service centre shall be a permitted use in addition to those shown in Section

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

7.2.

Further, notwithstanding the requirements of Section 6.1 (c) the minimum front yard shall be 3.5 metres.

**7.5.33** (Deleted By By-law 500-97-062)

(Deleted By By-law 500-95-029)

**7.5.34 PARTS 1 AND 2, PLAN 65R-13130; 'R1-51'  
(Map 2)**

Notwithstanding the provisions of Section 7.2, a hairdressing salon shall be permitted in the existing accessory building shown in hatching in Schedule 'B-6' hereto. Any replacement of, or additions to the accessory building shall be in accordance with the provisions of Sections 6.1 (c), (d), (e) and (f). Further, notwithstanding Section 5.31, the minimum width of a planting strip adjacent to a residential use, residential zone or transitional zone shall be 1.4 metres, with the exception of the area between the southerly lot line and the existing accessory building where no planting strip shall be required.

**7.5.35 PART OF LOTS 120 AND 121, 'R1-52'  
REGISTERED PLAN 222; (Map 3)**

Notwithstanding Sections 6.1 (c) and 6.1 (f), the following provisions shall apply:

FRONT YARD (MINIMUM) 5.82 metres

INTERIOR SIDE YARD (MINIMUM)

- 1.2 metres plus 0.5 metres for each additional or partial storey above the first.
- where there is not an attached garage or carport on the lot, the minimum interior side yard on one side shall be 1.91 metres.





**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

LOT AREA (MINIMUM)	
- 'R1-56' zone	300 sq.m.
- except that in the case of a corner lot, the minimum lot area is	350 sq.m.
- 'R1-57' zone	360 sq.m.
- except that in the case of a corner lot, the minimum lot area is	450 sq.m.
FRONT YARD (MINIMUM)	6 metres
EXTERIOR SIDE YARD (MINIMUM)	4.2 metres
- except that where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for the garage or carport shall be	6 metres
REAR YARD (MINIMUM)	8 metres
INTERIOR SIDE YARD (MINIMUM)	
- on one side	1.2 metres
- on the other side	1.2 metres
FLOOR AREA (MINIMUM)	
- 'R1-56' zone	92 sq.m.
- 'R1-57' zone	100 sq.m.
LOT COVERAGE (MAXIMUM)	40%
HEIGHT (MAXIMUM)	11 metres

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

**7.5.39** (Deleted By By-law 500-2004-0005)

**7.5.40** **PART OF LOT 17, CONCESSION 2 (NG)** **'R1-59; R1-60'**  
(500-95-026) **(Map 3)**

Notwithstanding Section 6.1 (a), in the area designated 'R1-59' in Schedule 'A' hereto, the minimum lot frontage shall be 12 metres and in the case of a corner lot, 15 metres.

Further, notwithstanding Section 6.1 (c), in the area designated 'R1-59' in Schedule 'A' hereto, the minimum front yard setback shall be 8 metres.

Notwithstanding Section 6.1 (e), in the area designated 'R1-60' in Schedule 'A' hereto, the minimum rear yard setback shall be 7 metres.

**7.5.41** **PART OF LOT 8, CONCESSION 3 (NG)** **'R1-61'**  
(500-97-051) **PART 1, REFERENCE PLAN 65R-630** **(Map 2)**

Notwithstanding Section 6.1(a), the minimum lot frontage shall be 12 metres.

Further, notwithstanding Section 6.1(c) the minimum front yard setbacks shall be 7, 8, 9, 10, 12 and 14 metres starting with 7 metres for the most westerly lot and progressing to 14 metres for the most easterly lot.

Further, notwithstanding Section 6.1(f) the minimum side yard setback for the most easterly and westerly lots from the lot line abutting existing residential properties shall be 1.7 metres for a one storey dwelling.

In addition, and notwithstanding Section 6.1(g), the minimum floor area of the proposed dwellings shall be 112 square metres.



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

Zone Requirement	
Setback from the hypotenuse of a sight triangle	3.5 metres <sup>(1)</sup>
Rear Yard (minimum)	7.5 metres <sup>(2)</sup>
Interior Side Yard (minimum)	1.2 metres plus 0.2 metres for each additional or partial storey above the first. Where there is not an attached garage or carport on a lot, the minimum interior side yard on one side shall be 2.5 metres. <sup>(3) (4)</sup>
Lot Coverage for One Storey Dwellings (maximum)	40%

(1) This provision only applies where the hypotenuse of a sight triangle forms part of the property line.

(2) A reduced rear yard of less than 8.0 metres shall only be permitted where:

(a) the depth of the lot is 32 metres or less; and

(b) the reduced rear yard shall only be permitted for a maximum of 50% of the width of each individual dwelling unit.

(3) Where an interior side yard for a two storey portion of a detached dwelling is less than 1.7 metres, an attached garage shall not project more than:

- 2.5 metres forward from the ground floor main wall of the dwelling, or an unenclosed porch or covered entry feature adjacent to the private garage;





**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

minimum lot frontage shall be 10.2 metres.

- <sup>3</sup> Except that in the case of a corner lot the minimum lot frontage shall be 13.2 metres.
- <sup>4</sup> Except that in the case of a corner lot the minimum lot area shall be 306 square metres.
- <sup>5</sup> Except that in the case of a corner lot the minimum lot area shall be 310 square metres.
- <sup>6</sup> The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.
- <sup>7</sup> Except where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for the garage or carport shall be 5.7 metres.
- <sup>8</sup> The minimum exterior side yard setback shall be 3.0 metres if the exterior side yard abuts a road having a width of 23 metres or greater.
- <sup>9</sup> Where a dwelling unit is constructed on a lot with a frontage of less than 12.0 metres, the maximum driveway width and interior garage width for each dwelling unit shall not exceed 53% of the lot frontage.
- <sup>10</sup> No garage shall project more than:
  - 2.5 metres forward from the ground floor main wall of the dwelling, or an Unenclosed Porch or covered entry feature adjacent to the private garage; and,
  - 3.0 metres forward from the second floor main wall over the private garage; and,
  - 4.5 metres forward from the second floor front wall not located above the private garage.
- <sup>11</sup> Where there is no sidewalk crossing the front yard, the minimum front yard setback may be

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.

- b) Notwithstanding Section 2.230, in areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.
- c) Notwithstanding Section 5.28(a), in the areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, a Standard Parking Space shall have a minimum dimension of 2.75 metres x 5.7 metres.
- d) Notwithstanding Section 5.28(b), in the areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, a minimum of two parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- e) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line. Notwithstanding the above, if the



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

driveway of a semi-detached or townhouse dwelling unit is to be shared with a driveway of an abutting semi-detached or townhouse dwelling unit, the setback between the driveway and the lot line shall be nil.

- f) Notwithstanding Sections 5.35, in the areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- g) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-law Number 500, as amended, continue to apply.
- h) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

zone.

- ii) Fences are permitted in the front yard area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
- iii) Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
- iv) Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.
- i) Notwithstanding Section 5.34(b) insofar as it affects the lands zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

**7.5.50 PART OF LOTS 9 and 10, CONCESSION 3(NG) 'R1-71'**  
 (500-2004-0005) **AND BLOCKS 80 AND 82, PLAN 65M-3860 (Map 2)**  
 (500-2012-0010)

- a) Notwithstanding Sections 2.19 and 6.1(a), (b), (c), (d), (f), (i) and (j), insofar as it affects the lands zoned 'R1-71' on Schedule 'A' hereto, the following zone requirements shall apply:

Lot Frontage (Minimum) M.	12 <sup>(i)</sup>
Lot Area (Minimum) SQ. M.	360 <sup>(ii)</sup>
Front Yard (Minimum) M.	
To Garage	6.0 <sup>(iii)</sup> <sup>(iv)</sup>
To Dwelling	5.5 <sup>(iii)</sup> <sup>(iv)</sup>
Exterior Side Yard (Minimum) M.	5 <sup>(iii)</sup> <sup>(v)</sup>

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

Interior Side Yard (Minimum) M.	1.2 metres plus 0.5 metres for each additional or partial storey above the second. <sup>(vi) (vii)</sup>
Lot Coverage (Maximum)	
Bungalow	40 %
Multi-storey	35 %
Height of Dwelling (Maximum) M.	11 <sup>(viii)</sup>

- (i) Except in the case of a corner lot the minimum lot frontage shall be 15 metres.
- (ii) Except in the case of a corner lot the minimum lot area shall be 450 square metres.
- (iii) The minimum setback for the main wall of dwelling to the hypotenuse of a sight triangle which forms part of the property line, shall be 3.5 metres.
- (iv) No garage shall project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling. Further, respecting lands described as Part Lot 9, Concession 3 (NG) Blocks 80 and 82, Plan 65M-3860, in no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.
- (v) Except where a driveway, providing access to an attached garage, is located in the exterior side yard, the minimum exterior side yard for the garage shall be 6 metres.
- (vi) Where there is no attached garage on a lot, the minimum interior side yard on one side shall be 2.5 metres.
- (vii) Except where an interior side yard abuts Plan of Subdivision 65M-3031, the yard

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

provisions as set out in 6.1(f) shall apply.

(viii) Except for lots situated adjacent to Woodbine Avenue and/or situated adjacent to a reserve or block next to Woodbine Avenue, the maximum number of stories for the dwellings shall be two (2) and further, basement height above grade is restricted to a maximum of 1.0 metre.

- b) Every lot shall provide a garage.
- c) Notwithstanding Section 5.28 (i), the maximum width of a driveway shall be 6 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, Unenclosed Porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
- e) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard as well as within the back half of the interior side yard. Such fences are exempt from minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards as well as the front

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

half of the interior side yard provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.

iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.

iv) Notwithstanding i) and ii) above, where a lot abuts a commercial or institutional zone, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.

f) On lands described as Part of Lot 9 Concession 3 (NG) being Block 82 on Plan 65M-3860, dwelling units proposed on Lots 9 to 17 shall not be permitted within 150 metres of the Keswick Sewage Treatment Plant (STP). The separation distances will be measured from the rear of the future dwelling units to the periphery of the nearest odour-producing source-structure at the Keswick STP.

**7.5.51**  
(500-98-010)

**LOT 17, CONCESSION 2 (NG) 'R1-72' & 'R1-73'**  
**(Map 3)**

Notwithstanding Section 5.45(a), in that area designated 'R1-72' in Schedule 'A' hereto, balconies, unenclosed porches, decks and handicap ramps or elevators shall not be permitted to encroach into the required front yard or exterior side yard.

Further, notwithstanding Sections 6.1(a) and 6.1(c) in that area designated 'R1-72' the minimum lot frontage shall be 26 metres and the minimum front yard setback shall be 9 metres from Lake Drive North and 13 metres from the sight triangle. In addition, driveway access shall only be provided from Clarlyn





**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

for only this accessory building shall be 8 metres.

SINGLE FAMILY DWELLINGS:

LOT FRONTAGE (Minimum) 19 metres  
FRONT YARD SETBACK (Minimum) 10 metres

(500-2000-0012) **PART OF LOT 17, CONCESSION 2 (NG)** **'R1-81'**  
**(Map 3)**

Notwithstanding Sections 6.1(a), 6.1(c) and 5.41(b), on lands shown in heavy outline and designated 'R1-81' in Schedule 'A' attached hereto, the following minimum standards shall apply:

SINGLE FAMILY DWELLINGS:

LOT FRONTAGE (Minimum) 30 metres  
FRONT YARD SETBACK (Minimum) 10 metres

**7.5.57** **LOTS 40 & 41, REGISTERED PLAN 317** **'R1-80'**  
(500-2000-0011) **(Map 3)**

Notwithstanding Section 6.1 (e), on lands shown in heavy outline and designated 'R1-80' in Schedule 'A' attached hereto, the minimum rear yard setback shall be 11 metres.

Notwithstanding Section 6.1(f), the minimum interior side yard setback shall be 3 metres where said side yard abuts a commercial zone with the exception of a one-storey attached garage which may have a minimum interior side yard setback of 1.2 metres.

Furthermore, the erection of a 2.0 metre privacy fence shall be required where the lot lines of Lots 40 and 41, Plan 317 abut a commercial zone and the privacy fence shall be erected prior to the occupancy and use of the residential dwellings. The design and location of the privacy fence shall be reviewed and approved by the Town of Georgina, prior to the issuance of building permits for Lots 40 and 41, Plan





**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- b) Notwithstanding Sections 2.123 and 2.125, the easterly lot line and the lot line abutting Hardwood Drive shall be deemed to be side lot lines.
- c) Notwithstanding Sections 2.195 and 5.12, fences not exceeding 2.5 metres in height shall be permitted in all yards, save and except for the front yard, and shall not be subject to the minimum yard requirements of a structure.
- d) Notwithstanding Section 5.25(a), loading facilities shall not be required.
- e) Notwithstanding Section 5.28(b), the minimum number of required parking spaces for a women's shelter having greater than 10 beds shall be 14 and the minimum number of required spaces for a women's shelter having 10 or less beds shall be 5.
- f) Notwithstanding Section 5.28(g), the minimum number of required parking spaces for a women's shelter having greater than 10 beds shall be met by providing a minimum of 9 parking spaces on the abutting property zoned 'R1-84' and described as Part of Lot 1, Plan 247.
- g) Notwithstanding Section 5.31, planting strips shall not be required except as required under a site plan agreement.
- h) Notwithstanding Section 6.1(c), the front yard (minimum) shall be 3.0 metres.
- i) Notwithstanding Section 6.1(j), the maximum building height shall be 9.5 metres.

**7.5.60**  
(500-2002-0002)  
(500-2019-0008)

**PART OF LOT 1, PLAN 247**

**'R1-84'**  
**(Map 6)**

On those lands zoned 'R1-84' in Schedule 'A' hereto and shown in heavy outline, the following shall

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

apply:

a) Notwithstanding Sections 7.1 and 7.2, the following uses shall be the only permitted uses:

- a single family dwelling, which may also include one accessory apartment, a home occupation and/or a short-term rental accommodation.
- a building containing 4 dwelling units.
- a building containing office space and maximum of 3 dwelling units, associated with the women's shelter located on lands zoned 'R1-83' and described as Part of Lot 31, Plan 267.
- accessory buildings, structures and uses to any permitted use.

Further, the above permitted uses, save and except for accessory buildings, structures and uses, shall not be permitted to coexist on the subject property.

b) Notwithstanding Sections 2.195 and 5.12, fences not exceeding 2.5 metres in height shall be permitted in all yards, save and except for the front yard, and shall not be subject to the minimum yard requirements of a structure.

c) Notwithstanding Section 5.28(a), the minimum parking space size shall be 2.5 metres x 5.5 metres for the parking area located in the front yard.

d) Notwithstanding Section 5.28(b), the minimum number of required parking spaces for the women's shelter offices, its dwelling units and for the use of the women's shelter located on lands zoned 'R1-83' and described as Part of Lot 31, Plan 267, but provided for on land zoned 'R1-84', shall be 9.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- e) Notwithstanding Section 5.28(h), a parking area with a maximum of 5 spaces shall be permitted within the minimum front yard.
- f) Notwithstanding Section 5.28(i), the minimum parking aisle width shall be 6.7 metres for the parking area located in the front yard.
- g) Notwithstanding Section 5.31, planting strips shall not be required except as required under a site plan agreement.

**7.5.61**  
(500-2002-0016)

**PART OF LOT 16, CONCESSION 2 (NG)**

**'R1-85'**  
**(Map 3)**

Notwithstanding Sections 6.1 (a), (b), (c) & (i) in that area designated 'R1-85' in Schedule 'A' attached hereto, the following provisions shall apply:

Lot Frontage (Minimum)	12 metres
except that in the case of a corner lot, the minimum lot frontage shall be	15 metres
Lot Area (Minimum)	360 sq. metres
except that in the case of a corner lot, the minimum lot frontage shall be	450 sq. metres
Front Yard Setback (Minimum)	6.5 metres
Lot Coverage (Maximum)	40%

**7.5.62**  
(500-2002-0005)

**PART OF LOT 17, CONCESSIONS 2 & 3 (NG)**

**'R1-86'**  
**(Map 3)**

Notwithstanding Section 6.1(a), (b), (c), (e), (f) and (i) of this By-law, on those lands zoned 'R1-86' shown in heavy outline in Schedule 'A' hereto, the following shall apply:

- (a) LOT FRONTAGE (MINIMUM)
  - Interior Lot 16 metres

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- Corner Lot 19 metres
- (b) LOT AREA (MINIMUM)
  - Interior Lot 545 square metres
  - Corner Lot 665 square metres
- (c) FRONT YARD SETBACK FROM THE HYPOTENUSE OF A SIGHT TRIANGLE (MINIMUM) 3.5 metres
- (d) REAR YARD SETBACK 8.0 metres
  - except for lots abutting lands zoned "OS-36", in which case the rear yard shall be taken as measured from the southerly limit of the "OS-36" zone.
- (e) INTERIOR SIDE YARD (MINIMUM) 1.2 metres
- (f) LOT COVERAGE (MAXIMUM)
  - one storey dwelling 40%
  - one and one half storey dwelling 35%
  - two storey dwelling 30%

**7.5.63 PART OF LOT 17, CONCESSIONS 2 & 3 (NG) 'R1-87'**  
(500-2002-0005) **(Map 3)**

Notwithstanding Section 6.1(a), (b), (f) and (i) of this By-law, on those lands zoned 'R1-87' shown in heavy outline in Schedule 'A' hereto, the following shall apply:

- (a) LOT FRONTAGE (MINIMUM) 18 metres
- (b) LOT AREA (MINIMUM) 585 square metres
- (c) INTERIOR SIDE YARD (MINIMUM) 1.2 metres plus 0.5 metres for each additional or partial storey above the first. Where there is not an attached garage or carport on a lot, the minimum interior side yard on one side shall be 2.5 metres.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (d) LOT COVERAGE (MAXIMUM)
- one storey dwelling 40%
  - one and one half storey dwelling 35%
  - two storey dwelling 30%

**7.5.64 PART OF LOT 17, CONCESSIONS 2 & 3 (NG) 'R1-88'**  
(500-2002-0005) **(Map 3)**

Notwithstanding Section 6.1(a), (b), (d), (f) and (i) of this By-law, on those lands zoned 'R1-88' shown in heavy outline in Schedule 'A' hereto, the following shall apply:

- (a) LOT FRONTAGE (MINIMUM) 20 metres
- except that lot which, on its easterly limit, abuts the turning circle at the end of the temporary cul-de-sac, shall have a minimum lot frontage of 19 metres, measured 6 metres from its northerly lot line.
- (b) LOT AREA (MINIMUM) 650 square metres
- (c) INTERIOR SIDE YARD (MINIMUM) 1.2 metres plus 0.5 metres for each additional or partial storey above the first. Where there is not an attached garage or carport on a lot, the minimum interior side yard on one side shall be 2.5 metres.
- (d) LOT COVERAGE (MAXIMUM)
- one storey dwelling 40%
  - one and one half storey dwelling 35%
  - two storey dwelling 30%

Further, notwithstanding Sections 2.115, 6.1(c) and Section 6.1(f) for purposes of this by-law, that lot which, on its easterly limit, abuts the turning circle of the temporary cul-de-sac, shall not be considered a corner lot. The front yard shall be measured from the northerly lot line, and the easterly lot line abutting the turning circle shall be deemed an interior side yard.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

**7.5.65**                      **PART OF LOTS 13 AND 14, PLAN 168, AND PART OF**                      **'R1-89'**  
 (500-2008-0004) **WATER LOT IN FRONT OF LOT 2, CONCESSION 9 (G)**                      **(Map 6)**  
**S/S MALONE ROAD**

Notwithstanding Sections 7.1 and 7.2, on land shown in heavy outline and designated 'R1-89' in Schedule 'A' attached hereto, the only permitted use shall be a single family dwelling, in the form of a boathouse containing one dwelling unit.

Further, notwithstanding Sections 6.1 (a), (b), (e), (f), (g), (i) and (j), the following requirements shall apply:

Lot Frontage (Minimum)	9.68 metres
Lot Area (Minimum)	273 m <sup>2</sup> (i)
Rear Yard (Minimum)	nil (ii)
Interior Side Yard (Minimum)	1 metre (ii)
Floor Area, Residential (Minimum)	90 m <sup>2</sup>
Lot Coverage (Maximum)	35% (i)
Height of Building (Maximum)	7 metres

(ii) Notwithstanding Sections 2.114, 2.118 and 2.119, the calculation of 'lot area' and 'lot coverage' shall include that portion of the property covered by water.

(ii) Notwithstanding any provisions to the contrary, a single family dwelling shall maintain a minimum setback of 1 metre to the rear and side lot lines located within a portion of the property covered by water.

Further, notwithstanding Sections 5.10 and 5.22, a single family dwelling, a dock, an unenclosed deck, and steps may be erected with a nil setback to the annual highwater mark of Lake Simcoe, subject to obtaining final written approval from the Lake Simcoe Region Conservation Authority.

Further, notwithstanding Sections 5.22 and 5.45, a dock, an unenclosed deck, and steps may project into the minimum rear and side yards, provided that a minimum setback of 1 metre is maintained to the rear





**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

*and in which private recreational/open space amenities are provided for the residents of that development".*

- (ii) An "average finished grade" shall be calculated as follows: (1) by summing the elevations of all "outermost corners" of a building's foundation and any "intermediate grades"; and, (2) dividing the sum by the number of "outermost corners" and "intermediate grades" measured. Open decks supported on posts and cantilevered projections are not considered part of a building's foundation for the purpose of this calculation. To be included as an "outermost corner", a foundation projection must be both larger than 0.4 metres in depth and 2.5 metres in width. Any separation of more than 10 metres between "outermost corner" grades must have an "intermediate grade" provided which shall be an elevation measured halfway between each "outermost corner" grade. Further illustration as to how an "average finished grade" shall be calculated is shown on Schedule 'B-41' attached hereto.
- (iii) An "Ecological Buffer" means: "an area of land within a lot, within an Adult Lifestyle Community, comprised of native trees and shrubs designed to provide an edge treatment to the open space blocks and which may include a drainage feature located not closer than 3 metres to the abutting open space blocks".
- (iv) "Equivalent Density" means: "when determining the maximum number of dwelling units, 2 beds in a Retirement Home are the equivalent of 1 single family detached, semi-detached or townhouse dwelling".

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (v) *"Forest" means: "a naturally sustainable ecosystem, dominated by trees and other woody vegetation, that provides benefits such as erosion protection, water retention, wildlife habitat and passive recreation".*
- (vi) *"Height" only as it relates to a Residential Dwelling or a model home containing a Loft, shall mean: "the vertical distance of a building or structure measured at the average finished grade and the highest point of the roof".*
- (vii) *A "Landscaped Visual Buffer" means: "an area of land within a lot, within an adult lifestyle community, comprised of trees and shrubs designed to provide a visual buffer to ensure no visibility between the rear yards of the residential lots within the Adult Lifestyle Community and the rear yards of the adjacent existing lots, in accordance with an approved Landscape Plan".*
- (viii) *A "Loft" means: "an area within the roof structure of a one storey dwelling which is open to living space below, does not exceed 1/3 of the ground floor space including garage area, and which may include one of the permitted bedrooms and a washroom".*
- (ix) *A "Private Community Centre" means: "a building and premises used for activities within an adult lifestyle community, including a private community centre and accessory buildings, structures and uses such as an indoor/outdoor swimming pool and multi-use recreation pad, the control of which is vested in a private authority".*

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (x) *"Residential Dwelling" means: "a single family detached, semi-detached or townhouse dwelling, but excludes model homes, which are used for sales purposes only and are not occupied for temporary or permanent residential uses".*
  
- (xi) *A "Retirement Home" means: "premises that provide accommodation primarily to retired persons where each private bedroom or living unit has a separate private bathroom and separate entrance from a common hall but where common facilities for the preparation and consumption of food are provided, and where common lounges, recreation rooms, and health care facilities, and internal ancillary commercial uses for the residents of the Adult Lifestyle Community may also be provided".*
  
- (xii) *"Storey" means: "that portion of the building between any floor and the floors, ceiling or roof next above: i) provided that a portion of the building between any floor and the floors, ceiling or roof next above exceeds 4 m in height it shall be deemed to be 2 storeys unless defined herein as a Loft; and ii) any portion of a building partly below grade level shall not be deemed a storey unless its ceiling is greater than 1 metre above the average finished grade".*
  
- (xiii) *"Visitor Parking" means: "with regard to townhouse dwelling units, parking required in addition to the required 2 parking spaces per dwelling unit as set forth herein. Such visitor parking, as set forth herein at 0.25 parking spaces per townhouse dwelling unit, shall be provided as part of a parking lot or as a parking space(s) on the shoulder of a road, other*

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

*than the main road, within the Adult Lifestyle Community”.*

- (xiv) Land designated 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)' and 'R1-95(H)' shall not be used for any other purpose than an Adult Lifestyle Community.
- (500-2006-0009) (xv) No parcel of land, building, or structure within the Adult Lifestyle Community shall be used for the uses permitted herein except in accordance with approved vacant land condominium plan(s) which are in accordance with an approved Master Site Plan, which identifies such matters as residential lots, Landscaped Visual or Ecological Buffers, and common elements.
- (xvi) No Residential Dwelling, Retirement Home or Private Community Centre, including accessory uses buildings or structures contained therein shall be constructed or used except where the site is serviced with municipal water supply and a sewage disposal system and such services are extended to such Dwellings, Retirement Home or Private Community Centre.
- (xvii) A maximum of 4 separate model homes may be constructed prior to a pre-servicing agreement as a sales pavilion, but subject to site plan approval. A sales office may be included in the sales pavilion. In addition, a temporary accessory structure consisting of a two storey gazebo may be permitted, but only in the location of the proposed private community centre/recreation centre, and subject to site plan approval. The temporary entrance from Hedge Road can only be used for access to the sales pavilion and cannot connect to any internal roadway access within the Adult Lifestyle Community. The Hedge Road access shall be

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

terminated at the earliest of the issuance of the first building permit for a Residential Dwelling unit other than the sales pavilion, or two years from the issuance of the first building permit for the sales pavilion.

- (500-2006-0009) (xviii) With the exception of a temporary access from Hedge Road for the sales pavilion as described in (xvii) above, there shall be no vehicular access to the Adult Lifestyle Community except from Black River Road. However, one emergency vehicle access, with an appropriate barrier, shall be provided for access to Maple Avenue.
- (xix) A building or structure may be erected on a lot fronting on a private road described within a registered plan of condominium within the Adult Lifestyle Community.
- (xx) Notwithstanding any other provision of this By-law, basements and cellars are not permitted on the portions of the lands identified as "areas where excavation into the clayey aquitard may be required" on Schedule 'B-42' attached hereto, until a report prepared by a qualified geotechnical engineer and to the satisfaction of the Town, demonstrates that where excavation into the clayey aquitard is required, each building to be constructed will have, below its foundation, a minimum of: 1 metre of recompacted suitable overburden; 1.5 metres of clayey aquitard; and 2 metres of existing native till ("minimum requirements").

With respect to the other lands beyond those identified as "areas where excavation into the clayey aquitard may be required" on Schedule 'B-42' attached hereto, no basements or cellars shall be

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

constructed which require excavation into the clayey aquitard unless the minimum requirements as noted in the preceding paragraph are also met.

(500-2006-0009)

Compliance with the minimum requirements shall be ensured by a protocol, (1) the first part of which shall address the lands identified as "areas where excavation into the clayey aquitard may be required" on Schedule 'B-42' and shall require, at a minimum, that each lot within these lands is to be tested, and (2) the second part shall address the other lands not identified on Schedule 'B-42' as "areas where excavation into the clayey aquitard may be required". Such protocol shall have been approved by the Town and be appended to and form part of the condominium agreement.

(xxi) Notwithstanding any other provision of this By-law, in accordance with the Minutes of Settlement filed with the Ontario Municipal Board on January 30, 2004 as Exhibit #105 (OMB Case File: PL0000549), respecting the Red-Shouldered Hawk ("RSHA"), should the monitoring of the site in 2004, as specified in paragraph 2 of the aforementioned Minutes of Settlement, fail to confirm that there are breeding RSHAs at any of Nests 1, 2 or 4, as shown on Schedule 'B-43' attached hereto, the tree in which Nest 2 is located, as shown on Schedule 'B-43', may be cut down in the Fall of 2004, and development may proceed as planned.

However, if breeding RSHAs are confirmed at Nests 1, 2 or 4, as shown on Schedule 'B-43', in accordance with the aforementioned Minutes of Settlement, no construction activity will be permitted on

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

the lands identified as Phase 4, shown on Schedule 'B-43' until all other previous phases are complete and not before August 12, 2007, except for a temporary construction road and watermain, located a minimum of 75 metres from Nest 1 and 30 metres from Nests 2 and 4 as shown on Schedule 'B-43', prestressing of the western edge of the land shown on Schedule 'B-43' and the construction of interim storm water swales.

Notwithstanding the above prohibition on construction activity within Phase 4 until August 12, 2007, if for any of the subsequent monitoring years (2005, 2006 or 2007) a monitoring report filed with the Town concludes there is no confirmed breeding evidence of red-shouldered hawks in the vicinity (within 150 metres) of Nests 1, 2 or 4, construction activity in Phase 4 is permitted and the proposed development may proceed as planned.

- (xxii) Residential Dwellings with walk-out basements are not permitted.
- (xxiii) On all lots containing a Residential Dwelling or model home, an attached garage shall not project more than 2 metres beyond the front wall on the ground floor of a dwelling and in no case shall a garage project beyond an unenclosed porch or covered entry feature adjacent to the attached garage.
- (xxiv) An attached garage is required for every Residential Dwelling, excluding a Retirement Home. A Residential Dwelling on a lot which has a frontage of less than 13.7 metres shall have a one car garage only. A Residential Dwelling on a lot which has a frontage of 13.7 metres or

SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

greater shall have a two car garage (maximum).

(xxv) Except where stated otherwise in this By-law, balconies, unenclosed porches, covered entries and steps, decks, handicap ramps and elevators may be permitted to encroach 1.5 metres into any required front yard or exterior side yard. All other yard encroachments as provided in Section 5.45(a) continue to apply.

(500-2006-0009)

(xxvi) The erection of fences shall not be permitted except in accordance with an approved plan forming part of the condominium agreement detailing the design, height and location of fencing.

(xxvii) Only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side yard walls of the dwelling.

(xxviii) A sanitary sewage pumping station shall be permitted within all residential zones.

(500-2006-0009)

(xxviii) Notwithstanding any other provision herein, references to "lot(s)" within this by-law may also be interpreted as "unit(s)" within the context of a vacant land condominium plan, where applicable.

(b) PERMITTED USES WITHIN THE 'R1-91(H)' and 'R1-92(H)' ZONES:

(i) Residential

➤ Single Family Detached Dwellings.

(ii) Non-Residential

➤ Home Occupations

➤ Accessory Buildings, Structures and Uses, excluding swimming pools, to any permitted use.



SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

(c) PERMITTED USES IN 'R1-94(H)' ZONE:

(i) Residential

➤ Single Family Detached Dwellings, subject to the qualification that no basements or cellars are permitted unless:

1) The owner's Engineer completes an environmental study report to the satisfaction of the Council of the Town of Georgina. The environmental study report must evaluate and recommend a method to prevent draw down of the water table and demonstrate that there shall be no adverse impacts as a result of proposed mitigation on adjacent lands. Such report shall include:

- assessing the potential impact on vegetation on lands zoned OS-49, from the drawdown of the water table by foundation drains and service trenches;
- canvassing various methods of mitigation, if required, to preserve the existing seasonal high water table and vegetation of the lands zoned 'OS-49' from the potential drawdown of basement or cellar foundation drains or service trenches associated with the development of the 'R1-94(H)' lands;
- evaluating the impacts of any preferred alternative, to include but not be limited to, any potential decrease in groundwater flows and impairment of the water supply to off-site dug wells, or potential flooding of existing basements, or

SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

changes in flow regime of Sibbald Creek;

- evaluating a preferred mitigation alternative, if mitigation is required or feasible;
- ascertaining the longevity of the preferred mitigation alternative, if mitigation is required; and
- determining the maintenance requirements for the preferred system and who would be responsible for this activity, and assess the need to monitor the preferred alternative.

(ii) Non-Residential

- Home Occupations
- Accessory Buildings, Structures and Uses, excluding swimming pools, to any permitted use.

(d) PERMITTED USES IN 'R1-93(H)' and 'R1-95(H)' ZONES:

i) Residential

- Single Family Detached Dwellings
- Semi-detached Dwellings
- Linked Dwellings
- Townhouse Dwellings
- Within the 'R1-93(H)' Zone, a Retirement Home shall also be permitted.

ii) Non-Residential

- Home Occupations
- Accessory Buildings, Structures and Uses, excluding swimming pools, to any permitted use, with the exception of a swimming pool accessory to a Retirement Home.

(e) ZONE REQUIREMENTS FOR THE 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)' and 'R1-95(H)' ZONES:

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

<p>(i) Maximum number of Residential Dwellings or Equivalent Density permitted collectively within the 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)', and 'R1-95(H)' zones shall not exceed 320 and shall not be less than 230.</p>	
<p>(ii) A Retirement Home shall only be permitted in the 'R1-93(H)' zone and may not be constructed until such time as a minimum of 150 Residential Dwelling Units have been constructed within the Adult Lifestyle Community.</p>	
<p>(iii) Maximum number of beds permitted in a Retirement Home shall not exceed 150.</p>	
<p>(iv) Maximum number of Townhouse Dwelling units.</p>	32
<p>(v) Maximum number of bedrooms in a Single Family Detached, Semi-Detached, Linked Dwelling, or Townhouse Dwelling shall be two.</p>	
<p>(vi) Minimum setback of Retirement Home from Hedge Road</p>	450 metres
<p>(vii) Minimum width of Landscaped Visual Buffer</p>	3 metres
<p>(viii) Minimum width of an Ecological Buffer abutting lands zoned 'OS-49' and 'OS-51'</p>	6 metres
<p>(ix) Minimum setback of Retirement Home/Townhouse Dwelling from a Residential zoned lot to the west of the Adult Lifestyle Community</p>	30 metres

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

<p>(x) Lot Frontage (minimum) - Single Family Detached Dwelling</p> <p>'R1-91(H)'</p> <p>'R1-92(H)' and 'R1-94(H)'</p> <p>'R1-93(H)' and 'R1-95(H)'</p>	<p>18 metres</p> <p>15 metres</p> <p>12 metres</p>
<p>(xi) Lot Frontage (minimum) - Semi-detached or Linked Dwelling</p> <p>'R1-93(H)' and 'R1-95(H)'</p>	<p>10 metres</p>
<p>(xii) Lot Frontage (minimum) - Retirement Home</p> <p>'R1-93(H)'</p>	<p>30 metres</p>
<p>(xiii) Lot Frontage (minimum) - Townhouse Dwelling Unit</p> <p>'R1-93(H)' and 'R1-95(H)'</p>	<p>7 metres</p>
<p>(xiv) Minimum number of lots having lot frontages of 13.7 metres or more.</p>	<p>176</p>
<p>(xv) Lot Area (minimum) - Single Family Detached Dwelling</p> <p>'R1-91(H)', 'R1-92(H)' and 'R1-94(H)'</p> <p>'R1-93(H)' and 'R1-95(H)'</p>	<p>450 m<sup>2</sup></p> <p>335 m<sup>2</sup></p>
<p>(xvi) Lot Area (minimum) - Semi-detached or Linked Dwelling</p> <p>'R1-93(H)', and 'R1-95(H)'</p>	<p>300 m<sup>2</sup></p>

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

<p>(xvii) Lot Area (minimum) - Retirement Home Site  'R1-93(H)'</p>	<p>900 m<sup>2</sup>, plus 95 m<sup>2</sup> for first eight beds and for each bed thereafter</p>
<p>(xviii) Lot Area (minimum) - Townhouse Dwelling Unit  'R1-93(H)' and 'R1-95(H)'</p>	<p>196 m<sup>2</sup></p>
<p>(xix) Front Yard (minimum) - Single Family Detached, Semi-detached, Linked, or Townhouse Dwelling Unit  - except that where an attached garage is located in the front yard, the minimum front yard for the garage shall be 6 metres (minimum)</p>	<p>4 metres</p>
<p>(xx) Front Yard (minimum) - Retirement Home</p>	<p>7.5 metres</p>
<p></p>	<p>3 metres</p>
<p>(xxii) Exterior Side Yard (minimum) - Retirement Home</p>	<p>7.5 metres</p>

SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

<p>(xxiii) Rear Yard (minimum)</p> <p>'R1-91(H)' and 'R1-92(H)'</p> <p>'R1-94(H)'</p> <p>'R1-93(H)' and 'R1-95(H)'</p>	<p>9 metres</p> <p>9 metres except that a reduced Rear Yard of 8 m shall be permitted for a maximum of 50% of the width of each individual Residential Dwelling Unit</p> <p>6.5 metres except, where it abuts a Retirement Home it shall be 9 metres</p>
<p>(xxiv) Rear Yard Width (minimum)</p> <p>'R1-91(H)'</p>	<p>18 metres</p>

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

<p>(xxv) Interior Side Yard (minimum)</p> <p>'R1-91(H)', 'R1-92(H)' and 'R1-94(H)'</p> <p>'R1-93(H)' and 'R1-95(H)'</p>	<p>1.2 metres</p> <p>1.2 metres one side, 0.6 metres other side; 1.8 metres (min.) between Residential Dwellings</p>
<p>The minimum interior side yard between a pair of Semi-Detached Dwellings or Townhouse Dwelling Units shall be nil, and between a pair of Linked Dwellings, 1.2 metres, for that portion of a Residential Dwelling above grade. The minimum interior side yard for a Retirement Home shall be 7.5 metres.</p>	
<p>(xxvi) Floor Area (minimum) of Residential Dwelling</p>	<p>100 m<sup>2</sup></p>
<p>(xxvii) Floor Area (minimum) of a bedroom within a Retirement Home</p>	<p>18 m<sup>2</sup></p>
<p>(xxviii) Landscaped Open Space (minimum) - Retirement Home Site</p>	<p>30%</p>
<p>(xxix) Height of Buildings (maximum)</p> <ul style="list-style-type: none"> <li>- Residential Dwellings 'R1-91(H)' and 'R1-92(H)'</li> <li>'R1-93(H)', 'R1-94(H)' and 'R1-95(H)'</li> <li>- Retirement Home</li> <li>- Accessory Building</li> </ul>	<p>8.5 metres</p> <p>9.5 metres</p> <p>11 metres</p> <p>4.5 metres</p>

SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

(xxx) Maximum Number of Storeys  -Residential Dwellings  -Retirement Home	1, plus a loft  2
(xxxi) Minimum Number of Parking Spaces per Residential Dwelling Unit	2
(xxxii) Minimum Number of Visitor Parking Spaces per Townhouse Dwelling Unit	0.25
(xxxiii) Minimum Number of parking spaces per bed in a Retirement Home  No additional parking is required for any non-residential use within a Retirement Home	0.75

(f) HOLDING ZONE PROVISIONS:

Notwithstanding the provisions set forth above, while the '(H)' Holding symbol is in place, no person shall within the lands zoned 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)', and 'R1-95(H)' in Schedule 'A' attached hereto, use any lot or erect, alter or use any buildings or structures for any purpose except those permitted by Zoning By-law Number 500, as amended, as of the date of the enactment of this By-law, with the exception of four model homes within the 'R1-95(H)' zone which may be used as part of the sales program but may not be occupied until the (H) symbol is removed. No extension or enlargement of the uses which existed on the date of the enactment of this By-law shall occur unless an amendment to this By-law is approved by the Council of the Corporation of the Town of Georgina and comes into full force and effect.



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from the lands zoned 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)', and 'R1-95(H)', or any part thereof, under the following circumstances;

(500-2006-0009)

(i) For first 150 Residential Dwelling Units, upon

- adequate water and sewer capacity being made available for the Subject Lands;
- approval of a Master Site Plan and Development Phasing Plan;
- approval of vacant land condominium plan(s); and
- full compliance with all required studies and agreements, financial and otherwise, executed between the owner(s) and the Town of Georgina and Region of York, governing the respective phase of development.

(ii) For Residential Dwelling Units beyond 150 Residential Dwelling Units, upon

- all matters as set forth in f)(i) above;
- occupancy of the first 100 Residential Dwelling Units, and the developer retaining a qualified consultant to conduct a demographic study demonstrating to the satisfaction of the Town, in consultation with the Public School Board that the average number of persons per Residential Dwelling Unit does not exceed 2 and that 75% of the residents are 50 years of age and older; and



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

shall not be limited to: an automated bank teller outlet machine, an administrative and professional office, a health and fitness room, a games room, a library, a kitchen and dining facility for special functions within the adult lifestyle community, personal services shops, recreational multi-use pad, indoor/outdoor swimming pool and parking.

A building or structure may be constructed on lot fronting on a private road as described within a plan of condominium.

(b) ZONE REQUIREMENTS:

The following zone requirements shall apply to those lands designated 'R1-97(H)':

(i) Parking Spaces per 95 square metres of Non-Residential Floor Area, (a swimming pool and hot tub, not including change rooms and other support facilities, are excluded from the calculation of floor area)	4
(ii) Minimum width of Landscaped Visual Buffer abutting a lot adjacent to the community	5 metres
(ii) Lot Frontage on Hedge Road (minimum)	70 metres
(iii) Lot Area (minimum)	0.9 ha
(iv) Front Yard (minimum)	20 metres
(v) Rear Yard (minimum)	8 metres

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

(vi) Interior Side Yard (minimum)  Private community centre Indoor/outdoor pool Multi-use Recreation Pad Accessory Buildings and Structures	15 metres 10 metres 6 metres 5 metres
(viii) Ground floor Area of Private community centre (maximum)	745 m2, excluding area of one storey attached building for the indoor/outdoor swimming pool.
(ix) Height of Building (maximum)	11 metres
(x) Maximum number of storeys	2
(xi) Balconies, unenclosed porches, covered entries and steps, decks, handicap ramps and elevators may be permitted to encroach 3 metres into any required front yard.	

(c) HOLDING ZONE PROVISIONS:

Notwithstanding the provisions set forth above, while the '(H)' Holding symbol is in place, no person shall, within the lands zoned 'R1-97(H)' in Schedule 'A' attached hereto, use any lot or erect, alter or use any buildings or structures for any purpose except those permitted by Zoning By-law Number 500, as amended, as of the date of the enactment of this By-law. No extension or enlargement of the uses which existed on the date of the enactment of this

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

By-law shall occur unless an amendment to this By-law is approved by the Council of the Corporation of the Town of Georgina and comes into full force and effect.

Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from the lands zoned 'R1-97(H)', under the following circumstances;

- approval of a Master Site Plan and Development Phasing Plan;
- approval of detailed site plans;
- full compliance with all required studies and agreements, financial and otherwise, executed between the owner(s) and the Town of Georgina and Region of York, governing the respective phase of development.

**7.5.70**                      **PART OF LOT 3, PLAN 247**                      **'R1-98'**  
(500-2005-0001) **S/S LAKE DRIVE EAST**                      **(Map 6)**

Notwithstanding Section 7.1, one additional dwelling unit shall be permitted within a single family dwelling on land shown in heavy outline and designated 'R1-98' in Schedule 'A' attached hereto.

**7.5.71**                      **PART OF LOT 3, PLAN 247**                      **'R1-99'**  
(500-2005-0001) **N/S METRO ROAD NORTH**                      **(Map 6)**

Notwithstanding Section 7.1, one accessory apartment shall be permitted within a single family dwelling on land shown in heavy outline and designated 'R1-99' in Schedule 'A' attached hereto. Furthermore, the floor area of the accessory apartment shall not exceed 65 square metres and a minimum of two parking spaces shall be provided for the accessory apartment.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

7.5.71  
(500-2004-0005)

**PART OF LOTS 9 AND 10, CONCESSION 3 (NG)**

**'R1-100'  
(Map 2)**

- a) Notwithstanding Sections 6.1 (c), (d), (f), (i) and (j) insofar as it affects the lands zoned 'R1-100' on Schedule 'A' hereto, the following zone requirements shall apply:

Front Yard (Minimum) M. To Garage To Dwelling	6.0 <sup>(i)</sup> <sup>(ii)</sup> 5.5 <sup>(i)</sup> <sup>(ii)</sup>
Exterior Side Yard (Minimum) M.	5 <sup>(i)</sup> <sup>(iii)</sup>
Interior Side Yard (Minimum) M.	1.2 metres plus 0.5 metres for each additional or partial storey above the second. <sup>(iv)</sup>
Lot Coverage (Maximum) Bungalow Multi-storey	40% 35%

- (i) The minimum setback for the main wall of a dwelling to the hypotenuse of a sight triangle which forms part of the property line shall be 3.5 metres.
- (ii) No garage shall project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.
- (iii) Except where a driveway, providing access to an attached garage, is located in the exterior side yard, the minimum exterior side yard for the garage shall be 6 metres.
- (iv) Where there is no attached garage on a lot, the minimum interior side yard on one side shall be 2.5 metres.

- b) Every lot shall provide a garage.
- c) Notwithstanding Section 5.28 (i), the maximum width of a driveway shall be 6 metres.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, Unenclosed Porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
  
- e) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard as well as within the back half of the interior side yard. Such fences are exempt from minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards as well as the front half of the interior side yard provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
  - iv) Notwithstanding i) and ii) above, where a lot abuts a commercial or institutional zone, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.





**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

Notwithstanding Section 5.13, a single detached dwelling and accessory buildings, structures and uses are permitted on a lot, which has frontage on an access street/road that is subject to a registered plan of common elements condominium.

**7.5.75**                      **PART OF LOT 6, BLOCK 58, PLAN 69**                      **'R1-104'**  
 (500-2004-0014)      **S/S BURKE STREET**    **(Map 7)**

Notwithstanding Section 7.1, one accessory apartment shall be permitted within a single family dwelling on land shown in heavy outline and designated 'R1-104' in Schedule 'A' attached hereto. Furthermore, the floor area of the accessory apartment shall not exceed 76 square metres and a minimum of two parking spaces shall be provided for the accessory apartment.

**7.5.76**                      (Deleted by By-law 500-2006-0011)

**7.5.77**                      (Deleted by By-law 500-2006-0014)

**7.5.78**                      (Deleted by By-law 500-2006-0011)

**7.5.79**                      (Deleted by By-law 500-2006-0011)

**7.5.80**                      **PART OF LOTS 2 AND 3,**    **'R1-109 (WS)'**  
 (500-2005-0023)      **CONCESSION 3 (NG)**    **(Maps 1 and 2)**  
 (500-2007-0009)

(2013-0140)      a) Notwithstanding Section 6.1 (a), (b), (c),  
 (2014-0007)                      (d), (e), (f), (i) insofar as it affects the  
 (2015-0081)                      lands zoned 'R1-109(WS)' on Schedule 'A'  
 (2015-0117)                      hereto, the following zone requirements shall  
 (2016-0029)                      apply:

ZONE	R1-109 (WS)
PERMITTED USE <sup>1,10</sup>	S
ZONE REQUIREMENT	
LOT FRONTAGE (MINIMUM) M.	13.7 <sup>2,8</sup>
LOT AREA (MINIMUM) SQ. M.	350 <sup>3,9</sup>
FRONT YARD (MINIMUM) M.	
TO GARAGE	5.8 <sup>4</sup>
TO DWELLING	4.0 <sup>4,7</sup>

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

EXTERIOR SIDE YARD (MINIMUM) M.	2.4 <sup>4,5,6</sup>
REAR YARD (MINIMUM) M.	6.0
INTERIOR SIDE YARD (MINIMUM) M.	0.6 AND 1.2

- <sup>1</sup> Permitted Use - S = Single Family Dwelling
- <sup>2</sup> Except that in the case of a corner lot the minimum lot frontage shall be 14.9 metres.
- <sup>3</sup> Except that in the case of a corner lot the minimum lot area shall be 370 square metres.
- <sup>4</sup> The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.
- <sup>5</sup> Except where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for the garage or carport shall be 5.8 metres.
- <sup>6</sup> The minimum exterior side yard setback shall be 3.0 metres if the exterior side yard abuts a road having a width of 23 metres or greater.
- <sup>7</sup> Where there is no sidewalk crossing the front yard, the minimum front yard setback may be reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.
- <sup>8</sup> Except that in the case of the lots as further indicated on Schedule 'B-75' attached hereto, the minimum lot frontage for the identified individual lots shall be as illustrated on Schedule 'B-75'.
- <sup>9</sup> Except that in the case of the lots as further indicated on Schedule 'B-75' attached hereto, the minimum lot area for the identified individual lots shall be as illustrated on Schedule 'B-75'.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

<sup>10</sup> Notwithstanding any other provision herein, a '(H)' Holding symbol is hereby enacted on lands shown in heavy outline and designated 'R1-109 (WS)(H)' in Schedule 'A' and further delineated in Schedule 'B-76' and 'B-77' attached hereto. Until such time as the '(H)' Holding symbol is removed, no building or structures shall be permitted to be erected. Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the 'H' Holding symbol from all or part of said lands upon the following:

- i. approval of a part lot control exemption application(s),
- ii. deposit of the necessary Reference Plans (R-Plans) with the Land Registry Office,
- iii. execution of the pertinent agreements with the owner of the adjoining blocks/part lots, with respect to the merging and conveying of the said blocks/part lots, and
- iv. the review and approval by the Town of the draft conveyancing documents which details the means by which said lands are to be appropriately merged with the adjoining blocks/part lots.

Upon removal of the '(H)' Holding symbol from all or part of the lands shown in heavy outline and designated 'R1-109 (WS)(H)' in Schedule 'B-76' and 'B-77' attached hereto, the provisions applicable to said lands shall be in accordance with Zoning By-law 500, as amended.

- b) Notwithstanding Section 2.230, in areas zoned 'R1-109(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.

- c) Notwithstanding Section 5.28(b), in the areas zoned 'R1-109(WS)' on Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- d) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-109(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.35, in the areas zoned 'R1-109(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- f) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-109(WS)' on Schedule 'A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-Law Number 500, as amended, continue to apply.

- g) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-109(WS)' on Schedule 'A' hereto, shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provision of the by-law.
  - ii) Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - iii) Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
  - iv) Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres
- h) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-109(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

yard, the minimum front yard setback may be reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.

- b) Notwithstanding Section 2.230, in areas zoned 'R1-110(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.
- c) Notwithstanding Section 5.28(b), in the areas zoned 'R1-110(WS)' on Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- d) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-110(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.35, in the areas zoned 'R1-110(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

maintained in accordance with the provisions of Section 5.35(b).

- f) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-110(WS)' on Schedule 'A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-Law Number 500, as amended, continue to apply.
  
- g) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-110(WS)' on Schedule 'A' hereto, shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  
  - ii) Fences are permitted in the front yard area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  
  - iii) Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

exceeding 2 metres in height are permitted.

iv) Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.

h) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-110(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

**7.5.82**  
(500-2006-0001)

**BLOCK 114, PLAN 65M-3270**

**'R1-111'**  
**(Map 2)**

Notwithstanding Sections 5.45 (a), 6.1 (a), (b), (c), (f) and (i) on those lands shown in heavy outline and designated 'R1-111' in Schedule 'A' attached hereto, the following zone standards shall apply:

- (i) Unenclosed porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps.
- (ii) LOT FRONTAGE (MINIMUM) 15 metres  
- except that in the case of a corner lot, the minimum lot frontage shall be 18 metres
- (iii) LOT AREA (MINIMUM) 450 sq. metres  
- except that in the case of a corner lot, the minimum lot area shall be 540 sq. metres
- (iv) FRONT YARD (MINIMUM)  
- Dwelling 5.5 metres

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- Garage 6 metres
- (v) INTERIOR SIDE YARD (MINIMUM)
  - 1.2 metres plus 0.5 metres for each additional or partial storey above the second
- (vi) LOT COVERAGE (MAXIMUM)
  - One storey dwelling 40%
  - One and One half or two storey dwelling 35%

Further, each lot shall provide an attached garage. The garage shall not project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.

**7.5.83**  
(500-2006-0001)

**BLOCK 114, PLAN 65M-3270**

**'R1-112'**  
**(Map 2)**

Notwithstanding Sections 5.45 (a), 6.1 (a), (b), (c), (f) and (i) on those lands shown in heavy outline and designated 'R1-112' in Schedule 'A' attached hereto, the following zone standards shall apply:

- (i) Unenclosed porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps.
- (ii) LOT FRONTAGE (MINIMUM) 12 metres
  - except that in the case of a corner lot, the minimum lot frontage shall be 15 metres
- (iii) LOT AREA (MINIMUM) 360 sq. metres
  - except that in the case of a corner lot, the minimum lot area shall be 450 sq. metres
- (iv) FRONT YARD (MINIMUM)
  - Dwelling 5.5 metres
  - Garage 6 metres

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (v) INTERIOR SIDE YARD (MINIMUM)
  - 1.2 metres plus 0.5 metres for each additional or partial storey above the second
  
- (vi) LOT COVERAGE (MAXIMUM)
  - One storey dwelling 40%
  - One and One half or two storey dwelling 35%

Further, each lot shall provide an attached garage. The garage shall not project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.

**7.5.84**  
(500-2006-0001)  
(500-2007-0023)

**BLOCK 114, PLAN 65M-3270**

**'R1-113'**  
**(Map 2)**

Notwithstanding Sections 5.45 (a), 6.1 (a), (b), (c), (f) and (i) on those lands shown in heavy outline and designated 'R1-113' in Schedule 'A' attached hereto, the following zone standards shall apply:

- (i) Unenclosed porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps.
  
- (ii) LOT FRONTAGE (MINIMUM) 15 metres
  - except that in the case of a corner lot, the minimum lot frontage is 18 metres
  
  - \*\* except that in the case of an interior lot fronting onto an extension of Roselm Avenue, the minimum lot frontage shall be 12 metres
  
  - \*\* except that in the case of a lot having frontage on Fairwood Drive and flankage on an extension of Roselm Avenue the minimum lot frontage shall be 15 metres

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

(iii) LOT AREA (MINIMUM) 450 sq. metres  
- except that in the case of  
a corner lot, the minimum lot  
area is 540 sq. metres

\*\* except that in the case of an  
interior lot fronting onto an  
extension of Roselm Avenue, the  
minimum lot area shall be 360 sq. metres

\*\* except that in the case of a  
lot having frontage on Fairwood  
Drive and flankage on an extension  
of Roselm Avenue, the minimum  
lot area shall be 450 sq. metres

(iv) FRONT YARD (MINIMUM)  
- Dwelling 5.5 metres  
- Garage 6 metres

(v) INTERIOR SIDE YARD (MINIMUM)  
- 1.2 metres plus 0.5 metres for each  
additional or partial storey above the second

(vi) LOT COVERAGE (MAXIMUM)  
- One storey dwelling 40%  
- One and One half or two storey dwelling 35%

Further, each lot shall provide an attached garage.  
The garage shall not project more than 2.5 metres  
forward from either the ground or second floor main  
wall of the dwelling.

**7.5.85 PART OF LOT 3, CONCESSION 7 (G) 'R1-114'**  
(500-2006-0018) **S/S BLACK RIVER ROAD 'R1-114 (H)'**  
**(Map 7)**

a) Notwithstanding Section 6.1 (a), (b), (c), (d),  
(e), (f) and (i), the following requirements  
shall apply:

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

Lot Frontage (Minimum) Interior Lot Corner Lot	11 metres 14 metres
Lot Area (Minimum) Interior Lot Corner Lot	330 m <sup>2</sup> 420 m <sup>2</sup>
Front Yard (Minimum) To Attached Garage To Dwelling	5.7 metres (i) (ii) 2.4 metres (i) (ii)
Exterior Side Yard (Minimum) To Attached Garage To Dwelling	5.7 metres (i) (ii) 2.4 metres (i) (ii)
Rear Yard (Minimum) Bungalow Multi-Storey	6.5 metres 7.5 metres
Interior Side Yard (Minimum)	0.6 and 1.2 metres

(i) The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.

(ii) No attached garage shall project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.

b) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:

i) Fences not exceeding 2 metres in height are permitted in the rear yard as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.

ii) Fences are permitted in the front and exterior side yards as well as the front half of the interior side yard provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

requirements of the by-law.

- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- c) Notwithstanding Section 5.28 (b), a minimum of two parking spaces per dwelling unit shall be provided, one of which may be in a driveway private to the unit and leading to an attached garage in the front yard or in the exterior side yard. Every lot shall provide an attached garage.
- d) Notwithstanding Section 5.28 (h) and (i), driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line. Furthermore, the maximum width of a driveway shall be 5.5 metres.
- e) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
- f) Notwithstanding any other provision herein, while the '(H)' Holding symbol is in place on lands shown in heavy outline and designated 'R1-114 (H)' in Schedule 'A' attached hereto, no buildings or structures shall be permitted to be erected. Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

shall enact a by-law to remove the '(H)' Holding symbol from all or part of said lands under the following circumstances:

- the submission of a plan of subdivision, consent, and/or part lot control application(s) which details the means by which said lands are to be appropriately integrated with the remaining lands within draft plan of subdivision 19T-90033, adjacent lands and the future extension of Market Street; and,
- adequate municipal water supply and sanitary sewage servicing capacity is assigned to the subject lands.

Upon removal of the '(H)' Holding symbol from all or part of the lands shown in heavy outline and designated 'R1-114 (H)' in Schedule 'A' attached hereto, the provisions applicable to said lands shall be in accordance with Zoning By-law 500.

**7.5.86**  
(500-2006-0011)  
(2015-0047)

**PART OF LOTS 16 TO 19, CONCESSION 9 (NG) 'R1',  
'R1(H)', 'R1-115',  
'R1-116', 'R1-117', 'R1-117(H)'  
(Maps 6 and 6A)**

Notwithstanding Section 6.1 (a), on lands shown in heavy outline and designated 'R1-115', 'R1-116' and 'R1-117' in Schedule 'A' attached hereto, the minimum lot frontages shall be 22 metres, 26 metres, and 30 metres respectively.

Further, notwithstanding Section 6.1 (g), the minimum floor area of a single family dwelling shall be 65 square metres.

Further, on those lands shown in heavy outline and designated 'R1-115' in Schedule 'A' hereto, a single family dwelling erected on Lot 84, Judge's Plan 602 shall be setback a minimum distance of 2 metres from the zone boundary dividing the R1-115 and OS-92

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

zones.

Further, notwithstanding any other provision herein, while the '(H)' Holding symbol is in place on lands shown in heavy outline and designated 'R1(H)' and 'R1-117(H)' in Schedule 'A' attached hereto, no buildings or structures shall be permitted to be erected or enlarged. Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from all or part of said lands under the following circumstances:

- the submission of an Environmental Impact Statement (EIS) in accordance with the policies of the Official Plan, demonstrating that the proposed development will not create adverse impacts on identified natural features and ecological functions, all to the satisfaction of the Town of Georgina and the Lake Simcoe Region Conservation Authority.

Upon removal of the '(H)' Holding symbol from all or part of the lands shown in heavy outline and designated 'R1(H)' and 'R1-117(H)' in Schedule 'A' attached hereto, the provisions applicable to said lands shall be in accordance with Zoning By-law Number 500 as amended.

**7.5.87**  
(500-2006-0012)

**PART OF LOT 13, CONCESSION 3 (NG)**

**'R1-118'**

**'R1-119'**

**(Map 3)**

Notwithstanding Sections 5.45 (a), 6.1(c), (f), (i) and (j) on those lands shown in heavy outline and designated 'R1-118' and 'R1-119' in Schedule 'A' attached hereto, the following zone standards shall apply:

- (i) Unenclosed porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps.



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (ii) FRONT YARD (MINIMUM)
  - Dwelling 5 metres
  - Garage 6 metres
  
- (iii) INTERIOR SIDE YARD (MINIMUM)
  - 1.2 metres plus 0.5 metres for each additional or partial storey above the second
  
- (iv) LOT COVERAGE (MAXIMUM)
  - One storey dwelling 40%
  - One and one half or two storey dwelling 35%
  - Three storey 30%
  
- (v) HEIGHT 11 metres
  - with the exception that on those lands zoned 'R1-119' only a one storey dwelling shall be permitted.
  
- (vi) Each lot shall provide an attached garage. The garage shall not project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.
  
- (vii) Notwithstanding the yard provisions noted above, a dwelling shall not encroach into the hatched area shown in Schedule 'B-57' hereto, and zoned 'R1-119'.

**7.5.88** (Deleted by By-law 500-2019-0008)

**7.5.89** **PLAN 95, LOT 11, PART LOT 13** **'R1-121'**  
(500-2008-0002) **CONCESSION 3 (NG)** **(Map 3)**

Notwithstanding Section 6.1 (k), two single family dwellings shall be permitted for a period *not exceeding one year from the date of this by-law coming into force and effect<sup>1</sup>*, subject to the following conditions being satisfied:

- (i) The owner shall enter into a Demolition

---

<sup>1</sup> One year being January 7, 2009.



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

Interior Side Yard (Minimum)	1.2 metres, plus 0.5 metres for each additional or partial storey above the second (iii)	1.2 metres, plus 0.5 metres for each additional or partial storey above the second (iii)	1.2 metres, plus 0.5 metres for each additional or partial storey above the second (iii)
Lot Coverage (Maximum)	Not Applicable	Not Applicable	

- (i) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
  - (ii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
  - (iii) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.
- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
- i) Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.
  - iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
  - iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.

- v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres from a sight triangle and 0.9 metres from a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

compliance with the minimum yard requirements for the appropriate zone.

- ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
  - iv) Notwithstanding i) and ii) above, where a lot or block abuts a commercial zone, a fence may be erected along the common lot line or in the commercial zone to a maximum height of 3 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
- e) Notwithstanding any other provision herein, while the '(H)' Holding symbol is in place, no buildings or structures shall be permitted to be erected on land shown in heavy outline and designated 'R1-122(H)' in Schedule 'A' attached hereto. Pursuant to Section 36 of the Planning Act, R.S.O. 1990, as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from the land under the following

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

circumstances;

- For lands zoned 'R1-122(H)', the Town of Georgina Council has passed a resolution issuing draft plan approval and allocating municipal servicing capacity to the lands.

**7.5.91**                      **LOT 45, PLAN 397**                      **'R1-124'**  
(500-2008-0006) **THE QUEENSWAY SOUTH/BESSBOROUGH DRIVE**                      **(Map 2)**  
(500-2018-0009)

- a) For the purposes of this by-law, Section 6.1 shall apply to a day nursery use.
- b) Notwithstanding Section 7.2, on land shown in heavy outline and designated 'R1-124' in Schedule 'A' attached hereto, a day nursery having a maximum capacity of 39 children shall also be a permitted use.
- c) Notwithstanding Section 5.28 (b), a total of 9 on-site parking spaces shall be provided for a day nursery use having a maximum of 39 children, 3 of which must be identified for staff parking.
- d) Notwithstanding Section 5.31, a planting strip shall not be required.
- e) Notwithstanding Section 6.1 (d), the following shall apply:

EXTERIOR SIDE YARD (MINIMUM)                      1.4 metres

**\*7.5.92**                      **PART OF LOT 9, CONCESSION 3 (NG) AND**                      **'R1-125'**  
(500-2008-0009) **LOT 95, REGISTERED PLAN 290**                      **(Map 2)**  
**EXTENSION OF BRENNER COURT AND N/S**  
**OF RIVEREDGE DRIVE**

- a) Notwithstanding Sections 6.1 (a), (b), (c), (e), (f) and (i), the following requirements shall apply on lands shown in heavy outline and

---

\* General Amendment is required to correct the number 7.5.90 to 7.5.92.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

designated 'R1-125' in Schedule 'A' attached hereto:

<b>PROVISION</b>	<b>REQUIREMENT</b>
LOT FRONTAGE (MINIMUM)	12 metres
LOT AREA (MINIMUM)	360 sq. metres
FRONT YARD (MINIMUM) - Dwelling - Garage * except where a lot fronts onto Riveredge Drive the minimum front yard shall be 6 metres to both the dwelling and the garage.	4 metres 6 metres
REAR YARD (MINIMUM) * except for Lots 2 and 3 backing onto the watercourse the minimum rear yard shall be 3 metres.	8 metres
INTERIOR SIDE YARD (MINIMUM)	1.2 metres plus 0.5 metres for each additional or partial storey above the second
Lot Coverage (Maximum)	40%

b) Notwithstanding Sections 5.1 (f), 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:

i) Every lot shall provide a garage.

ii) Any detached garage must be of a peaked roof design and the height shall not exceed 3 metres measured from average grade to the highest point of the side walls where they intersect with the roof structure and 4.5 metres from average grade to the top of the peak.

iii) With the exception of those lots fronting onto Riveredge Drive, the minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

Furthermore, the maximum interior garage width shall be 6 metres.

- iv) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
  - v) No attached garage shall project into the front yard more than 2 metres beyond any wall of the dwelling facing the street. In the case where the garage projects beyond any wall of the dwelling facing the street, a front porch shall be required. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.
  - vi) In the case of a dwelling with an attached garage, and with the exception of those lots fronting onto Riveredge Drive, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
  - vii) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
- i) Fences not exceeding 2 metres in height are







**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

(iii) All interior side yards of less than 1.2 metres shall be paired together on abutting lots.

b) Notwithstanding Sections 5.28 (b), (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:

i) An attached garage shall be provided for every lot.

ii) The minimum number of parking spaces on a lot zoned 'R1-127' shall be two per unit, one of which must be located within an attached garage and the other which must be provided in a driveway private to the unit and in the front yard.

iii) The minimum interior dimensions of an attached garage on a lot zoned 'R1-127' shall be 3 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 3.5 metres.

iv) The minimum interior dimensions of an attached garage on a lot zoned 'R1-128' shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.

v) No encroachments shall be permitted into a required parking space located within an attached garage, save and except for one step (2 risers) into the minimum garage length.

vi) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.

- vii) No part of any driveway or parking area in the front yard shall be located closer than 0.6 metres to a sight triangle or to a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
  
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  
  - ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  
  - iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.





**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

which forms part of the street shall be 0.6 metres.

(ii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.

(iii) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.

b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways and parking areas:

i) Every lot shall provide a garage.

ii) The minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6.0 metres, except in the 'R1-134' zone where the maximum interior garage width may be 9.0 metres.

iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.

iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2.0 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front shall be located closer than 0.6 metres from a sight triangle and 0.9 metres from a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
  
- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3.0 metres.
  
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2.0 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2.0 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  
  - ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior yard of an abutting residential lot, fences not exceeding 2.0 metres in height are permitted along the common lot line.
- iv) Notwithstanding i) and ii) above, where a lot or block abuts a commercial or industrial zone, a fence may be erected along the common lot line or in the commercial or industrial zone to a maximum height of 3.0 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2.0 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

**7.5.99**                      **PART OF LOTS 6 AND 7, BLOCK 16, PLAN 69**                      **'R1-135'**  
 (500-2011-0003) **PART OF UNNAMED LANE BLOCK 16, PLAN 69**                      **(Map 7)**

- a) Notwithstanding Sections 5.12, 6.1 (f) and (i) the following requirements shall apply on lands shown in heavy outline and designated 'R1-135' in Schedule 'A' attached hereto:

Interior Side Yard (Minimum)	1.2 metres plus 0.5 metres for each additional or partial storey above the second. (i)
Lot Coverage (Maximum)	
One storey dwelling	40%
Two storey dwelling	35%

*(i) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side*



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- ii) The minimum setback for the main wall of a dwelling to the hypotenuse of a sight triangle which forms part of the street between High Street and East Street shall be 6.0 metres, and the minimum setback for any other building or structure to the hypotenuse of a sight triangle which forms part of the street between High Street and East Street shall be 5.0 metres.
- b) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear and side yards only. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front yard and along the hypotenuse of sight triangle, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding i) and ii) above, a fence not exceeding 0.9 metres in height shall be permitted along the rear lot line between the hypotenuse of the sight triangle and to a point measured 6.0 metres easterly thereto.
- c) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for unenclosed porches and steps in the required front yard areas, unenclosed porches are permitted to encroach 2

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

metres into any required front yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

**7.5.101**                      **PART OF LOTS 1, 2, and 3**                      **'R1-137 (WS)'**  
 (500-2012-0002) **CONCESSION 3 (NG)**                      **(Maps 1 and 2)**  
 (2013-0140)  
 (2013-0155)  
 (2014-0007)

a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), (i) insofar as it affects the lands zoned 'R1-137 (WS)' on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-137 (WS)
PERMITTED USE <sup>1</sup>	S
ZONE REQUIREMENT	
LOT FRONTAGE (MINIMUM) M.	11.0 <sup>2</sup>
LOT AREA (MINIMUM) SQ.M.	280 <sup>3</sup>
FRONT YARD (MINIMUM) M.	
TO GARAGE	5.8 <sup>4</sup>
TO DWELLING	4.0 <sup>4,7</sup>
EXTERIOR SIDE YARD (MINIMUM) M.	2.4 <sup>4,5,6</sup>
REAR YARD (MINIMUM) M.	6.0
INTERIOR SIDE YARD (MINIMUM) M.	0.6 and 1.2

- 1 Permitted Use - S = Single Family Dwelling.
- 2 Except that in the case of a corner lot the minimum lot frontage shall be 12.2 metres.
- 3 Except that in the case of a corner lot the minimum lot area shall be 310 square metres.
- 4 The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.
- 5 Pursuant to By-law Number 2004-0078 (PWO-2) as amended, no entrance shall be permitted to provide vehicular access to the exterior flankage of a corner lot.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

6 The minimum exterior side yard setback shall be 3.0 metres if the exterior side yard abuts a road having a width of 23 metres or greater.

7 Where there is no sidewalk crossing the front yard, the minimum front yard setback may be reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.

b) Notwithstanding Sections 5.28 (b) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways and parking areas:

i) In the area zoned R1-137(WS) in Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.

ii) The minimum interior dimensions of a garage on a lot zoned R1-137 shall be 5.48 metres in width and 5.7 metres in length.

iii) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- iv) No part of any driveway or parking area in the front yard shall be located closer than 0.6 metres to a sight triangle or 0. metres to an interior side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
  
- c) Notwithstanding Section 2.230, in areas zoned 'R1-137(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be front lot line or side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For the purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and front Lot Line so that they would intersect at a point.
  
- d) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the interior side and rear yards only. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  
  - ii) Fences are permitted in the front and exterior side yards, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

yard requirements of the by-law.

- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
  
- e) Notwithstanding Section 5.35, in the areas zoned 'R1-137(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
  
- f) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior yard areas in areas zoned 'R1-137 (WS)' on Schedule 'A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-law 500, as amended, continue to apply.
  
- g) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-137(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

7.5.102  
(2013-0100)

**PART LOTS 6 AND 7 CONCESSION 3 (NG)**

**'R1-138'  
'R1-139'  
(Map 2)**

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

(a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply to lands shown in heavy outline and designated 'R1-138' and 'R1-139' on Schedule 'A' hereto:

ZONE	R1-138	R1-139
Permitted Use <sup>(i)</sup>	S	S
Lot Frontage (Minimum)		
Interior Lot	12.0 metres	15.0 metres
Corner Lot	16.0 metres	18.5 metres
Lot Area (Minimum)		
Interior Lot	394 m <sup>2</sup>	525 m <sup>2</sup>
Corner Lot	520 m <sup>2</sup>	750 m <sup>2</sup>
Front Yard (Minimum)		
To Dwelling	5.0 metres <sup>(ii)</sup>	5.0 metres <sup>(ii)</sup>
To Attached Garage	6.0 metres <sup>(ii)</sup>	6.0 metres <sup>(ii)</sup>
Exterior Side Yard (Minimum)	3.5 metres <sup>(iii)</sup>	3.5 metres <sup>(iii)</sup>
Rear Yard (Minimum)	7.5 metres	7.5 metres
Interior Side Yard (Minimum)	1.2 metres plus 0.5 for each additional or partial storey above the second <sup>(iv)</sup>	1.2 metres plus 0.5 for each additional or partial storey above the second <sup>(iv)</sup>
Lot Coverage	Not Applicable	Not Applicable

- (i) Permitted Use - S = Single Family Dwelling
- (ii) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
- (iii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide vehicular access to the exterior flankage of a corner lot.
- (iv) Where there is a detached garage in the rear



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

yard of a lot, the minimum interior side on the side providing access to a detached garage shall be 3.5 metres.

- (b) Notwithstanding Sections 5.28 (b), (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - (i) Every lot shall provide a garage.
  - (ii) The minimum number of parking spaces on a lot zoned 'R1-138' and 'R1-139', shall be four per unit, two of which must be located within a garage and two of which must be provided in a driveway private to the unit.
  - (iii) The minimum interior dimensions of a garage on a lot zoned 'R1-138' and 'R1-139' shall be 6.0 metres in width and 5.7 metres in length.
  - (iv) No encroachments shall be permitted into a required parking space location within a garage, save and except for one step (2 risers) into the minimum garage length or minimum garage width.
  - (v) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered enclosed porch or entry feature adjacent to the attached garage.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (vi) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres to a sight triangle and 0.9 metres to an interior side lot line. Furthermore, the maximum width or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
  
- (vii) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres to a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway parking area in the front yard shall be 3.0 metres.
  
- (c) Notwithstanding Section 2.230, in areas designated 'R1-138' and 'R1-139' in Schedule 'A' herein, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For the purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot line and Front Lot line so that they would intersect at a point.
  
- (d) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - (i) Fences not exceeding 2.0 metres in height are permitted in the side and rear yards

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

only. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2.0 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.

(ii) Fences not exceeding 0.9 metres in height are permitted in the front yard. Such fences are exempt from the minimum yard requirements of the by-law.

(iii) Notwithstanding (i) and (ii) above, and any other zoning provisions to the contrary, the erection of fences and provisions applied thereto for corner lots, including the interior "corner" lot opposite the 'OS' zoned block, shall be permitted in accordance with an approved Fencing/Landscape Plan.

(e) Notwithstanding Section 5.35 for lands designated 'R1-138' and 'R1-139' in Schedule 'A' herein, where local street lines intersect, a 5.0 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(a).

(f) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Balconies, Unenclosed Porches, Steps and Decks in the required front yard and exterior side yard areas, such unenclosed porches may be permitted to encroach 2.0 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45(a) continue to apply.

7.5.103  
(2013-0142)

**PART OF LOT 18, CONCESSION 9 (NG) 'R1-140', 'R1-141'  
N/S BASELINE ROAD 'R1-142' & 'R1-143'  
(Map 7)**

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply on lands shown in heavy outline and designated 'R1-140', 'R1-141', 'R1-142', and 'R1-143' in Schedule 'A' attached hereto:

<b>Zone</b>	<b>R1-140</b>	<b>R1-141</b>	<b>R1-142</b>	<b>R1-143</b>
Lot Frontage (Min)				
Interior Lot	11 m	12.2 m	12.8 m	15 m
Corner Lot	14 m	15.2 m	15.8 m	18 m
Lot Area (Min)				
Interior Lot	330 m <sup>2</sup>	366 m <sup>2</sup>	384 m <sup>2</sup>	450 m <sup>2</sup>
Corner Lot	420 m <sup>2</sup>	456 m <sup>2</sup>	474 m <sup>2</sup>	540 m <sup>2</sup>
<b>Zone</b>	<b>R1-140</b>	<b>R1-141</b>	<b>R1-142</b>	<b>R1-143</b>
Front Yard (Min)				
To Attached Garage	6 m <sup>(i)</sup>	6 m <sup>(i)</sup>	6 m <sup>(i)</sup>	6 m <sup>(i)</sup>
To Dwelling	5 m <sup>(i)</sup>	5 m <sup>(i)</sup>	5 m <sup>(i)</sup>	5 m <sup>(i)</sup>
Exterior Side Yard (Min)	4 m <sup>(i), (ii)</sup>	4 m <sup>(i), (ii)</sup>	4 m <sup>(i), (ii)</sup>	4 m <sup>(i), (ii)</sup>
<b>Zone</b>	<b>R1-140</b>	<b>R1-141</b>	<b>R1-142</b>	<b>R1-143</b>
Interior Side Yard (Min)	1.2 m, and 0.6 m on other side plus 0.5 m for each additional or partial storey above the second <sup>(iii)</sup>	1.2 m, and 0.6 m on other side plus 0.5 metres for each additional or partial storey above the second <sup>(iii)</sup>	1.2 m, and 0.6 m on other side plus 0.5 m for each additional or partial storey above the second <sup>(iii)</sup>	1.2 m, plus 0.5 m for each additional or partial storey above the second <sup>(iii)</sup>
Lot Coverage (Max)	Not Applicable	Not Applicable	Not Applicable	Not Applicable

- (i) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- (ii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
  - (iii) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.
- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
- i) Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage shall be 5.48 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.
  - iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
  - iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.
  - v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres from a sight

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

triangle and 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway or parking area in the front yard shall be 5.5 metres and the maximum width shall be the interior width of the attached garage on the lot, plus 0.5 metres.

- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
  
- c) Notwithstanding the provisions of Section 5.12 the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  
  - ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  
  - iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.

- iv) Notwithstanding i) and ii) above, where a lot or block abuts a commercial zone, a fence may be erected along the common lot line or in the commercial zone to a maximum height of 3 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

**7.5.104**  
(2016-0029)

**PART OF LOTS 2, 3, 4 and 5  
CONCESSION 3 (NG)**

**'R1-144 (WS)'  
(Map 2)**

- a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), (i) insofar as it affects the lands zoned R1-144 (WS) on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-144 (WS)
PERMITTED USE	S <sup>1</sup>
LOT FRONTAGE (MINIMUM) M.	15.3 <sup>2</sup>
LOT AREA ( MINIMUM) SQ. M.	410 <sup>3</sup>
FRONT YARD (MINIMUM) M.	
TO GARAGE	5.8
TO DWELLING	4.0
EXTERIOR SIDE YARD (MINIMUM) M.	2.4
REAR YARD (MINIMUM) M.	6.0
INTERIOR SIDE YARD (MINIMUM) M.	0.6 AND 1.2

<sup>1</sup> Permitted Use - S = Single Family Dwelling

<sup>2</sup> Except that in the case of a corner lot the minimum

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

lot frontage shall be 16.5 metres.

<sup>3</sup> Except that in the case of a corner lot the minimum lot area shall be 430 metres.

- b) Notwithstanding Section 2.230, in areas zoned 'R1-144(WS)' on Schedule A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.
- c) Notwithstanding Section 5.28(b), in the areas zoned 'R1-144(WS)' on Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- d) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-144(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.35, in areas zoned 'R1-144(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- f) Notwithstanding Section 5.45(a) as it applies to yard encroachment for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-144(WS)' on Schedule 'A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-Law Number 500, as amended, continue to apply.
  
- g) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-144(WS)' on Schedule 'A' hereto, shall be subject to the following:
  - i. Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate
  
  - ii. Fences are permitted in the front yard area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  
  - iii. Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

iv. Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.

h) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-144(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

**7.5.105  
(2016-0029)**

**PART OF LOTS 2, 3, 4 and 5,  
CONCESSION 3 (NG)**

**'R1-145 (WS)'  
(Map 2)**

a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), (i) insofar as it affects the lands zoned R1-145 (WS) on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-145 (WS)
PERMITTED USE	S <sup>1</sup>
LOT FRONTAGE (MINIMUM) M.	18.3 <sup>2</sup>
LOT AREA ( MINIMUM) SQ. M.	490 <sup>3</sup>
FRONT YARD (MINIMUM) M.	
TO GARAGE	5.8
TO DWELLING	4.0
EXTERIOR SIDE YARD (MINIMUM) M.	2.4
REAR YARD (MINIMUM) M.	6.0
INTERIOR SIDE YARD (MINIMUM) M.	0.6 AND 1.2

<sup>1</sup> Permitted Use - S = Single Family Dwelling

<sup>2</sup> Except that in the case of a corner lot the minimum lot frontage shall be 19.5 metres.

<sup>3</sup> Except that in the case of a corner lot the minimum lot area shall be 510 metres.

b) Notwithstanding Section 2.230, in areas zoned 'R1-145(WS)' on Schedule 'A' hereto, in the

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.

- c) Notwithstanding Section 5.28(b), in the areas zoned 'R1-145(WS)' on Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- d) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-145(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.35, in areas zoned 'R1-145(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- f) Notwithstanding Section 5.45(a) as it applies to yard encroachment for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-145(W.S)' on Schedule 'A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-Law Number 500, as amended, continue to apply.

- g) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-145(W.S)' on Schedule 'A' hereto, shall be subject to the following:
  - i. Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate
  - ii. Fences are permitted in the front yard area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii. Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
  - iv. Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.

- h) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-145(W)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

**7.5.106 PART OF LOT 15, CONCESSION 3 (NG) 'R1-146', 'R1-147'**  
**(500-2018-0006) S/S OLD HOMESTEAD ROAD 'R1-148', 'R1-149'**  
**(Map 3)**

- a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply on lands shown in heavy outline and designated 'R1-146', 'R1-147', 'R1-148', and 'R1-149' in Schedule 'A' attached hereto:

<b>Zone</b>	<b>R1-146</b>	<b>R1-147</b>	<b>R1-148</b>	<b>R1-149</b>
Lot Frontage (Min) Interior Lot Corner Lot	12.2 metres 15.2 metres	12.8 metres 15.8 metres	15 metres 18 metres	18 metres 21 metres
Lot Area (Min) Interior Lot Corner Lot	366 m <sup>2</sup> 456 m <sup>2</sup>	384 m <sup>2</sup> 474 m <sup>2</sup>	450 m <sup>2</sup> 540 m <sup>2</sup>	540 m <sup>2</sup> 630 m <sup>2</sup>
Front Yard (Min) To Attached Garage To Dwelling	6 metres (i) 5 metres (i)	6 metres (i) 5 metres (i)	6 metres (i) 5 metres (i)	6 metres (i) 5 metres (i)
Exterior Side Yard (Min)	4 metres (i) (ii)	4 metres (i) (ii)	Not Applicable	4 metres (i) (ii)
Rear Yard (Min)	7.5 metres	7.5 metres	7.5 metres	7.5 metres
Interior Side Yard (Min)	1.2 metres, plus 0.6	1.2 metres, plus 0.6	1.2 metres, plus 0.5	1.2 metres, plus 0.5

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

	metres on the other side, plus 0.5 metres for each additional or partial storey above the second (iii)	metres on the other side, plus 0.5 metres for each additional or partial storey above the second (iii)	metres for each additional or partial storey above the second (iii)	metres for each additional or partial storey above the second (iii)
Lot Coverage (Max)	Not Applicable	Not Applicable	Not Applicable	Not Applicable

- (i) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
  - (ii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
  - (iii) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.
- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
- i) Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.
  - iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

risers) into the minimum garage length.

- iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.
- v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres from a sight triangle and 0.9 metres from a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.

- ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
  - iv) Notwithstanding i) and ii) above, where a fence is required for noise attenuation purposes and is located along the flankage of a lot abutting Old Homestead Road, the fence height shall be a maximum/minimum of 2.2 metres from the front wall of the dwelling to the rear lot line. Where the fence is required along the rear of a lot the fence height shall be a maximum/minimum of 2.4 metres along the rear lot line and along the exterior lot line to the rear wall of the dwelling.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted



**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

**7.5.107 PART OF LOT 14, CON. 3 (NG) 'R1-150', 'R1-151'**  
**(500-2018-0014) N/S CHURCH STREET & 'R1-152'**  
**(Map 3)**

- a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), (i) and (j), the following requirements shall apply on lands shown in heavy outline and designated 'R1-150', 'R1-151', and 'R1-152' in 'Schedule 'A' attached hereto:

<b>Zone</b>	<b>R1-150</b>	<b>R1-151</b>	<b>R1-152</b>
Lot Frontage (Min) Interior Lot Corner Lot	15.0 metres 18.0 metres	12.0 metres 15.0 metres	15.0 metres 18.0 metres
<b>Zone</b>	<b>R1-150</b>	<b>R1-151</b>	<b>R1-152</b>
Lot Area (Min) Interior Lot Corner Lot	450 m <sup>2</sup> 540 m <sup>2</sup>	360 m <sup>2</sup> 450 m <sup>2</sup>	450 m <sup>2</sup> 540 m <sup>2</sup>
Front Yard (Min) To Attached Garage To Dwelling	6 metres (i) 5 metres (i)	6 metres (i) 5 metres (i)	6 metres (i) 5 metres (i)
Exterior Side Yard (Min)	4 metres (i) (ii)	4 metres (i) (ii)	4 metres (i) (ii)
Rear Yard (Min)	8.0 metres	7.0 metres	7.0 metres
Interior Side Yard (Min)	1.2 metres, plus 0.5 metres for each additional or partial storey above the second (iii)	1.2 metres on one side and 0.6 metres on the other side, plus 0.5 metres for each additional	1.2 metres, plus 0.5 metres for each additional or partial storey above the second (iii)

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

		or partial storey above the second (iii)	
Lot Coverage (Max)	Not Applicable	Not Applicable	Not Applicable
Height of Dwelling (Max)	11 metres	12 metres	11 metres

- i. The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
  - ii. Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
  - iii. Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.
- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - i. Every lot shall provide a garage.
  - ii. The minimum interior dimensions of a garage shall be 5.48 metres in width by 5.7 metres in length of which 3.0 metres in width by 5.7 metres in depth shall be unobstructed area with the exception of one step. Furthermore, the maximum interior garage width shall be 6 metres.
  - iii. No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- iv. No part of an attached garage shall project beyond the front wall of the first storey of the dwelling except where a porch is provided, in which case the attached garage shall not project beyond the front of the porch.
  - v. In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres from a sight triangle and 0.6 metres from a side lot line. Furthermore, the minimum width of a driveway or parking area in the front yard shall be 5.5 metres and the maximum width shall be the interior width of the attached garage on the lot, plus 0.5 metres.
  - vi. In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
- i. Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

- ii. Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
- iii. Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
- e) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Window Bays in the required front, rear, interior and exterior side yard areas, Bay, Box-out, and Bow Windows with or without foundations with a maximum width of 3.2 metres may project into any required front, rear or exterior side yard a maximum distance of 1 metre. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

**7.5.109**  
(500-2019-0009)

**PART OF LOT 9, CONCESSION 3 (NG)**  
**PLAN 65R-25998, PART 4**

**'R1-156'**  
**(Map 2)**

Notwithstanding Section 6.1 a), e) and f), insofar as it affects lands zoned 'R1-156' on Schedule 'A'

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

hereto, the following zone requirements shall apply:

Lot Frontage (Minimum)	- 12 metres
Rear Yard (Minimum)	- 20 metres
Interior Side Yard (Minimum)	- 1.2 metres plus 0.5 metre for each additional or partial storey above the second. - Notwithstanding the above, the west interior side yard of the western-most lot in the 'R1-156' zone shall be 3.0 metres.

- b) On the western-most lot in the 'R1-156' zone, no windows above the first-storey are permitted on the westerly wall of a single family dwelling.
- c) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - i) Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.
  - iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
  - iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.

- v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer 0.9 metres from a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- vii) A garage, and driveway to the garage, on land abutting the westerly limit of the 'R1-156' zone, shall be located on the westerly side of a dwelling.
- d) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

minimum yard requirements. Any fence within the above-noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.

- ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- iv) Notwithstanding i) and ii) above, where a fence is required for noise attenuation purposes along the westerly limit of the lands zoned `R1-156`, the fence height shall be 3.0 metres from the front lot line to the rear lot line.
- e) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard or exterior side yard with an additional 0.5 metres encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

**7.5.110**  
(500-2019-0003)

**PART OF LOT 14, CON. 3 (NG)**  
**N/S CHURCH STREET**

**`R1-157(H)'**  
**(Map 3)**

Notwithstanding any other provision herein, while the `(H)` Holding symbol is in place no buildings or

**SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)**

structures shall be permitted to be erected on the lands shown in heavy outline and designated R1-157(H) on Schedule 'A' attached hereto. Pursuant to Section 36 of the Planning Act, R.S.O. 1990, as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from the lands under the following circumstances:

1. All necessary requirements of the Town and the LSRCA including the submission of a detailed Ecological Offsetting Strategy, Detailed Stormwater Management Plan and Detailed Hydrogeologic Assessment have been satisfied and all necessary approvals have been received. There shall be no site alteration or development on these lands while the (H) Holding symbol is in place.