Page 13-1

SECTION 13 - OTHER ZONE REQUIREMENTS FOR COMMERCIAL USES

13.1 MOTOR VEHICLE FUEL BAR AND MECHANICAL GARAGES

(a) LOT FRONTAGE (MINIMUM)

40 metres

- except that in the case of a lot fronting on Highway 48, the minimum lot frontage shall be 45 metres.

(b) LOT DEPTH (MINIMUM)	40 metres
(D) LOI DEPIR (MINIMOM)	40 MECLES

- (c) FRONT YARD (MINIMUM) 15 metres
- (d) EXTERIOR SIDE YARD (MINIMUM) 15 metres

(e) REAR YARD (MINIMUM) 8 metres

- except where there are no openings, other than a door without windows, in the wall adjoining the yard, the yard may be reduced to 3 metres.

(f) INTERIOR SIDE YARD (MINIMUM) 8 metres

(g) LOT COVERAGE (MAXIMUM FOR ALL BUILDINGS) 20%

(h) DRIVEWAYS

Driveways will be governed by the provisions of Section 5.28 (i), except that the minimum distance between an interior side lot line and the nearest driveway shall be 3 metres.

(i) FUEL PUMP ISLAND

Fuel pump islands, accessory to a permitted use may be located within any front or exterior side yard, provided that the minimum distance between any part of the fuel pump island and any lot line or any sight triangle shall be 5 metres.

ACCESSORY BUILDINGS, STRUCTURES, USES, PARKING, PLANNED WIDTH OF STREET ALLOWANCE AND ALL OTHER GENERAL PROVISIONS

In accordance with the provisions of Section 5

SECTION 13 - OTHER ZONE REQUIREMENTS FOR COMMERCIAL USES (cont.)

hereof.

13.2 HOTEL, MOTEL OR MOTOR HOTEL

(a) LOT FRONTAGE (MINIMUM) 45 metres

- provided that, where served by municipal sanitary sewers, the minimum lot frontage shall be 25 metres.

- except that in the case of a lot fronting on Highway 48, the minimum lot frontage shall be 45 metres.

(b) LOT AREA (MINIMUM)

Private Sewage Disposal System

- 4 000 square metres (minimum) plus an area of 280 square metres for the first eight guest rooms and for each additional guest room thereafter.

Municipal Sanitary Sewers

- 900 sq metres (minimum) plus an area of 95 square metres for the first eight guest rooms and for each additional guest room thereafter.

(c) FRONT YARD (MINIMUM) 12 metres

- except that in the case of a lot fronting on Highway 48, the minimum front yard shall be 14 metres.

(d) EXTERIOR SIDE YARD (MINIMUM) 12 metres

- except that in the case of a lot fronting on Highway 48, the minimum exterior side yard shall be 14 metres.

(e)	REAR YARD (MINIMUM)	8 metres
(f)	INTERIOR SIDE YARD (MINIMUM)	8 metres
(g)	DWELLING UNIT AREA (MINIMUM)	18 sq metres

SECTION 13 - OTHER ZONE REQUIREMENTS FOR COMMERCIAL USES (cont.)

(h)	LOT	COVERAGE	(MAXIMUM)) 358
-----	-----	----------	-----------	-------

- (i) HEIGHT OF BUILDING (MAXIMUM) 11 metres
- (j) WALLS CONTAINING HABITABLE ROOM WINDOWS

Walls containing habitable room windows and facing each other shall be a minimum distance apart of 15 metres.

For the purpose of this subsection, walls with an angle of divergence of greater than 85 degrees are deemed not to face each other.

(k) NUMBER OF BUILDINGS PER LOT

Limited only by the other provisions of this Section.

(1) LANDSCAPED OPEN SPACE (MINIMUM) 35%

ACCESSORY BUILDINGS, STRUCTURES, USES, PARKING, PLANNED WIDTH OF STREET ALLOWANCE AND ALL OTHER GENERAL PROVISIONS

In accordance with the provisions of Section 5 hereof.