### 7.1 PERMITTED RESIDENTIAL USES

single family dwelling

### 7.2 PERMITTED NON-RESIDENTIAL USES

- bed and breakfast residence
- day care, private home
- home occupation
- (2015-0057) kennel, pursuant to the provisions of Section 2.105 and 5.21(A) of this By-law
  - accessory buildings, structures
    and uses to any permitted use

### 7.3 ZONE REQUIREMENTS - RESIDENTIAL USES

In accordance with the requirements of Section 6 hereof.

### 7.4 ZONE REQUIREMENTS - NON-RESIDENTIAL USES

In accordance with the requirements of Section 5 hereof.

#### 7.5 SPECIAL PROVISIONS

### 7.5.1 REGISTERED PLANS 353 AND 440;

'R1-1'

(Map 6)

Notwithstanding the requirements of Sections 6.1 (a), (b), and (f) hereof, the area which is designated 'R1-1' in Schedule 'A' hereto is subject to increased requirements as follows:

(a) LOT FRONTAGE - where served
 by sanitary sewers, minimum
 increased to:

23 metres

(b) LOT AREA - where served by sanitary sewers, minimum increased to:

700 sq metres

(c) INTERIOR SIDE YARD (MINIMUM)

3 metres

### 7.5.2 PART PLAN 555, PART OF BLOCKS 10 & 11, 'R1-2' PLAN 60 AND PART LOT 1, CONCESSION 7 (G); (Map 7)

Further to the provisions of Section 5.10 of this by-law, buildings are hereby permitted in the flood plain between the elevation of 226.16 metres and 227.08 metres, both above sea level, in that area designated in Schedule 'A' as 'R1-2' and provided that:

- (a) the bottom of any openings are above 227.38 metres above sea level; and,
- (b) all other provisions of Section 5.10 are complied with.

#### 7.5.3 LOTS 46 AND 47, PLAN 397;

'R1-3'

(Map 2)

In that area designated 'R1-3' in Schedule 'A' hereto, a day nursery shall be a permitted use as well as those shown in Section 7.2.

7.5.4

PART LOT 17, BLOCK 60, PLAN 69;

'R1-4'
(Map 6)

In that area designated 'R1-4' in Schedule 'A' hereto, a health care clinic shall be a permitted use as well as those shown in Section 7.2.

### 7.5.5 PART LOT 152, REGISTERED PLAN 220 'R1-5' PART 2, DEPOSITED PLAN 65R-3313; (Map 2)

Notwithstanding Section 5.1 (d), the minimum northerly interior side yard setback for an existing garage shall be 0.87 metres.

### 7.5.6 PART LOT 151, REGISTERED PLAN 220 'R1-6' PART 1, DEPOSITED PLAN 65R-3313; (Map 2)

Notwithstanding Section 6.1 (f), the minimum southerly interior side yard for an existing dwelling shall be 0.7 metres.

### 7.5.7 LOT 1, CONCESSION 2 (NG); 'R1-7' (Map 2)

Notwithstanding the requirements of Sections 6.1 (a) and (b), in the area designated 'R1-7' in Schedule 'A' hereto, 29.3 metres shall be the minimum lot frontage and 1,700 square metres shall be the minimum lot area.

### 7.5.8 PART LOT 6, BLOCK 69, PLAN 69; 'R1-9' (Map 7)

In the area designated 'R1-9' in Schedule 'A' hereto, a business or professional office or a health care clinic shall be permitted uses within the existing building in addition to those shown in Section 7.2.

### 7.5.9 LOTS 15, 16 & PART OF LOT 17 'R1-10' BLOCK 69, PLAN 69; (Map 7)

In those areas designated 'R1-10' in Schedule 'A'

hereto, a business or professional office and an veterinary clinic (or animal hospital) shall be permitted uses within the existing building in addition to those shown in Section 7.2.

### 7.5.10 LOT 6 AND PART OF LOT 7, REGISTERED 'R1-11' PLAN 95, AND PART LOT 13, CONCESSION 3 (NG); (Map 3)

In the area designated 'R1-11' in Schedule 'B' hereto, a business or professional office shall be a permitted use in addition to those shown in Section 7.2.

Further, the permitted uses, accessory uses and ingress and egress driveways will be confined to the building and map areas specifically designated 'R1-11' in Schedule 'B-3', and subject to the following restrictions:

the required parking area shall not be used unless connected with a french drain, having a volume of 46 cubic metres, also specifically designated on Schedule 'B-3' hereto.

### 7.5.11 LOT 4, BLOCK 69, PLAN 69;

'R1-12'
(Map 7)

Notwithstanding the provisions of Section 5.28 (h) and Section 5.31, and in addition to other requirements of the said by-law, in the area designated 'R1-12' in Schedule 'A', the following shall apply:

- (a) the permitted commercial uses shall be:
  - antique shop or craft shop
  - boutique
  - business or professional office
- (b) the permitted uses, accessory uses and ingress and egress driveways will be confined to the existing building and areas specifically designated 'R1-12' in Schedule 'B-4'.

### 7.5.12 PART LOT 14, CONCESSION 3 (NG); 'R1-13' (Map 3)

In the area designated 'R1-13' in Schedule 'A' hereto, a business or professional office shall be a permitted use within the existing building in addition to those shown in Section 7.2.

### 7.5.13 PART OF LOT 1, CONCESSION 2 (NG); 'R1-14' (Map 2)

Notwithstanding Section 6.1 (g), in the area designated 'R1-14', the minimum floor area for a single family dwelling shall be 140 square metres.

### 7.5.14 PART OF LOT 14, CONCESSION 3 (NG); 'R1-15' (Map 3)

In the area designated 'R1-15', a personal service shop, shall be a permitted use in the frame building located behind the residence, in addition to those uses permitted in Section 7.2 of the Bylaw.

### 7.5.15 PART OF LOTS 26 AND 27, CONC. 3 (NG), 'R1-16' AND PARTS OF REGISTERED PLAN 375; (Map 4)

Notwithstanding Section 6.1 (a), (b), and (g), the minimum lot frontage and area for lots and residential floor area in that area designated 'R1-16' and shown on Schedule 'A' hereto, shall be as follows:

Lot Area (minimum) 3 000 sq metres

Front Yard (minimum) from Lake
Drive and Varney Road 12 metres

Residential Floor Area (minimum) 140 sq metres

Notwithstanding the above, for Lot 36, shown on Registered Plan of Subdivision 65M-2885, the minimum lot frontage and lot area shall be 18

metres and 2,000 square metres, respectively.

(500-2006-0010) Notwithstanding Section 5.1(b), one detached residential garage, as contemplated in the "Architectural Design Guidelines 2004" prepared by Watchorn Architect Inc., may be permitted within the front, rear or interior side yard area of Lots within Registered Plan 65M-2885, with the exception of Lot 36 whereon a detached residential garage is only permitted within the rear or interior side yard. Furthermore, only one residential garage shall be permitted on each lot.

Notwithstanding Section 5.1(f), detached residential garages on all lots, with the exception of Lot 36, Registered Plan 65M-2885, may be permitted a maximum height of 3.2 metres from average finished grade to eaves and 7.2 metres from average finished grade to peak. A detached garage constructed on Lot 36, shall comply with the height provisions of Section 5.1(f) of the By-law.

Furthermore, detached residential garages constructed on any lot shall only be utilized in accordance with the definition as contained in Section 2.89 'Garage, Residential' and shall not be utilized as a dwelling unit.

### 7.5.16 LOT 24 AND PART OF LOT 23, BLOCK 68, 'R1-19' PLAN 69; (Map 6)

Notwithstanding Section 5.13, a single family dwelling may be erected on land described as Lot 24 and Part of Lot 23, Block 68, Plan 69, shown in heavy outline and designated 'R1-19' in Schedule 'A' hereto.

### 7.5.17 PART OF LOTS 7 & 8, REGISTERED PLAN 211; 'R1-21' (Map 2)

Notwithstanding Section 5.13, a single family dwelling may be erected on those lands designated 'R1-21' on Schedule 'A' hereto.

#### 7.5.18 LOT 6, PLAN 168;

'R1-22'
(Map 6)

In that area designated 'R1-22' on Schedule 'A' hereto the erection of a boathouse with a dwelling unit located above said boathouse shall be permitted.

Further, the boathouse and dwelling unit shall be connected to full municipal sewage disposal and water supply systems.

### 7.5.19 PART OF LOTS 23, 24, 25, 26 AND 27, 'R1-23' CONCESSION 3 (NG); (Maps 1 & 4)

Land designated 'R1-23-1', 'R1-23-2', 'h-R1-23-3', 'h-R1-23-4' and 'h-R1-23-5' and shown in heavy outline on schedule 'A' hereto, may not be used for any purpose except the following:

- Manufactured Dwelling Park, as further set forth in this subsection.

Notwithstanding the above, those lands designated with the holding (h) symbol shall not be used for any purpose, except the following uses, until the 'h' symbol is removed:

- agricultural, conservation or forestry use, excluding a mushroom farm, livestock operation other than a stable, and an adventure game.
- private park

#### PERMITTED RESIDENTIAL USES

- a one storey single family dwelling which may include a manufactured dwelling.
- pre-registration dwellings, maximum 15.

#### PERMITTED NON-RESIDENTIAL USES

- accessory buildings, structures or uses to a

single family dwelling and erected on the same site, but not including open storage.

#### PROHIBITED USES

 facilities, uses and structures specifically designed toward the use for children, or communal garages.

#### ZONE REQUIREMENTS

### GENERAL

- (a) No single family dwelling shall be erected in a manufactured dwelling park except on a site on a private paved road built to the standards of the Ministry of Transportation and Communications, or as approved by the Regional Municipality of York where a lesser standard is required, and having a minimum road allowance width of 20 metres for main roads and 15 metres for minor roads as set forth in the subdivision agreement. The provisions of Section 5.13 (a) of this by-law shall not apply to the land designated as a Manufactured Dwelling Park.
- (b) No single family dwelling shall be constructed or used except on a site served by a municipal water supply and sewage disposal system, provided under an agreement between the owner of the manufactured dwelling park, the Regional Municipality of York and the Town of Georgina. The design for such systems shall be approved by the Ministry of the Environment.
- (c) No parcel of land within the manufactured dwelling park shall be used for the uses permitted herein unless it is shown as a part on a Deposited Plan, which is in accordance with an approved two lot plan of subdivision and an approved subdivision agreement.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

For the purposes of this section, the following elements of a site will have a similar relation to the site as the elements of a lot have to a lot.

#### RESIDENTIAL USES

SITE FRONTAGE (MINIMUM)	15 metres
SITE AREA (MINIMUM)	350 sq metres
FRONT YARD AND EXTERIOR SIDE YARD (MINIMUM)	1.5 metres
REAR YARD (MINIMUM)	3 metres
INTERIOR SIDE YARD (MINIMUM)	1.5 metres
BUILDING SIZE  (a) floor area (minimum)  (b) length (minimum)  (c) width (minimum)	100 sq metres 11 metres 7 metres
SITE COVERAGE (MAXIMUM)	60%
HEIGHT (MAXIMUM)	5 metres
NUMBER OF SINGLE FAMILY DWELLINGS PER SITE	1 only

ACCESSORY BUILDINGS, STRUCTURES, USES, PARKING, PLANNED WIDTH OF STREET ALLOWANCE AND ALL OTHER GENERAL PROVISIONS

In accordance with the provisions of Section 5 hereof, with the exception that accessory structures may be erected to within 0.3 metres of a site line. However, no two accessory buildings on opposite sites may be erected within 1.5 metres of each other.

Notwithstanding Section 5.28 (b), (g) and (h), the required parking spaces per unit may be provided on

the site or within the part occupied by the access street.

### 7.5.20 PART LOT 12, CONCESSION 3 (NG); 'R1-26' (Map 3)

Notwithstanding Section 5.1 (d), in that area designated 'R1-26' a garage shall be permitted to extend into the front yard.

### 7.5.21 LOT 2, BLOCK 58, PLAN 69; 'R1-27' (Map 7)

In that area designated 'R1-27' in Schedule 'A' hereto, a business or professional office shall be permitted in addition to those uses shown in Section 7.2. Further, parking shall be restricted to the rear yard.

### 7.5.22 PART LOT 15, CONCESSION 2 (NG) 'R1-34' REGISTERED PLAN NUMBER 65M-2866; (Map 3)

Notwithstanding Section 6.1 (i), in that area designated 'R1-34' on Map 3 of Schedule 'A' hereto, the lot coverage maximum will be 35% with the exception of Lots 4, 41, 42, 88 to 94 inclusive, and 97 on Registered Plan 65M-2866 which said lots will remain at 30% lot coverage.

Further, notwithstanding Section 6.1 (c), a front yard (minimum) of 8 metres shall apply to Lots 1, 2 and 3 on Registered Plan 65M-2866.

### 7.5.23 LOT 9, PART LOT 10, BLOCK 69, PLAN 69; 'R1-36' (Map 7)

In the area designated 'R1-36' in Schedule 'A' hereto, a business or professional office shall be a permitted use within the existing building in addition to those shown in Section 7.2.

In addition, notwithstanding Section 7.1, a dwelling unit in the second storey or rear of a

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

business or professional office building shall be permitted.

Further, notwithstanding Section 5.31, the 3 metre required planting strip may be interrupted by the existing building.

### 7.5.24 LOT 32, PLAN 248;

'R1-37'

(Map 6)

Notwithstanding Section 2.101, 2.209, 5.1 (d), 5.1 (f) and 5.21 (g), a furniture upholstery operation and accessory business office shall be permitted as a Home Occupation use within an existing two-storey accessory building, having minimum setbacks from the northerly interior side lot line and front lot line abutting Park Avenue of 1.56 metres and 5.08 metres respectively.

Further, notwithstanding Section 5.1 (e), the maximum lot coverage of the accessory building used for the upholstery operation shall not exceed 7.9 percent of the subject lot.

### 7.5.25 LOT 31, BLOCK 59, PLAN 248;

'R1-38'

(Map 6)

Notwithstanding Section 7.2, an ambulance service centre shall be permitted.

Further, notwithstanding Sections 6.1 (c), (f) and 5.28 (b) of Zoning By-law Number 911, the above permitted use shall be subject to the following requirements:

FRONT YARD (MINIMUM)

(facing Park Avenue)

8 metres

INTERIOR SIDE YARD (MINIMUM)

2.5 metres

NUMBER OF PARKING SPACES (MINIMUM)

4 spaces

#### 7.5.26 LOT 14, BLOCK 69, PLAN 69;

'R1-39'

(Map 7)

In the area designated 'R1-39' in Schedule 'A' hereto, a business or professional office shall be a permitted use within the existing building in addition to those shown in Section 7.2.

In addition, only one dwelling unit in the second storey or rear of the existing building used for business or professional offices shall be permitted.

### 7.5.27 PART OF LOT 9, CONCESSION 3 (NG);

'R1-40'

(Map 2)

Notwithstanding Section 6.1 (i), in the area shown as R1-40', a maximum lot coverage of thirty-five (35) percent shall be permitted.

#### 7.5.28 BLOCK 41, REGISTERED PLAN 69;

'R1-41'

(Map 7)

Notwithstanding Section 2.101, a silk screening operation shall be the only use permitted as a home occupation within an accessory building.

Further, notwithstanding Section 5.21 (g), the maximum floor area of the accessory building used for a silk screening operation shall not exceed 101 square metres.

SYMBOL 'R1-42' - DELETED BY BY-LAW 500-95-029

SYMBOL 'R1-43' - REFER TO SECTION 7.5.30

#### 7.5.29

PART OF LOTS 16 AND 17,

'R1-44'

(500-95-029) **CONCESSION 2 (NG)**;

(Map 3)

(500 - 99 - 016)

Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), and (i), in those areas designated 'R1-44', the following shall apply with respect to the specific zones as cited:

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

(a) LOT FRONTAGE (MINIMUM)

	(a)	- 'R1-44'	15 metres
	(b)	LOT AREA (MINIMUM) - 'R1-44'	450 sq metres
	(C)	FRONT YARD (MINIMUM)	7 metres
	(d)	EXTERIOR SIDE YARD (MINIMUM)	5 metres
	(e)	REAR YARD (MINIMUM)	9 metres
	(f)	INTERIOR SIDE YARD (MINIMUM)	
		- 'R1-44'; 1.2 metres plus 0.5 metros additional or partial store first. Where there is no attaca lot the minimum interior side shall be 2.5 metres.	ey above the ched garage on
	(g)	LOT COVERAGE (MAXIMUM)	40 %
	(h)	SETBACK FROM THE HYPOTENUSE OF A SITE TRIANGLE (MINIMUM)	3.5 metres
<b>7.5.30</b> (500-95-029)			
	PART  Notw (e), 43'	SITE TRIANGLE (MINIMUM)	3.5 metres  'R1-43' (Map 3)  c), (c), (d), esignated 'R1-
(500-95-029)	PART Notw (e), 43' spec	SITE TRIANGLE (MINIMUM)  OF LOT 17, CONCESSION 2 (NG);  ithstanding Sections 6.1 (a), (l), and (i), in those areas de the following shall apply with r	3.5 metres  'R1-43' (Map 3)  c), (c), (d), esignated 'R1-
(500-95-029)	Notw (e), 43' spec	SITE TRIANGLE (MINIMUM)  OF LOT 17, CONCESSION 2 (NG);  ithstanding Sections 6.1 (a), (l), and (i), in those areas de the following shall apply with r ific zones as cited:  LOT FRONTAGE (MINIMUM)	3.5 metres  'R1-43' (Map 3)  c), (c), (d), esignated 'R1- espect to the
(500-95-029)	Notw (e), 43' spec	SITE TRIANGLE (MINIMUM)  OF LOT 17, CONCESSION 2 (NG);  ithstanding Sections 6.1 (a), (k)   (f), and (i), in those areas de the following shall apply with r ific zones as cited:  LOT FRONTAGE (MINIMUM)  - 'R1-43' zone  LOT AREA (MINIMUM)	3.5 metres  'R1-43' (Map 3)  c), (c), (d), esignated 'R1- espect to the
(500-95-029)	PART  Notw (e), 43' spec (1) (2)	SITE TRIANGLE (MINIMUM)  OF LOT 17, CONCESSION 2 (NG);  ithstanding Sections 6.1 (a), (i), and (i), in those areas de the following shall apply with rific zones as cited:  LOT FRONTAGE (MINIMUM)  - 'R1-43' zone  LOT AREA (MINIMUM)  - 'R1-43' zone	3.5 metres  'R1-43' (Map 3)  c), (c), (d), esignated 'R1- espect to the  18 metres  550 sq.m.

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

(5) REAR YARD (MINIMUM)

9 metres

- (6) INTERIOR SIDE YARD (MINIMUM)
  - 2 metres including any additional or partial storey above the first.
  - where there is no attached garage on a lot, the minimum interior side yard on one side shall be 2.5 metres.
- (7) LOT COVERAGE (MAXIMUM)

40%

(8) SETBACK FROM THE HYPOTENUSE OF A SITE TRIANGLE (MINIMUM)

3.5 metres

### 7.5.31 LOT 3, BLOCK 13, PLAN 69;

'R1-45'
(Map 7)

In the area designated 'R1-45' in Schedule 'A' attached hereto, a business and professional office and a health care - clinic shall be permitted uses in addition to those uses permitted under Section 7.2.

Said uses shall be confined to the area of the existing building as shown on plan of survey by A. Karklins, O.L.S. dated April 3, 1989 and attached as Schedule 'B-5' to this by-law.

Further, notwithstanding the provisions of Section 5.31, the required planting strip may be interrupted by the existing driveway as shown on the plan of survey attached as Schedule 'B-5' to this by-law.

#### 7.5.32 LOT 15, REGISTERED PLAN 529;

'R1-46'

(Map 3)

In the area designated 'R1-46' in Schedule 'A' hereto, an ambulance service centre shall be a permitted use in addition to those shown in Section

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

7.2.

Further, notwithstanding the requirements of Section 6.1 (c) the minimum front yard shall be 3.5 metres.

SECTION 7.5.33 AND SYMBOL 'R1-48' - DELETED BY BY-LAW 500-97-062

SYMBOL 'R1-49' - DELETED BY BY-LAW 500-95-029

#### 7.5.34 PARTS 1 AND 2, PLAN 65R-13130;

'R1-51'
(Map 2)

Notwithstanding the provisions of Section 7.2, a hairdressing salon shall be permitted in the existing accessory building shown in hatching in Schedule 'B-6' hereto. Any replacement of, or additions to the accessory building shall be in accordance with the provisions of Sections 6.1 (c), (d), (e) and (f). Further, notwithstanding Section 5.31, the minimum width of a planting strip adjacent to a residential use, residential zone or transitional zone shall be 1.4 metres, with the exception of the area between the southerly lot line and the existing accessory building where no planting strip shall be required.

### 7.5.35 PART OF LOTS 120 AND 121, REGISTERED PLAN 222;

'R1-52'

(Map 3)

Notwithstanding Sections 6.1 (c) and 6.1 (f), the following provisions shall apply:

FRONT YARD (MINIMUM)

5.82 metres

INTERIOR SIDE YARD (MINIMUM)

- 1.2 metres plus 0.5 metres for each additional or partial storey above the first.
- where there is not an attached garage or carport on the lot, the minimum interior side yard on one side shall be 1.91 metres.

7.5.36 PART OF LOT 4, CONCESSION 2 (NG), 'R1-54'
PART OF LOT 261, & BLOCK B, PLAN 299; (Map 2)

Notwithstanding Section 6.1 (c), in the area designated 'R1-54' on Schedule 'A' hereto, the minimum front yard setback shall be 4.5 metres.

7.5.37 PART OF LOT 11, BLOCK 59, PLAN 248; 'R1-55' (500-94-001) (Map 6)

Notwithstanding Section 7.2, in an area designated 'R1-55' in Schedule 'A' hereto, an art gallery and framing shop shall be an additional permitted non-residential use within an existing accessory building.

Further, for the purposes of this By-law, the following definition shall apply:

ART GALLERY AND FRAMING SHOP: means a building where paintings, sculptures or other works of art are exhibited, sold or framed, and shall include ancillary retail sales.

7.5.38 PART OF LOT 10, CONCESSION 3 (NG); 'R1-56; R1-57' (500-94-08) (Map 2)

Notwithstanding the provisions of Sections 6.1 (a-j) inclusive, in those areas designated 'R1-56' and 'R1-57' the following shall apply with respect to the specific zones as cited:

LOT FRONTAGE (MINIMUM)

- 'R1-56' zone 10.7 metres

- except that in the case of a corner lot, the minimum lot frontage is

13.7 metres

- 'R1-57' zone 12 metres

except that in the case of a corner lot, the minimum lot frontage is

15 metres

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

LOT AREA (MINIMUM)	
<ul><li>'R1-56' zone</li><li>except that in the case of a corner lot, the minimum lot</li></ul>	300 sq.m.
area is - 'R1-57' zone - except that in the case of a	350 sq.m. 360 sq.m.
corner lot, the minimum lot area is	450 sq.m.
FRONT YARD (MINIMUM)	6 metres
EXTERIOR SIDE YARD (MINIMUM)	4.2 metres
- except that where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for	6 mot room
the garage or carport shall be	6 metres
REAR YARD (MINIMUM)	8 metres
INTERIOR SIDE YARD (MINIMUM)	
<pre>INTERIOR SIDE YARD (MINIMUM) - on one side</pre>	1.2 metres
	1.2 metres 1.2 metres
- on one side	
<ul><li>on one side</li><li>on the other side</li></ul>	
<ul><li>on one side</li><li>on the other side</li><li>FLOOR AREA (MINIMUM)</li></ul>	1.2 metres
<ul> <li>on one side</li> <li>on the other side</li> <li>FLOOR AREA (MINIMUM)</li> <li>'R1-56' zone</li> </ul>	1.2 metres 92 sq.m.

Section 7.5.39 Symbol 'R1-58' - DELETED BY BY-LAW 500-2004-0005

7.5.40 PART OF LOT 17, CONCESSION 2 (NG) 'R1-59; R1-60' (500-95-026) (Map 3)

Notwithstanding Section 6.1 (a), in the area designated 'R1-59' in Schedule 'A' hereto, the minimum lot frontage shall be 12 metres and in the case of a corner lot, 15 metres.

Further, notwithstanding Section 6.1 (c), in the area designated 'R1-59' in Schedule 'A' hereto, the minimum front yard setback shall be 8 metres.

Notwithstanding Section 6.1 (e), in the area designated 'R1-60' in Schedule 'A' hereto, the minimum rear yard setback shall be 7 metres.

7.5.41 PART OF LOT 8, CONCESSION 3 (NG) 'R1-61' (500-97-051) PART 1, REFERENCE PLAN 65R-630 (Map 2)

Notwithstanding Section 6.1(a), the minimum lot frontage shall be 12 metres.

Further, notwithstanding Section 6.1(c) the minimum front yard setbacks shall be 7, 8, 9, 10, 12 and 14 metres starting with 7 metres for the most westerly lot and progressing to 14 metres for the most easterly lot.

Further, notwithstanding Section 6.1(f) the minimum side yard setback for the most easterly and westerly lots from the lot line abutting existing residential properties shall be 1.7 metres for a one storey dwelling.

In addition, and notwithstanding Section 6.1(g), the minimum floor area of the proposed dwellings shall be 112 square metres.

7.5.42 PART OF LOTS 11, 12, AND 13, 'R1-62'; 'R1-63' (500-97-061) CONCESSION 3 (NG) (Map 1)

Notwithstanding Sections 6.1(a) and 6.1(b), in the

areas designated 'R1-62' and 'R1-63' in Schedule 'A' hereto, the minimum lot frontage shall be 12 metres, and in the case of a corner lot, 15 metres, and the minimum lot area shall be 360 square metres, and in the case of a corner lot, 450 square metres.

Further, notwithstanding Section 6.1(e), in the area designated 'R1-63' in Schedule 'A' hereto, the minimum rear yard setback shall be 10 metres.

(500-99-003) Finally, notwithstanding Section 6.1 (i), on part of those lands designated R1-62, described as Lots 46 to 166 and 173 to 189 inclusive, in Registered Plan 65M-3206 and as shown in Schedule 'B-19' hereto, the maximum lot coverage shall be 35%.

### 7.5.43 PART OF LOT 7, CONCESSION 3 (NG) 'R1-64 (500-97-062) (Map 2)

Notwithstanding Section 6.1(a) and 6.1 (b), in the areas designated 'R1-64' in Schedule 'A' hereto, the minimum lot frontage shall be 12 metres, and in the case of a corner lot, 15 metres, and the minimum lot area shall be 360 square metres, and in the case of a corner lot, 450 square metres.

Further, notwithstanding Section 6.1(i), in the area designated 'R1-64' in Schedule 'A' hereto, the maximum lot coverage shall be 35%.

(500-99-015) Further, notwithstanding Sections 6.1(c), 6.1(d), 6.1(e), 6.1(f), and further notwithstanding the above paragraph respecting Section 6.1 (i), on part of those lands designated 'R1-64', more specifically described as Lots 34-35, 61, 64-67, 72, 88-92, and 94-103, inclusive, Registered Plan 65M-3270 and Lots 32-43, inclusive, Registered Plan 65M-3332 and as shown in Schedules 'B-24' and 'B-25' hereto, the following provisions shall apply:

Zone Requirement	
Setback from the hypotenuse	3.5 metres <sup>(1)</sup>

Page 7-20

of a sight triangle	
Rear Yard (minimum)	7.5 metres <sup>(2)</sup>
Interior Side Yard (minimum)	1.2 metres plus 0.2 metres for each additional or partial storey above the first. Where there is not an attached garage or carport on a lot, the minimum interior side yard on one side shall be 2.5 metres. (3) (4)
Lot Coverage for One Storey Dwellings (maximum)	40%

- (1) This provision only applies where the hypotenuse of a sight triangle forms part of the property line.
- A reduced rear yard of less than 8.0 metres shall only be permitted where:
  - (a) the depth of the lot is 32 metres or less; and
  - (b) the reduced rear yard shall only be permitted for a maximum of 50% of the width of each individual dwelling unit.
- Where an interior side yard for a two storey portion of a detached dwelling is less than 1.7 metres, an attached garage shall not project more than:
  - 2.5 metres forward from the ground floor main wall of the dwelling, or an unenclosed porch or covered entry feature adjacent to the private garage;
  - 3.0 metres forward from the second floor main wall over the private garage; and

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

- 4.5 metres forward from the second floor front wall not located above the private garage.
- Where the number of storeys exceeds two, the provisions of Section 6.1(f) shall apply.

### 7.5.44 PART OF LOT 17, CONCESSION 2 (NG) 'R1-65' (500-97-066) (Map 3)

Notwithstanding Section 5.13, a single family dwelling will be permitted on each lot located within the area zoned 'R1-65' on Schedule 'A' hereto.

Further, notwithstanding Section 6.1 (c), the minimum front yard setback, shall be 15 metres.

### 7.5.45 PART OF LOT 7, CONCESSION 3 (NG) 'R1-66' (500-97-067) (Map 2)

Notwithstanding Section 6.1(i), in the area designated 'R1-66' in Schedule 'A' hereto, the maximum lot coverage shall be 40% for a one storey dwelling (bungalows) and 35% for two storey dwellings or any dwelling with a second storey above any portion of the first.

### 7.5.46 PART OF BLOCK A, PLAN 528 'R1-67' (500-97-068) (Map 2)

Notwithstanding Sections 6.1(c), the minimum front yard setback shall be 12 metres for those lands designated  $\R1-67'$ .

### 7.5.47 BLOCKS 51 & 52, PLAN 65M-2688 'R1-68' (500-97-069) (Map 2)

Notwithstanding Section 6.1 (c), in the area designated 'R1-68', the minimum front yard shall be 10 metres. And further notwithstanding Section 6.1 (j), the maximum height shall be 9 metres.

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

The permitted residential uses shall be limited to one storey or sidesplit single family dwellings with any portion of the dwelling above the first storey located along the common lot line between Blocks 51 & 52.

### **7.5.48 PART OF LOT 3, PLAN 384** (500-97-072)

'R1-69'
(Map 3)

Notwithstanding Section 6.1(c), in the area designated 'R1-69' in Schedule 'A' hereto, the minimum front yard setback shall be 12 metres.

### **7.5.49** PART OF LOTS 1 AND 2 (500-97-081) CONCESSION 3 (NG)

'R1-70' and 'R1-70 (WS)' (Maps 1 and 2)

a) Notwithstanding Section 6.1(a), (b), (c), (d), (e), (f), (i), insofar as it affects the lands zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-70	R1-70 (WS)
PERMITTED USE <sup>1</sup>	S	S
ZONE REQUIREMENT		
LOT FRONTAGE (MINIMUM) M.	9.0 <sup>2</sup> , <sup>9</sup>	12.0 <sup>3</sup>
LOT AREA (MINIMUM) SQ. M.	270 <sup>4</sup>	280 <sup>5</sup>
FRONT YARD (MINIMUM) M.		
TO GARAGE	5.7 <sup>6</sup>	5.7 <sup>6</sup>
TO DWELLING	4.56, 10	4.06, 11
EXTERIOR SIDE YARD	2.46, 7, 8	2.46, 7, 8
(MINIMUM) M.		
REAR YARD (MINIMUM) M.	7.5	6.0
INTERIOR SIDE YARD	0.6 AND	0.6 AND
(MINIMUM) M.	1.2	1.2

- Permitted Use S = Single Family Dwelling
- <sup>2</sup> Except that in the case of a corner lot the minimum lot frontage shall be 10.2 metres.
- <sup>3</sup> Except that in the case of a corner lot the

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

minimum lot frontage shall be 13.2 metres.

- <sup>4</sup> Except that in the case of a corner lot the minimum lot area shall be 306 square metres.
- <sup>5</sup> Except that in the case of a corner lot the minimum lot area shall be 310 square metres.
- <sup>6</sup> The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.
- <sup>7</sup> Except where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for the garage or carport shall be 5.7 metres.
- The minimum exterior side yard setback shall be 3.0 metres if the exterior side yard abuts a road having a width of 23 metres or greater.
- Where a dwelling unit is constructed on a lot with a frontage of less than 12.0 metres, the maximum driveway width and interior garage width for each dwelling unit shall not exceed 53% of the lot frontage.
- 10 No garage shall project more than:
- 2.5 metres forward from the ground floor main wall of the dwelling, or an Unenclosed Porch or covered entry feature adjacent to the private garage; and,
- 3.0 metres forward from the second floor main wall over the private garage; and,
- 4.5 metres forward from the second floor front wall not located above the private garage.
- Where there is no sidewalk crossing the front yard, the minimum front yard setback may be reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.

- b) Notwithstanding Section 2.230, in areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.
- c) Notwithstanding Section 5.28(a), in the areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, a Standard Parking Space shall have a minimum dimension of 2.75 metres x 5.7 metres.
- d) Notwithstanding Section 5.28(b), in the areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, a minimum of two parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- e) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line. Notwithstanding the above, if the driveway of a semi-detached or townhouse dwelling unit is to be shared with a driveway of an abutting semi-detached or townhouse

dwelling unit, the setback between the driveway and the lot line shall be nil.

- f) Notwithstanding Sections 5.35, in the areas zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- g) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side vard areas in areas zoned 'R1-70' and `R1-70(WS)' on Schedule `A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other vard encroachments as provided in Section 5.45(a) within By-law Number 500, as amended, continue to apply.
- h) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front yard

area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.

- iii) Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
- iv) Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.
- i) Notwithstanding Section 5.34(b) insofar as it affects the lands zoned 'R1-70' and 'R1-70(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

# 7.5.50 PART OF LOTS 9 and 10, CONCESSION 3(NG) 'R1-71' (500-2004-0005) AND BLOCKS 80 AND 82, PLAN 65M-3860 (Map 2) (500-2012-0010)

a) Notwithstanding Sections 2.19 and 6.1(a), (b), (c), (d), (f), (i) and (j), insofar as it affects the lands zoned 'R1-71' on Schedule 'A' hereto, the following zone requirements shall apply:

Lot Frontage (Minimum) M.	12 <sup>(i)</sup>
Lot Area (Minimum) SQ. M.	360 <sup>(ii)</sup>
Front Yard (Minimum) M.	
To Garage	6.0 (iii) (iv)
To Dwelling	5.5(iii)(iv)
Exterior Side Yard (Minimum) M.	5(iii)(v)
Interior Side Yard (Minimum) M.	1.2 metres plus
	0.5 metres for

	each additional or partial
	storey above the
	second. (vi) (vii)
Lot Coverage (Maximum)	
Bungalow	40 %
Multi-storey	35 %
Height of Dwelling (Maximum) M.	11 <sup>(viii)</sup>

- (i) Except in the case of a corner lot the minimum lot frontage shall be 15 metres.
- $^{(\mbox{\scriptsize ii})}$  Except in the case of a corner lot the minimum lot area shall be 450 square metres.
- (iii) The minimum setback for the main wall of dwelling to the hypotenuse of a sight triangle which forms part of the property line, shall be 3.5 metres.
- (iv) No garage shall project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling. Further, respecting lands described as Part Lot 9, Concession 3 (NG) Blocks 80 and 82, Plan 65M-3860, in no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.
- (v) Except where a driveway, providing access to an attached garage, is located in the exterior side yard, the minimum exterior side yard for the garage shall be 6 metres.
- Where there is no attached garage on a lot, the minimum interior side yard on one side shall be  $2.5\ \text{metres.}$
- (vii) Except where an interior side yard abuts

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

Plan of Subdivision 65M-3031, the yard provisions as set out in 6.1(f) shall apply.

- (viii) Except for lots situated adjacent to Woodbine Avenue and/or situated adjacent to a reserve or block next to Woodbine Avenue, the maximum number of stories for the dwellings shall be two (2) and further, basement height above grade is restricted to a maximum of 1.0 metre.
- b) Every lot shall provide a garage.
- c) Notwithstanding Section 5.28 (i), the maximum width of a driveway shall be 6 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, Unenclosed Porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
- e) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard as well as within the back half of the interior side yard. Such fences are exempt from minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and

exterior side yards as well as the front half of the interior side yard provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.

- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
- Notwithstanding i) and ii) above, where iv) lot abuts а commercial or institutional zone, a fence may be the erected in commercial or institutional zone to a height exceeding 3.0 metres.
- f) On lands described as Part of Lot 9 Concession 3 (NG) being Block 82 on Plan 65M-3860, dwelling units proposed on Lots 9 to 17 shall not be permitted within 150 metres of the Keswick Sewage Treatment Plant (STP). The separation distances will be measured from the rear of the future dwelling units to the periphery of the nearest odour-producing source-structure at the Keswick STP.

### 7.5.51 LOT 17, CONCESSION 2 (NG) 'R1-72' & 'R1-73' (500-98-010) (Map 3)

Notwithstanding Section 5.45(a), in that area designated 'R1-72' in Schedule 'A' hereto, balconies, unenclosed porches, decks and handicap ramps or elevators shall not be permitted to encroach into the required front yard or exterior side yard.

Further, notwithstanding Sections 6.1(a) and 6.1(c) in that area designated 'R1-72' the minimum lot frontage shall be 26 metres and the minimum front yard setback shall be 9 metres from Lake Drive North and 13 metres from the sight triangle. In addition,

driveway access shall only be provided from Clarlyn Drive. Further no portion of an attached garage shall be located within 20 metres of the front lot line and a detached garage shall be located in the rear yard only.

Notwithstanding Section 6.1(c), in that area designated 'R1-73' in Schedule 'A' hereto, the minimum front yard setback shall be 7 metres.

And further, an attached garage shall not be permitted to protrude beyond the front wall of the dwelling. Any detached garage shall be located in the rear or side yard only. In addition, access to the northerly property and garage thereon shall be by way of the existing right-of-way on the north side of the northerly lot.

# 7.5.52 PART OF LOTS 6 & 7, CONCESSION 3(NG) 'R1-74' (500-98-017) (Map 2) (500-2011-0009)

Notwithstanding Section 6.1 (i), in the area designated 'R1-74' in Schedule 'A' hereto, the maximum lot coverage shall be 40% for a one storey dwelling (bungalow) and 35% for a two storey dwelling or any dwelling with a second storey above any portion of the first.

Further, notwithstanding Section 6.1 (a) and 6.1 (b), the minimum lot frontage shall be 15 metres and the minimum lot area shall be 450 square metres for corner lots.

### 7.5.53 PART OF LOT 7, CONCESSION 3 (NG) 'R1-75' (500-98-020) (Map 2)

Notwithstanding Section 6.1(i), in the area designated 'R1-75' in Schedule 'A' hereto, the maximum lot coverage shall be 35%.

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

### 7.5.54 PART OF LOT 14, CONCESSION 3 (NG) 'R1-77' (500-99-013) (Map 3)

Notwithstanding Section 7.1, on lands shown in heavy outline and designated 'R1-77' in Schedule 'A' attached hereto, one accessory apartment unit shall also be permitted.

For the purposes of this by-law, an "accessory apartment unit" shall be defined as a self-contained dwelling unit that is supplementary to the primary residential use of the property.

Furthermore, the maximum floor area of the accessory apartment unit shall be 101 square metres and construction will be limited to a one storey design with no basement or cellar.

### **7.5.55** LOT 2 TO 33 INCLUSIVE, REGISTERED PLAN 480 'R1-78' (500-99-018) (Map 3)

Notwithstanding Sections 6.1 (a) & (b), for the lots designated R1-78' the following shall apply:

LOT FRONTAGE (MINIMUM) 30 metres

LOT AREA (MINIMUM) 1000 sq. metres

### 7.5.56 PART OF LOT 17, CONCESSION 2 (NG) 'R1-79' (500-2000-0012) (Map 3)

Notwithstanding Sections 5.1(a), 5.1(f), 6.1(a), 6.1(c) and 5.41(b), on lands shown in heavy outline and designated 'R1-79' in Schedule 'A' attached hereto, the following minimum standards shall apply:

#### ACCESSORY USES:

# LIMITATION The existing accessory building shall be permitted in its present location as shown on Schedule 'B-29', attached hereto and furthermore, the maximum height

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

for only this accessory building shall be 8 metres.

SINGLE FAMILY DWELLINGS:

LOT FRONTAGE (Minimum) 19 metres FRONT YARD SETBACK (Minimum) 10 metres

PART OF LOT 17, CONCESSION 2 (NG) 'R1-81' (Map 3)

(500-2000-0012)

Notwithstanding Sections 6.1(a), 6.1(c) and 5.41(b), on lands shown in heavy outline and designated 'R1-81' in Schedule 'A' attached hereto, the following minimum standards shall apply:

SINGLE FAMILY DWELLINGS:

LOT FRONTAGE (Minimum) 30 metres FRONT YARD SETBACK (Minimum) 10 metres

7.5.57 LOTS 40 & 41, REGISTERED PLAN 317 'R1-80' (500-2000-0011) (Map 3)

Notwithstanding Section 6.1 (e), on lands shown in heavy outline and designated 'R1-80' in Schedule 'A' attached hereto, the minimum rear yard setback shall be 11 metres.

Notwithstanding Section 6.1(f), the minimum interior side yard setback shall be 3 metres where said side yard abuts a commercial zone with the exception of a one-storey attached garage which may have a minimum interior side yard setback of 1.2 metres.

Furthermore, the erection of a 2.0 metre privacy fence shall be required where the lot lines of Lots 40 and 41, Plan 317 abut a commercial zone and the privacy fence shall be erected prior to the occupancy and use of the residential dwellings. The design and location of the privacy fence shall be reviewed and approved by the Town of Georgina, prior to the issuance of building permits for Lots 40 and

41, Plan 317.

### 7.5.58 (500-2007-0009)

LOTS 1 TO 44, PLAN 299 (including closed 'R1-82' (500-2001-0007) road allowance between Lot 25 & 26) (Map 2)

> Notwithstanding Section 5.1(b), accessory buildings and structures shall be permitted in the front yard abutting Terrace Drive in addition to the interior side yards.

> Notwithstanding the above paragraph, for Lot 23, Plan 299, accessory buildings or structures may be permitted in the front yard abutting Pasadena Drive in addition to the interior side yards.

### 7.5.59

#### PART OF LOT 31, PLAN 267

'R1-83'

(Map 6)

(500-2002-0002)

On those lands zoned 'R1-83' in Schedule 'A' hereto and shown in heavy outline, the following shall apply:

- Notwithstanding Sections 7.1 and 7.2, the a) following uses shall be the only permitted uses:
- a single family dwelling, which may also include one accessory apartment, occupation and/or a bed and breakfast residence.
- a women's shelter having a maximum of 30 beds.
- accessory buildings, structures and uses to any permitted use.

For the purposes of the above, a Women's Shelter "shall mean a building and premises operated for the purposes of providing secure temporary living accommodation to abused women, with or without children. Staff are available in the residence to provide supervision, counselling and other assistance, as required, on a 24-hour basis."

- b) Notwithstanding Sections 2.123 and 2.125, the easterly lot line and the lot line abutting Hardwood Drive shall be deemed to be side lot lines.
- c) Notwithstanding Sections 2.195 and 5.12, fences not exceeding 2.5 metres in height shall be permitted in all yards, save and except for the front yard, and shall not be subject to the minimum yard requirements of a structure.
- d) Notwithstanding Section 5.25(a), loading facilities shall not be required.
- e) Notwithstanding Section 5.28(b), the minimum number of required parking spaces for a women's shelter having greater than 10 beds shall be 14 and the minimum number of required spaces for a women's shelter having 10 or less beds shall be 5.
- f) Notwithstanding Section 5.28(g), the minimum number of required parking spaces for a women's shelter having greater than 10 beds shall be met by providing a minimum of 9 parking spaces on the abutting property zoned 'R1-84' and described as Part of Lot 1, Plan 247.
- g) Notwithstanding Section 5.31, planting strips shall not be required except as required under a site plan agreement.
- h) Notwithstanding Section 6.1(c), the front yard (minimum) shall be 3.0 metres.
- i) Notwithstanding Section 6.1(j), the maximum building height shall be 9.5 metres.

### 7.5.60 PART OF LOT 1, PLAN 247 'R1-84' (500-2002-0002) (Map 6)

On those lands zoned 'R1-84' in Schedule 'A' hereto and shown in heavy outline, the following shall

apply:

- a) Notwithstanding Sections 7.1 and 7.2, the following uses shall be the only permitted uses:
- a single family dwelling, which may also include one accessory apartment, a home occupation and/or a bed and breakfast residence.
- a building containing 4 dwelling units.
- a building containing office space and maximum of 3 dwelling units, associated with the women's shelter located on lands zoned 'R1-83' and described as Part of Lot 31, Plan 267.
- accessory buildings, structures and uses to any permitted use.

Further, the above permitted uses, save and except for accessory buildings, structures and uses, shall not be permitted to coexist on the subject property.

- b) Notwithstanding Sections 2.195 and 5.12, fences not exceeding 2.5 metres in height shall be permitted in all yards, save and except for the front yard, and shall not be subject to the minimum yard requirements of a structure.
- c) Notwithstanding Section 5.28(a), the minimum parking space size shall be 2.5 metres  $\times$  5.5 metres for the parking area located in the front yard.
- d) Notwithstanding Section 5.28(b), the minimum number of required parking spaces for the women's shelter offices, its dwelling units and for the use of the women's shelter located on lands zoned 'R1-83' and described as Part of Lot 31, Plan 267, but provided for on land zoned 'R1-84', shall be 9.
- e) Notwithstanding Section 5.28(h), a parking area

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

with a maximum of 5 spaces shall be permitted within the minimum front yard.

- f) Notwithstanding Section 5.28(i), the minimum parking aisle width shall be 6.7 metres for the parking area located in the front yard.
- g) Notwithstanding Section 5.31, planting strips shall not be required except as required under a site plan agreement.

### 7.5.61 PART OF LOT 16, CONCESSION 2 (NG) 'R1-85' (500-2002-0016) (Map 3)

Notwithstanding Sections 6.1 (a), (b), (c) & (i) in that area designated 'R1-85' in Schedule 'A' attached hereto, the following provisions shall apply:

Lot Frontage (Minimum) except that in the case of a corner lot, the minimum	12 metres
lot frontage shall be	15 metres
Lot Area (Minimum)  except that in the case of a corner lot, the minimum	360 sq. metres
lot frontage shall be	450 sq. metres
Front Yard Setback (Minimum)	6.5 metres
Lot Coverage (Maximum)	40%

### 7.5.62 PART OF LOT 17, CONCESSIONS 2 & 3 (NG) 'R1-86' (500-2002-0005) (Map 3)

Notwithstanding Section 6.1(a), (b), (c), (e), (f) and (i) of this By-law, on those lands zoned 'R1-86' shown in heavy outline in Schedule 'A' hereto, the following shall apply:

SECTION 7 - LO	W DEN	SITY URBAN RESIDENTIAL (R1) ZO	NE (cont.)
		- Corner Lot	19 metres
	(b)	LOT AREA (MINIMUM) - Interior Lot - Corner Lot	545 square metres 665 square metres
	(C)	FRONT YARD SETBACK FROM THE HYPOTENUSE OF A SIGHT TRIANGLE (MINIMUM)	3.5 metres
	(d)	REAR YARD SETBACK	8.0 metres
		- except for lots abutting lands zoned "OS-36", in which case the rear yard shall be taken as measured from the southerly limit of the "OS-36" zone.	
	(e)	INTERIOR SIDE YARD (MINIMUM)	1.2 metres
	(f)	LOT COVERAGE (MAXIMUM)  - one storey dwelling  - one and one half storey  - two storey dwelling	40% y dwelling 35% 30%
<b>7.5.63</b> (500-2002-0005)	PART	OF LOT 17, CONCESSIONS 2 & 3	(NG) 'R1-87' (Map 3)
	Notwithstanding Section 6.1(a), (b), (f) and (i) this By-law, on those lands zoned 'R1-87' shown heavy outline in Schedule 'A' hereto, the follows shall apply:		'R1-87' shown in
	(a)	LOT FRONTAGE (MINIMUM)	18 metres
	(b)	LOT AREA (MINIMUM)	585 square metres
	(C)	INTERIOR SIDE YARD (MINIMUM)	

(c) INTERIOR SIDE YARD (MINIMUM) 1.2 metres plus 0.5 metres for each additional or partial storey above the first.

Where there is not an attached garage or carport on a lot, the minimum interior side yard on one side shall be 2.5

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

metres.

-	one	storey dwelling	40%
_	one	and one half storey dwelling	35%
_	two	storev dwelling	30%

### 7.5.64 PART OF LOT 17, CONCESSIONS 2 & 3 (NG)

'R1-88'

(Map 3)

Notwithstanding Section 6.1(a), (b), (d), (f) and (i) of this By-law, on those lands zoned 'R1-88' shown in heavy outline in Schedule 'A' hereto, the following shall apply:

(a) LOT FRONTAGE (MINIMUM)

20 metres

- except that lot which, on its easterly limit, abuts the turning circle at the end of the temporary cul-de-sac, shall have a minimum lot frontage of 19 metres, measured 6 metres from its northerly lot line.
- (b) LOT AREA (MINIMUM)

650 square metres

- (c) INTERIOR SIDE YARD (MINIMUM) 1.2 metres plus 0.5 metres for each additional or partial storey above the first.

  Where there is not an attached garage or carport on a lot, the minimum interior side yard on one side shall be 2.5 metres.
- (d) LOT COVERAGE (MAXIMUM)

- one storey dwelling	40%
- one and one half storey dwelling	35%
- two storey dwelling	30%

Further, notwithstanding Sections 2.115, 6.1(c) and Section 6.1(f) for purposes of this by-law, that lot which, on its easterly limit, abuts the turning circle of the temporary cul-de-sac, shall not be considered a corner lot. The front yard shall be

measured from the northerly lot line, and the easterly lot line abutting the turning circle shall be deemed an interior side yard.

# 7.5.65 PART OF LOTS 13 AND 14, PLAN 168, AND PART OF 'R1-89' (500-2008-0004) WATER LOT IN FRONT OF LOT 2, CONCESSION 9 (G) (Map 6) S/S MALONE ROAD

Notwithstanding Sections 7.1 and 7.2, on land shown in heavy outline and designated 'R1-89' in Schedule 'A' attached hereto, the only permitted use shall be a single family dwelling, in the form of a boathouse containing one dwelling unit.

Further, notwithstanding Sections 6.1 (a), (b), (e), (f), (g), (i) and (j), the following requirements shall apply:

Lot Frontage (Minimum)	9.68 metres
Lot Area (Minimum)	$273 \text{ m}^2 \text{ (i)}$
Rear Yard (Minimum)	nil (ii)
Interior Side Yard (Minimum)	1 metre (ii)
Floor Area, Residential (Minimum)	90 m <sup>2</sup>
Lot Coverage (Maximum)	35% (i)
Height of Building (Maximum)	7 metres

- (ii) Notwithstanding Sections 2.114, 2.118 and 2.119, the calculation of 'lot area' and 'lot coverage' shall include that portion of the property covered by water.
- (ii) Notwithstanding any provisions to the contrary, a single family dwelling shall maintain a minimum setback of 1 metre to the rear and side lot lines located within a portion of the property covered by water.

Further, notwithstanding Sections 5.10 and 5.22, a single family dwelling, a dock, an unenclosed deck, and steps may be erected with a nil setback to the annual highwater mark of Lake Simcoe, subject to obtaining final written approval from the Lake Simcoe Region Conservation Authority.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

Further, notwithstanding Sections 5.22 and 5.45, a dock, an unenclosed deck, and steps may project into the minimum rear and side yards, provided that a minimum setback of 1 metre is maintained to the rear lot line and a minimum setback of 0.3 metres is maintained to the side lot lines.

Further, notwithstanding Sections 5.28 (a), (b) and (i), the minimum parking space size shall be 2.5 metres by 5.5 metres, and a minimum of two parking spaces shall be provided in a driveway private to the unit and in the front yard.

# 7.5.66 PART OF LOTS 16 & 17, CONCESSION 2 (NG) 'R1-90' (500-2002-0015) (Map 3)

Notwithstanding Sections 6.1 (c), (e) & (i) the following provisions shall apply:

Front Yard Setback (Minimum) 7 metres
Rear Yard Setback (Minimum) 9 metres
Lot Coverage (Maximum) 40%

Further, notwithstanding Section 5.12 the maximum height of fencing to be utilized as a noise attenuation feature along the rear of Lots 8 to 14 which abut Metro Road shall be 2.5 metres.

# 7.5.67 PART OF LOT 5, CONCESSION 8 (G) 'R1-91(H)', 'R1-92(H)' (500-2004-0002) Jackson's Landing, 'R1-93(H)', 'R1-94(H)' Adult Lifestyle Community 'R1-95(H)' (Map 6)

Notwithstanding Sections 2, 5.6, 5.13, 5.12, 5.31, 5.34(b), 5.45(e), 6.1, 7.1 and 7.2 of this By-law, the following definitions, general provisions, permitted uses and zone requirements shall apply to those lands designated and shown in heavy outline in Schedule 'A' to this By-law:

#### (a) GENERAL

(500-2006-0009) (i) An "Adult Lifestyle Community" means: "a residential development, created by

vacant land condominium plan(s), utilizing private roads and services, which has been designed for use primarily by retirees, being persons 50 years of age or older, and in which private recreational/open space amenities are provided for the residents of that development".

- An "average finished grade" shall be (ii) calculated as follows: (1) by summing the elevations of all "outermost corners" of building's foundation and "intermediate grades"; and, (2) dividing the sum by the number of "outermost corners" and "intermediate grades" measured. Open decks supported on posts and cantilevered projections are not considered part of a building's foundation for the purpose of this calculation. To be included as "outermost corner", а foundation projection must be both larger than 0.4 metres in depth and 2.5 metres in width. Any separation of more than 10 metres between "outermost corner" grades must have an "intermediate grade" provided which shall be an elevation measured halfway between each "outermost corner" grade. Further illustration as to how an "average finished *grade"* shall calculated is shown on Schedule 'B-41' attached hereto.
- (iii) An "Ecological Buffer" means: "an area of land within a lot, within an Adult Lifestyle Community, comprised of native trees and shrubs designed to provide an edge treatment to the open space blocks and which may include a drainage feature located not closer than 3 metres to the abutting open space blocks".

- (iv) "Equivalent Density" means: "when determining the maximum number of dwelling units, 2 beds in a Retirement Home are the equivalent of 1 single family detached, semi-detached or townhouse dwelling".
- (v) "Forest" means: "a naturally sustainable ecosystem, dominated by trees and other woody vegetation, that provides benefits such as erosion protection, water retention, wildlife habitat and passive recreation".
- (vi) "Height" only as it relates to a Residential Dwelling or a model home containing a Loft, shall mean: "the vertical distance of a building or structure measured at the average finished grade and the highest point of the roof".
- (vii) A "Landscaped Visual Buffer" means: "an area of land within a lot, within an adult lifestyle community, comprised of trees and shrubs designed to provide a visual buffer to ensure no visibility between the rear yards of the residential lots within the Adult Lifestyle Community and the rear yards of the adjacent existing lots, in accordance with an approved Landscape Plan".
- (viii) A "Loft" means: "an area within the roof structure of a one storey dwelling which is open to living space below, does not exceed 1/3 of the ground floor space including garage area, and which may include one of the permitted bedrooms and a washroom".
- (ix) A "Private Community Centre" means: "a building and premises used for activities within an adult lifestyle community,

including a private community centre and accessory buildings, structures and uses such as an indoor/outdoor swimming pool and multi-use recreation pad, the control of which is vested in a private authority".

- (x) "Residential Dwelling" means: "a single family detached, semi-detached or townhouse dwelling, but excludes model homes, which are used for sales purposes only and are not occupied for temporary or permanent residential uses".
- A "Retirement Home" means: "premises that (xi)provide accommodation primarily retired persons where each bedroom or living unit has a separate private bathroom and separate entrance from a common hall but where common facilities for the preparation consumption of food are provided, where common lounges, recreation rooms, and health care facilities, and internal ancillary commercial uses for residents of the Adult Lifestvle Community may also be provided".
- (xii) "Storey" means: "that portion of the building between any floor and the floors, ceiling or roof next above: i) provided that a portion of the building between any floor and the floors, ceiling or roof next above exceeds 4 m in height it shall be deemed to be 2 storeys unless defined herein as a Loft; and ii) any portion of a building partly below grade level shall not be deemed a storey unless its ceiling is greater than 1 metre above the average finished grade".
- (xiii) "Visitor Parking" means: "with regard to townhouse dwelling units, parking required in addition to the required 2

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

parking spaces per dwelling unit as set forth herein. Such visitor parking, as set forth herein at 0.25 parking spaces per townhouse dwelling unit, shall be provided as part of a parking lot or as a parking space(s) on the shoulder of a road, other than the main road, within the Adult Lifestyle Community".

- (500-2006-0009)
- (xv) No parcel of land, building, or structure within the Adult Lifestyle Community shall be used for the uses permitted herein except in accordance with approved vacant land condominium plan(s) which are in accordance with an approved Master Site Plan, which identifies such matters as residential lots, Landscaped Visual or Ecological Buffers, and common elements.
- (xvi) No Residential Dwelling, Retirement Home or Private Community Centre, including accessory uses buildings or structures contained therein shall be constructed or used except where the site is serviced with municipal water supply and a sewage disposal system and such services are extended to such Dwellings, Retirement Home or Private Community Centre.
- (xvii) A maximum of 4 separate model homes may be constructed prior to a pre-servicing agreement as a sales pavilion, but subject to site plan approval. A sales office may be included in the sales pavilion. In addition, a temporary accessory structure consisting of a two storey gazebo may be permitted, but only in the location of the proposed private community centre/recreation centre, and

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

subject to site plan approval. temporary entrance from Hedge Road can only be used for access to the sales pavilion and cannot connect to internal roadway access within the Adult Lifestyle Community. The Hedge Road access shall be terminated at earliest of the issuance of the first building permit for а Residential Dwelling unit other than the pavilion, or two years from the issuance of the first building permit for the sales pavilion.

(500-2006-0009)

- (xviii) With the exception of a temporary access from Hedge Road for the sales pavilion as described in (xvii) above, there shall be no vehicular access to the Adult Lifestyle Community except from Black River Road. However, one emergency vehicle access, with an appropriate barrier, shall be provided for access to Maple Avenue.
  - (xix) A building or structure may be erected on a lot fronting on a private road described within a registered plan of condominium within the Adult Lifestyle Community.
  - Notwithstanding any other provision of (xx)this By-law, basements and cellars are not permitted on the portions of the identified as "areas excavation into the clayey aquitard may be required" on Schedule 'B-42' attached hereto, until a report prepared by a qualified geotechnical engineer and to satisfaction of the demonstrates that where excavation into the clayey aguitard is required, each building to be constructed will have, below its foundation, a minimum of: 1

metre of recompacted suitable overburden; 1.5 metres of clayey aquitard; and 2 metres of existing native till ("minimum requirements").

With respect to the other lands beyond those identified as "areas where excavation into the clayey aquitard may be required" on Schedule 'B-42' attached hereto, no basements or cellars shall be constructed which require excavation into the clayey aquitard unless the minimum requirements as noted in the preceding paragraph are also met.

(500-2006-0009)

Compliance with the minimum requirements shall be ensured by a protocol, (1) the first part of which shall address the identified as "areas excavation into the clayey aguitard may be required" on Schedule 'B-42' and shall require, at a minimum, that each lot within these lands is to be tested, and (2) the second part shall address the other lands not identified on Schedule 'B-42' as "areas where excavation into the clayey aguitard may be required". Such protocol shall have been approved by the Town and be appended to and form part of the condominium agreement.

(xxi) Notwithstanding any other provision of this By-law, in accordance with the Minutes of Settlement filed with the Ontario Municipal Board on January 30, 2004 as Exhibit #105 (OMB Case File: PL0000549), respecting the Red-Shouldered Hawk ("RSHA"), should the monitoring of the site in 2004, as specified in paragraph 2 of the aforementioned Minutes of Settlement, fail to confirm that there are breeding RSHAs at any of Nests 1,2 or 4, as shown on Schedule 'B-43' attached

hereto, the tree in which Nest 2 is located, as shown on Schedule 'B-43', may be cut down in the Fall of 2004, and development may proceed as planned.

However, if breeding RSHAs are confirmed at Nests 1, 2 or 4, as shown on Schedule in accordance with aforementioned Minutes of Settlement, no construction activity will be permitted on the lands identified as Phase 4, shown Schedule 'B-43' until all other previous phases are complete and not before August 12, 2007, except for a construction temporary road and watermain, located a minimum of 75 metres from Nest 1 and 30 metres from Nests 2 and 4 as shown on Schedule 'B-43', prestressing of the western edge of the land shown on Schedule 'B-43' and the construction of interim storm water swales.

Notwithstanding the above prohibition on construction activity within Phase 4 until August 12, 2007, if for any of the subsequent monitoring years (2005, 2006 or 2007) a monitoring report filed with the Town concludes there is no confirmed breeding evidence of red-shouldered hawks in the vicinity (within 150 metres) of Nests 1, 2 or 4, construction activity in Phase 4 is permitted and the proposed development may proceed as planned.

- (xxii) Residential Dwellings with walk-out basements are not permitted.
- (xxiii)On all lots containing a Residential Dwelling or model home, an attached garage shall not project more than 2 metres beyond the front wall on the ground floor of a dwelling and in no case

### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

shall a garage project beyond an unenclosed porch or covered entry feature adjacent to the attached garage.

- (xxiv) An attached garage is required for every Residential Dwelling, excluding a Retirement Home. A Residential Dwelling on a lot which has a frontage of less than 13.7 metres shall have a one car garage only. A Residential Dwelling on a lot which has a frontage of 13.7 metres or greater shall have a two car garage (maximum).
- (xxv) Except where stated otherwise in this Bylaw, balconies, unenclosed porches, covered entries and steps, decks, handicap ramps and elevators may be permitted to encroach 1.5 metres into any required front yard or exterior side yard. All other yard encroachments as provided in Section 5.45(a) continue to apply.
- (500-2006-0009)
- (xxvi) The erection of fences shall not be permitted except in accordance with an approved plan forming part of the condominium agreement detailing the design, height and location of fencing.
- (xxvii)Only wall or roof mounted satellite
   receiving dishes shall be permitted. Wall
   mounted satellite receiving dishes shall
   only be permitted on the rear or interior
   side yard walls of the dwelling.
- (xxviii)A sanitary sewage pumping station shall
   be permitted within all residential
   zones.
- (500-2006-0009) (xxviv) Notwithstanding any other provision herein, references to "lot(s)" within this by-law may also be interpreted as

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

"unit(s)" within the context of a vacant land condominium plan, where applicable.

- (b) PERMITTED USES WITHIN THE 'R1-91(H)' and 'R1-92(H)' ZONES:
  - (i) Residential
    - Single Family Detached Dwellings.
  - (ii) Non-Residential
    - Home Occupations
    - Accessory Buildings, Structures and Uses, excluding swimming pools, to any permitted use.
- (c) PERMITTED USES IN 'R1-94(H)' ZONE:
  - (i) Residential
    - Single Family Detached Dwellings, subject to the qualification that no basements or cellars are permitted unless:
    - 1) The owner's Engineer completes an environmental study report to the satisfaction of the Council of the Town of Georgina. The environmental study report must evaluate and recommend a method to prevent draw down of the water table and demonstrate that there shall be no adverse impacts as a result of proposed mitigation on adjacent lands. Such report shall include:
    - assessing the potential impact on vegetation on lands zoned OS-49, from the drawdown of the water table by foundation drains and service trenches;
    - canvassing various methods of mitigation, if required, to preserve the existing seasonal high water

table and vegetation of the lands zoned 'OS-49' from the potential drawdown of basement or cellar foundation drains or service trenches associated with the development of the 'R1-94(H)' lands;

- evaluating the impacts of any preferred alternative, to include but not be limited to, any potential decrease in groundwater flows and impairment of the water supply to off-site dug wells, or potential flooding of existing basements, or changes in flow regime of Sibbald Creek;
- evaluating a preferred mitigation alternative, if mitigation is required or feasible;
- ascertaining the longevity of the preferred mitigation alternative, if mitigation is required; and
- determining the maintenance requirements for the preferred system and who would be responsible for this activity, and assess the need to monitor the preferred alternative.

#### (ii) Non-Residential

- > Home Occupations
- Accessory Buildings, Structures and Uses, excluding swimming pools, to any permitted use.

# (d) PERMITTED USES IN 'R1-93(H)' and 'R1-95(H)' ZONES:

- i) Residential
  - Single Family Detached Dwellings
  - Semi-detached Dwellings
  - Linked Dwellings
  - > Townhouse Dwellings
  - ▶ Within the 'R1-93(H)' Zone, a

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

Retirement Home shall also be permitted.

- ii) Non-Residential
  - > Home Occupations
  - Accessory Buildings, Structures and Uses, excluding swimming pools, to any permitted use, with the exception of a swimming pool accessory to a Retirement Home.
- (e) ZONE REQUIREMENTS FOR THE 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)' and 'R1-95(H)' ZONES:

(i)	Maximum number of Residential Dwellings or Equivalent Density permitted collectively within the 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)', and 'R1-95(H)' zones shall not exceed 320 and shall not be less than 230.	
(ii)	A Retirement Home shall only be permitted in the 'R1-93(H)' zone and may not be constructed until such time as a minimum of 150 Residential Dwelling Units have been constructed within the Adult Lifestyle Community.	
(iii)	Maximum number of beds permitted in a Retirement Home shall not exceed 150.	
(iv)	Maximum number of Townhouse Dwelling units.	32
(v)	Maximum number of bedrooms in a Single Family Detached, Semi-Detached, Linked Dwelling, or Townhouse Dwelling shall be two.	

Page 7-52

(vi) Minimum setback of Retirement Home from Hedge Road	450 metres
(vii) Minimum width of Landscaped Visual Buffer	3 metres
(viii) Minimum width of an Ecological Buffer abutting lands zoned 'OS-49' and 'OS-51'	6 metres
(ix) Minimum setback of Retirement Home/Townhouse Dwelling from a Residential zoned lot to the west of the Adult Lifestyle Community	30 metres
(x) Lot Frontage (minimum) - Single Family Detached Dwelling	
`R1-91(H)'	18 metres
'R1-92(H)' and 'R1-94(H)'	15 metres
'R1-93(H)' and 'R1-95(H)'	12 metres
(xi) Lot Frontage (minimum) - Semi- detached or Linked Dwelling	
'R1-93(H)' and 'R1-95(H)'	10 metres
(xii)Lot Frontage (minimum) - Retirement Home	
'R1-93(H)'	30 metres
(xiii) Lot Frontage (minimum) - Townhouse Dwelling Unit	
'R1-93(H)' and 'R1-95(H)'	7 metres
(xiv) Minimum number of lots having lot frontages of 13.7 metres or more.	176

(xv) Lot Area (minimum) - Single Family	
Detached Dwelling	
'R1-91(H)', 'R1-92(H)' and 'R1-94(H)'	450 m <sup>2</sup>
'R1-93(H)' and 'R1-95(H)'	$335 \text{ m}^2$
(xvi)Lot Area (minimum) - Semi-detached or Linked Dwelling	
'R1-93(H)', and 'R1-95(H)'	300 m <sup>2</sup>
(xvii) Lot Area (minimum) - Retirement Home Site	
'R1-93(H)'	900 m <sup>2</sup> , plus 95 m <sup>2</sup> for first eight beds and for each bed thereafter
(xviii) Lot Area (minimum) - Townhouse Dwelling Unit	
'R1-93(H)' and 'R1-95(H)'	196 m²
<pre>(xix) Front Yard (minimum) - Single    Family Detached, Semi-detached,    Linked, or Townhouse Dwelling Unit    - except that where an attached    garage is located in the front    yard, the minimum front yard for    the garage shall be 6 metres    (minimum)</pre>	4 metres
(xx) Front Yard (minimum) - Retirement Home	7.5 metres
	3 metres

SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

(xxii) Exterior Side Yard (minimum) - Retirement Home	7.5 metres
(xxiii) Rear Yard (minimum)	
'R1-91(H)' and 'R1-92(H)'	9 metres
'R1-94(H)'	9 metres except that a reduced Rear Yard of 8 m shall be permitted for a maximum of 50% of the width of each individual Residential Dwelling Unit
'R1-93(H)' and 'R1-95(H)'	6.5 metres except, where it abuts a Retirement Home it shall be 9 metres
(xxiv) Rear Yard Width (minimum)	
`R1-91(H)'	18 metres

(xxv) Interior Side Yard (minimum)	
'R1-91(H)', 'R1-92(H)' and 'R1-94(H)'	1.2 metres
'R1-93(H)' and 'R1-95(H)'	1.2 metres one side, 0.6 metres other side; 1.8 metres (min.) between Residential Dwellings
The minimum interior side yard between a pair of Semi-Detached Dwellings or Townhouse Dwelling Units shall be nil, and between a pair of Linked Dwellings, 1.2 metres, for that portion of a Residential Dwelling above grade. The minimum interior side yard for a Retirement Home shall be 7.5 metres.	
(xxvi) Floor Area (minimum) of Residential Dwelling	100 m <sup>2</sup>
(xxvii) Floor Area (minimum) of a bedroom within a Retirement Home	18 m <sup>2</sup>
(xxviii) Landscaped Open Space (minimum) - Retirement Home Site	30%
(xxix) Height of Buildings (maximum)	
- Residential Dwellings 'R1-91(H)' and 'R1-92(H)' 'R1-93(H)', 'R1-94(H)' and 'R1-95(H)' - Retirement Home - Accessory Building	8.5 metres 9.5 metres 11 metres 4.5 metres

Page 7-56

(xxx) Maximum Number of Storeys	
-Residential Dwellings	1, plus a loft
-Retirement Home	2
(xxxi) Minimum Number of Parking Spaces per Residential Dwelling Unit	2
(xxxii) Minimum Number of Visitor Parking Spaces per Townhouse Dwelling Unit	0.25
(xxxiii) Minimum Number of parking spaces per bed in a Retirement Home	0.75
No additional parking is required for any non-residential use within a Retirement Home	

#### (f) HOLDING ZONE PROVISIONS:

Notwithstanding the provisions set forth above, while the '(H)' Holding symbol is in place, no person shall within the lands zoned 'R1-91(H)', R1-92(H)', R1-93(H)', R1-94(H)', and R1-95(H)' in Schedule 'A' attached hereto, use any lot or erect, alter or use any buildings or structures for any purpose except those permitted by Zoning By-law Number 500, amended, as of the date of the enactment of this By-law, with the exception of four model homes within the 'R1-95(H)' zone which may be used as part of the sales program but may not be occupied until the (H) symbol is removed. No extension or enlargement of the uses which existed on the date of the enactment of this By-law shall occur unless an amendment to this By-law is approved by the Council of the Corporation of the Town of Georgina and comes into full force and effect.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from the lands zoned 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)', and 'R1-95(H)', or any part thereof, under the following circumstances;

(500-2006-0009)

- (i) For first 150 Residential Dwelling Units, upon
  - adequate water and sewer capacity being made available for the Subject Lands:
  - approval of a Master Site Plan and Development Phasing Plan;
  - approval of vacant land condominium
     plan(s); and
  - full compliance with all required studies and agreements, financial and otherwise, executed between the owner(s) and the Town of Georgina and Region of York, governing the respective phase of development.
- (ii) For Residential Dwelling Units beyond 150 Residential Dwelling Units, upon
  - all matters as set forth in f)(i)
    above;
  - occupancy of the first 100 Residential Dwelling Units, and the developer retaining a qualified consultant to conduct a demographic demonstrating study to the satisfaction of the Town, consultation with the Public School Board that the average number of persons per Residential Dwelling Unit does not exceed 2 and that 75% of the residents are 50 years of age and older; and
  - a detailed tree inventory being

completed, to the satisfaction of the Town for the area directly west of the main road, between the lands zoned 'OS-51' and 'OS-49' Schedule 'A' hereto, to ensure the appropriate retention of mature vegetation in that area in accordance with the Official Plan.

Upon removal of the '(H)' Holding symbol from all or part of the lands zoned 'R1-91(H)', 'R1-92(H)', 'R1-93(H)', 'R1-94(H)', and 'R1-95(H)' in Schedule 'A' attached hereto, the provisions applicable to the said lands shall be as set forth in Sections 2 a), b), c), d) and e) herein.

# 7.5.68 PART OF LOT 5, CONCESSION 8 (G) 'R1-96' (500-2004-0002) Jackson's Landing, Adult Lifestyle Community (Map 6)

Notwithstanding Section 7.1 and 7.2 of this By-law, on those lands designated 'R1-96' and shown in heavy outline in Schedule 'A' to this By-law permitted uses shall only include private recreational facilities including, but not limited to: a boathouse, dock or wharf, a gazebo, promenade walkway, and accessory buildings, structures and uses to any permitted use. A marina or residential use shall be prohibited on lands zoned 'R1-96'.

# 7.5.69 PART OF LOT 5, CONCESSION 8 (G) 'R1-97 (H)' (500-2004-0002) Jackson's Landing, Adult Lifestyle Community (Map 6)

#### (a) GENERAL

Notwithstanding Sections 2, 5.28(b), 5.31, 6.1, 7.1, and 7.2 of this By-law, on those lands designated 'R1-97(H)' and shown in heavy outline in Schedule 'A' to this By-law permitted uses shall only include a Private Community Centre, and accessory buildings, structures and uses thereto. Accessory uses within the 'R1-97(H)' zone may include, but

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

shall not be limited to: an automated bank teller outlet machine, an administrative and professional office, a health and fitness room, a games room, a library, a kitchen and dining facility for special functions within the adult lifestyle community, personal services shops, recreational multi-use pad, indoor/outdoor swimming pool and parking.

A building or structure may be constructed on lot fronting on a private road as described within a plan of condominium.

#### (b) ZONE REQUIREMENTS:

The following zone requirements shall apply to those lands designated 'R1-97(H)':

(i)	Parking Spaces per 95 square metres of Non- Residential Floor Area, (a swimming pool and hot tub, not including change rooms and other support facilities, are excluded from the calculation of floor area)	4
(ii)	Minimum width of Landscaped Visual Buffer abutting a lot adjacent to the community	5 metres
(ii)	Lot Frontage on Hedge Road (minimum)	70 metres
(iii)	)Lot Area (minimum)	0.9 ha
(iv)	Front Yard (minimum)	20 metres
(v)	Rear Yard (minimum)	8 metres

Page 7-60

(vi)	Interior Side Yard (minimum)  Private community centre Indoor/outdoor pool Multi-use Recreation Pad Accessory Buildings and Structures	15 metres 10 metres 6 metres 5 metres
(viii	) Ground floor Area of Private community centre (maximum)	745 m2, excluding area of one storey attached building for the indoor/ outdoor swimming pool.
(ix)	Height of Building (maximum)	11 metres
(x)	Maximum number of storeys	2
(xi)	Balconies, unenclosed porches, covered entries and steps, decks, handicap ramps and elevators may be permitted to encroach 3 metres into any required front yard.	

#### (c) HOLDING ZONE PROVISIONS:

Notwithstanding the provisions set forth above, while the '(H)' Holding symbol is in place, no person shall, within the lands zoned 'R1-97(H)' in Schedule 'A' attached hereto, use any lot or erect, alter or use any buildings or structures for any purpose except those permitted by Zoning By-law Number 500, as amended, as of the date of the enactment of this By-law. No extension or enlargement of the uses which existed on the date of the enactment of this

By-law shall occur unless an amendment to this By-law is approved by the Council of the Corporation of the Town of Georgina and comes into full force and effect.

Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from the lands zoned 'R1-97(H)', under the following circumstances;

- approval of a Master Site Plan and Development Phasing Plan;
- approval of detailed site plans;
- full compliance with all required studies and agreements, financial and otherwise, executed between the owner(s) and the Town of Georgina and Region of York, governing the respective phase of development.

## 7.5.70 PART OF LOT 3, PLAN 247 (500-2005-0001) S/S LAKE DRIVE EAST

'R1-98'

(Map 6)

Notwithstanding Section 7.1, one additional dwelling unit shall be permitted within a single family dwelling on land shown in heavy outline and designated 'R1-98' in Schedule 'A' attached hereto.

### 7.5.71 PART OF LOT 3, PLAN 247 (500-2005-0001) N/S METRO ROAD NORTH

'R1-99' (Map 6)

Notwithstanding Section 7.1, one accessory apartment shall be permitted within a single family dwelling on land shown in heavy outline and designated 'R1-99' in Schedule 'A' attached hereto. Furthermore, the floor area of the accessory apartment shall not exceed 65 square metres and a minimum of two parking spaces shall be provided for the accessory apartment.

## 7.5.71 PART OF LOTS 9 AND 10, CONCESSION 3 (NG) 'R1-100' (500-2004-0005) (Map 2)

a) Notwithstanding Sections 6.1 (c), (d), (f), (i) and (j) insofar as it affects the lands zoned 'R1-100' on Schedule 'A' hereto, the following zone requirements shall apply:

Front Yard (Minimum) M.	
To Garage	6.0 <sup>(i)</sup> (ii)
To Dwelling	5.5 <sup>(i)</sup> (ii)
Exterior Side Yard (Minimum) M.	5(i)(iii)
Interior Side Yard (Minimum) M.	1.2 metres plus 0.5 metres for each additional or partial storey above the
	second. (iv)
Lot Coverage (Maximum)	
Bungalow	40%
Multi-storey	35%

- (i) The minimum setback for the main wall of a dwelling to the hypotenuse of a sight triangle which forms part of the property line shall be 3.5 metres.
- No garage shall project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.
- (iii) Except where a driveway, providing access to an attached garage, is located in the exterior side yard, the minimum exterior side yard for the garage shall be 6 metres.
- Where there is no attached garage on a lot, the minimum interior side yard on one side shall be  $2.5\ \text{metres.}$
- b) Every lot shall provide a garage.
- c) Notwithstanding Section 5.28 (i), the maximum width of a driveway shall be 6 metres.

- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, Unenclosed Porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
- e) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard as well as within the back half of the interior side yard. Such fences are exempt from minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards as well as the front half of the interior side yard provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding ii) above, where the front
     yard abuts the rear yard or back half of
     the interior side yard of an abutting
     residential lot, fences not exceeding 2
     metres in height are permitted.
  - iv) Notwithstanding i) and ii) above, where a lot abuts a commercial or institutional zone, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.

### 7.5.72 BLOCK 52, REGISTERED PLAN 65M-2480 'R1-101' (500-2004-0007) (Map 3)

Notwithstanding Section 6.1(f), the following shall apply:

INTERIOR SIDE YARD (MINIMUM) 4.5 METRES

And further, notwithstanding Section 5.12, a privacy fence having a maximum height of 2.5 metres shall be permitted along the westerly interior side lot line.

# 7.5.73 PART OF LOT 111, REGISTERED PLAN 345 'R1-102' (500-2004-0008) (Map 2)

Notwithstanding Section 5.12, fences located within the front yard shall not exceed 0.9 metres in height.

Notwithstanding Section 5.13, a single detached dwelling and accessory buildings, structures and uses are permitted on a lot which has frontage on an access street/road that is subject to a registered plan of common elements condominium.

Notwithstanding Section 6.1 (i), the maximum lot coverage shall be 40% for a single storey dwelling.

Further, in the area designated 'R1-102' in Schedule 'A' hereto, the following shall apply:

- i. No attached garage shall project more than  $2.5\,$  metres forward from the front main wall of the dwelling.
- ii. Every dwelling shall have an attached garage.

# 7.5.74 PART OF LOT 111, REGISTERED PLAN 345 'R1-103' (500-2004-0008) (Map 2)

Notwithstanding Section 5.12, fences located within the front yard shall not exceed 0.9 metres in height except where the front yard abuts an interior side or rear yard of a residential lot zoned 'R1-102',

the provisions of Section 5.12 shall prevail.

Notwithstanding Section 5.13, a single detached dwelling and accessory buildings, structures and uses are permitted on a lot, which has frontage on an access street/road that is subject to a registered plan of common elements condominium.

# 7.5.75 PART OF LOT 6, BLOCK 58, PLAN 69 'R1-104' (500-2004-0014) S/S BURKE STREET (Map 7)

Notwithstanding Section 7.1, one accessory apartment shall be permitted within a single family dwelling on land shown in heavy outline and designated 'R1-104' in Schedule 'A' attached hereto. Furthermore, the floor area of the accessory apartment shall not exceed 76 square metres and a minimum of two parking spaces shall be provided for the accessory apartment.

- 7.5.76 'R1-105 (H)' DELETED BY BY-LAW NO. 500-2006-0011
- 7.5.77 'R1-106' DELETED BY BY-LAW NO. 500-2006-0014
- 7.5.78 'R1-107' DELETED BY BY-LAW NO. 500-2006-0011
- 7.5.79 'R1-108' DELETED BY BY-LAW NO. 500-2006-0011

# 7.5.80 PART OF LOTS 2 AND 3, 'R1-109 (WS)' (500-2005-0023) CONCESSION 3 (NG) (Maps 1 and 2)

(500-2005-0023) (500-2007-0009) (2013-0140)

(2014-0007) (2015-0081)

(2015-0117)

(2016-0029)

a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), (i) insofar as it affects the lands zoned 'R1-109(WS)' on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-109 (WS)
PERMITTED USE 1,10	S
ZONE REQUIREMENT	
LOT FRONTAGE (MINIMUM) M.	13.72,8
LOT AREA (MINIMUM) SQ. M.	350 <sup>3</sup> , <sup>9</sup>
FRONT YARD (MINIMUM) M.	

Page 7-66

TO GARAGE	5.84
TO DWELLING	4.04,7
EXTERIOR SIDE YARD	2.44,5,6
(MINIMUM) M.	
REAR YARD (MINIMUM) M.	6.0
INTERIOR SIDE YARD	0.6 AND 1.2
(MINIMUM) M.	

- Permitted Use S = Single Family Dwelling
- Except that in the case of a corner lot the minimum lot frontage shall be 14.9 metres.
- Except that in the case of a corner lot the minimum lot area shall be 370 square metres.
- The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.
- Except where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for the garage or carport shall be 5.8 metres.
- The minimum exterior side yard setback shall be 3.0 metres if the exterior side yard abuts a road having a width of 23 metres or greater.
- Where there is no sidewalk crossing the front yard, the minimum front yard setback may be reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.
- Except that in the case of the lots as further indicated on Schedule 'B-75' attached hereto, the minimum lot frontage for the identified individual lots shall be as illustrated on Schedule 'B-75'.

- Except that in the case of the lots as further indicated on Schedule 'B-75' attached hereto, the minimum lot area for the identified individual lots shall be as illustrated on Schedule 'B-75'.
- Notwithstanding any other provision herein, a '(H)' Holding symbol is hereby enacted on lands shown in heavy outline and designated 'R1-109 (WS) (H)' in Schedule 'A' and further delineated in Schedule 'B-76' and 'B-77' attached hereto. Until such time as the '(H)' Holding symbol is removed, no building or structures shall be permitted to be erected. Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the 'H' Holding symbol from all or part of said lands upon the following:
  - i. approval of a part lot control exemption
     application(s),
  - ii. deposit of the necessary Reference Plans (R-Plans) with the Land Registry Office,
  - iii. execution of the pertinent agreements with the owner of the adjoining blocks/part lots, with respect to the merging and conveying of the said blocks/part lots, and
    - iv. the review and approval by the Town of the draft conveyancing documents which details the means by which said lands are to be appropriately merged with the adjoining blocks/part lots.

Upon removal of the '(H)' Holding symbol from all or part of the lands shown in heavy outline and designated 'R1-109 (WS)(H)' in Schedule 'B-76' and 'B-77' attached hereto, the provisions applicable to said lands shall be in accordance with Zoning By-law 500, as amended.

- b) Notwithstanding Section 2.230, in areas zoned 'R1-109(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.
- c) Notwithstanding Section 5.28(b), in the areas zoned 'R1-109(WS)' on Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- d) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-109(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.35, in the areas zoned 'R1-109(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).

- f) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-109(WS)' on Schedule 'A' hereto, encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-Law Number 500, as amended, continue to apply.
- g) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-109(WS)' on Schedule 'A' hereto, shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provision of the by-law.
  - ii) Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - iii) Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
  - iv) Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

commercial or institutional zone to a height not exceeding 3.0 metres

Notwithstanding Section 5.34 (b) insofar as it h) affects the lands zoned 'R1-109(WS)' Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

#### 7.5.81

### (500-2007-0009)(2013 - 0140)(2014 - 0007)

#### PART OF LOTS 2 AND 3, (500-2005-0023) **CONCESSION 3 (NG)**

'R1-110 (WS)' (Maps 1 and 2)

Notwithstanding Section 6.1 (a), (b), (c), (d) a) (e), (f), (i) insofar as it affects the lands zoned 'R1-110(WS)' on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-110 (WS)
PERMITTED USE <sup>1</sup>	S
ZONE REQUIREMENT	
LOT FRONTAGE (MINIMUM) M.	12.22
LOT AREA (MINIMUM) SQ. M.	3103
FRONT YARD (MINIMUM) M.	
TO GARAGE	5.84
TO DWELLING	4.04,7
EXTERIOR SIDE YARD (MINIMUM) M.	2.44,5,6
REAR YARD (MINIMUM) M.	6.0
INTERIOR SIDE YARD (MINIMUM) M.	0.6 AND 1.2

- Permitted Use S = Single Family Dwelling
- Except that in the case of a corner lot the minimum lot frontage shall be 13.4 metres.
- Except that in the case of a corner lot the minimum lot area shall be 330 square metres.
- The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.

- Except where a driveway, providing access to an attached garage or carport, is located in the exterior side yard, the minimum exterior side yard for the garage or carport shall be 5.8 metres.
- The minimum exterior side yard setback shall be 3.0 metres if the exterior side yard abuts a road having a width of 23 metres or greater.
- Where there is no sidewalk crossing the front yard, the minimum front yard setback may be reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.
- Notwithstanding Section 2.230, in areas zoned 'R1-110(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.
- c) Notwithstanding Section 5.28(b), in the areas zoned 'R1-110(WS)' on Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.

- d) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-110(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.35, in the areas zoned 'R1-110(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- Notwithstanding Section 5.45(a) as it applies f) to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-110 (WS)' on Schedule `A' hereto, encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-Law Number 500, as amended, continue to apply.
- g) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-110(WS)' on Schedule 'A' hereto, shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be

erected in compliance with the minimum yard requirements for the appropriate zone.

- ii) Fences are permitted in the front yard area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
- iii) Notwithstanding ii) above, where the front
   yard abuts a side yard or a rear yard of
   an abutting residential lot, fences not
   exceeding 2 metres in height are
   permitted.
- iv) Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.
- h) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-110(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

#### 7.5.82 BLOCK 114, PLAN 65M-3270

(500-2006-0001)

'R1-111'

(Map 2)

Notwithstanding Sections 5.45 (a), 6.1 (a), (b), (c), (f) and (i) on those lands shown in heavy outline and designated 'R1-111' in Schedule 'A' attached hereto, the following zone standards shall apply:

(i) Unenclosed porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

encroachment permitted for steps.

(ii)	LOT FRONTAGE (MINIMUM)	15 metres
	- except that in the case of	
	a corner lot, the minimum lot	
	frontage shall be	18 metres

(iii) LOT AREA (MINIMUM) 450 sq. metres
 - except that in the case of
 a corner lot, the minimum lot
 area shall be 540 sq. metres

- (v) INTERIOR SIDE YARD (MINIMUM)- 1.2 metres plus 0.5 metres for each additional or partial storey above the second
- (vi) LOT COVERAGE (MAXIMUM)
   One storey dwelling 40%
   One and One half or two storey dwelling 35%

Further, each lot shall provide an attached garage. The garage shall not project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.

### 7.5.83 BLOCK 114, PLAN 65M-3270 'R1-112' (500-2006-0001) (Map 2)

Notwithstanding Sections 5.45 (a), 6.1 (a), (b), (c), (f) and (i) on those lands shown in heavy outline and designated 'R1-112' in Schedule 'A' attached hereto, the following zone standards shall apply:

(i) Unenclosed porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

(ii)	LOT FRONTAGE (MINIMUM)	12 metres
	- except that in the case of	
	a corner lot, the minimum lot	
	frontage shall be	15 metres

- (iii) LOT AREA (MINIMUM) 360 sq. metres
   except that in the case of
   a corner lot, the minimum lot
   area shall be 450 sq. metres
- (v) INTERIOR SIDE YARD (MINIMUM)- 1.2 metres plus 0.5 metres for each additional or partial storey above the second
- (vi) LOT COVERAGE (MAXIMUM)
   One storey dwelling 40%
   One and One half or two storey dwelling 35%

Further, each lot shall provide an attached garage. The garage shall not project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.

# 7.5.84 BLOCK 114, PLAN 65M-3270 'R1-113' (500-2006-0001) (Map 2)

Notwithstanding Sections 5.45 (a), 6.1 (a), (b), (c), (f) and (i) on those lands shown in heavy outline and designated 'R1-113' in Schedule 'A' attached hereto, the following zone standards shall apply:

- (i) Unenclosed porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

a corner lot, the minimum lot frontage is 18 metres

- \*\* except that in the case of an interior lot fronting onto an extension of Roselm Avenue, the minimum lot frontage shall be 12 metres
- \*\* except that in the case of a lot having frontage on Fairwood Drive and flankage on an extension of Roselm Avenue the minimum lot frontage shall be
- (iii) LOT AREA (MINIMUM) 450 sq. metres
   except that in the case of
   a corner lot, the minimum lot
   area is 540 sq. metres
  - \*\* except that in the case of an interior lot fronting onto an extension of Roselm Avenue, the minimum lot area shall be 360 sq. metres
  - \*\* except that in the case of a lot having frontage on Fairwood Drive and flankage on an extension of Roselm Avenue, the minimum lot area shall be 450 sq. metres
- (iv) FRONT YARD (MINIMUM)
  - Dwelling

5.5 metres

- Garage

6 metres

- (v) INTERIOR SIDE YARD (MINIMUM)
  - 1.2 metres plus 0.5 metres for each additional or partial storey above the second
- (vi) LOT COVERAGE (MAXIMUM)
  - One storey dwelling

40%

- One and One half or two storey dwelling 35%

Further, each lot shall provide an attached garage.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

The garage shall not project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.

7.5.85 PART OF LOT 3, CONCESSION 7 (G) 'R1-114' (500-2006-0018) S/S BLACK RIVER ROAD 'R1-114(H)' (Map 7)

a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f) and (i), the following requirements shall apply:

Lot Frontage (Minimum)	
Interior Lot	11 metres
Corner Lot	14 metres
Lot Area (Minimum)	
Interior Lot	330 m <sup>2</sup>
Corner Lot	420 m <sup>2</sup>
Front Yard (Minimum)	
To Attached Garage	5.7 metres (i) (ii)
To Dwelling	2.4 metres (i) (ii)
Exterior Side Yard(Minimum)	
To Attached Garage	5.7 metres (i) (ii)
To Dwelling	2.4 metres (i) (ii)
Rear Yard (Minimum)	
Bungalow	6.5 metres
Multi-Storey	7.5 metres
Interior Side Yard (Minimum)	0.6 and 1.2 metres

- (i) The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.
- (ii) No attached garage shall project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.
- b) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard as well as within the back half of the interior side yard.

Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.

- ii) Fences are permitted in the front and exterior side yards as well as the front half of the interior side yard provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- c) Notwithstanding Section 5.28 (b), a minimum of two parking spaces per dwelling unit shall be provided, one of which may be in a driveway private to the unit and leading to an attached garage in the front yard or in the exterior side yard. Every lot shall provide an attached garage.
- d) Notwithstanding Section 5.28 (h) and (i), driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line. Furthermore, the maximum width of a driveway shall be 5.5 metres.
- e) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located closer than 0.9

metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

- f) Notwithstanding any other provision herein, while the '(H)' Holding symbol is in place on lands shown in heavy outline and designated 'R1-114 (H)' in Schedule 'A' attached hereto, no buildings or structures shall be permitted to be erected. Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from all or part of said lands under the following circumstances:
- the submission of a plan of subdivision, consent, and/or part lot control application(s) which details the means by which said lands are to be appropriately integrated with the remaining lands within draft plan of subdivision 19T-90033, adjacent lands and the future extension of Market Street; and,
- adequate municipal water supply and sanitary sewage servicing capacity is assigned to the subject lands.

Upon removal of the '(H)' Holding symbol from all or part of the lands shown in heavy outline and designated 'R1-114 (H)' in Schedule 'A' attached hereto, the provisions applicable to said lands shall be in accordance with Zoning By-law 500.

7.5.86 PART OF LOTS 16 TO 19, CONCESSION 9 (NG) 'R1', (500-2006-0011) 'R1(H)', 'R1-115', (2015-0047) 'R1-116', 'R1-117', 'R1-117(H)' (Maps 6 and 6A)

Notwithstanding Section 6.1 (a), on lands shown in heavy outline and designated 'R1-115, 'R1-116' and 'R1-117' in Schedule 'A' attached hereto, the

minimum lot frontages shall be 22 metres, 26 metres, and 30 metres respectively.

Further, notwithstanding Section 6.1 (g), the minimum floor area of a single family dwelling shall be 65 square metres.

Further, on those lands shown in heavy outline and designated 'R1-115' in Schedule 'A' hereto, a single family dwelling erected on Lot 84, Judge's Plan 602 shall be setback a minimum distance of 2 metres from the zone boundary dividing the R1-115 and OS-92 zones.

Further, notwithstanding any other provision herein, while the '(H)' Holding symbol is in place on lands shown in heavy outline and designated 'R1(H)' and 'R1-117(H)' in Schedule 'A' attached hereto, no buildings or structures shall be permitted to be erected or enlarged. Pursuant to Section 36 of the Planning Act, R.S.O. 1990 as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from all or part of said lands under the following circumstances:

- the submission of an Environmental Impact Statement (EIS) in accordance with the policies of the Official Plan, demonstrating that the proposed development will not create adverse impacts on identified natural features and ecological functions, all to the satisfaction of the Town of Georgina and the Lake Simcoe Region Conservation Authority.

Upon removal of the '(H)' Holding symbol from all or part of the lands shown in heavy outline and designated 'R1(H)' and 'R1-117(H)' in Schedule 'A' attached hereto, the provisions applicable to said lands shall be in accordance with Zoning By-law Number 500 as amended.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

7.5.87	PART	OF	LOT	13,	CONCESSION	3	(NG)	'R1-118'
(500-2006-0012)								'R1-119'
								(Map 3)

Notwithstanding Sections 5.45 (a), 6.1(c), (f), (i) and (j) on those lands shown in heavy outline and designated 'R1-118' and 'R1-119' in Schedule 'A' attached hereto, the following zone standards shall apply:

(i) Unenclosed porches are permitted to encroach 2.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps.

#### (ii) FRONT YARD (MINIMUM)

DwellingGaragemetresmetres

#### (iii) INTERIOR SIDE YARD (MINIMUM)

- 1.2 metres plus 0.5 metres for each additional or partial storey above the second

#### (iv) LOT COVERAGE (MAXIMUM)

- One storey dwelling	40%
- One and one half or two storey	
dwelling	35%
- Three storey	30%

- (v) HEIGHT 11 metres
  - with the exception that on those lands zoned 'R1-119' only a one storey dwelling shall be permitted.
- (vi) Each lot shall provide an attached garage. The garage shall not project more than 2.5 metres forward from either the ground or second floor main wall of the dwelling.
- (vii) Notwithstanding the yard provisions noted above, a dwelling shall not encroach into the hatched area shown in Schedule 'B-57' hereto, and zoned 'R1-119'.

### 7.5.88 LOT 11 AND BLOCK 'B', PLAN 168 'R1-120' (500-2007-0015) N/S MALONE ROAD (Map 6)

Notwithstanding Section 2.22, on land shown in heavy outline and designated 'R1-120' in Schedule 'A' attached hereto, a 'bed and breakfast residence' shall be defined as "means a single family dwelling licensed as a bed and breakfast residence, in which a maximum of five guest bedrooms are let by the resident owner, up to a maximum of fifteen consecutive days, to members of the travelling public. Meals may be provided for the temporary residents within the single family dwelling."

Further, notwithstanding Section 5.28 (a) and (h), required parking spaces for a bed and breakfast residence may be provided within the minimum front yard, and shall be a minimum of 2.75 metres X 5.7 metres in size where the angle to aisle is not parallel.

### 7.5.89 PLAN 95, LOT 11, PART LOT 13 'R1-121' (500-2008-0002) CONCESSION 3 (NG) (Map 3)

Notwithstanding Section 6.1 (k), two single family dwellings shall be permitted for a period not exceeding one year from the date of this by-law coming into force and effect<sup>1</sup>, subject to the following conditions being satisfied:

- (i) The owner shall enter into a Demolition Agreement with the Town of Georgina, agreeing to satisfy all terms and conditions to ensure the demolition of one single family dwelling on the subject land, to the satisfaction of the Chief Building Official.
- (ii) The owner shall pay all costs for registration of the Demolition Agreement by the Town of Georgina, or alternatively, the owner shall have the Demolition Agreement registered on

\_

<sup>1</sup> One year being January 7, 2009.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

title.

Further, notwithstanding Section 5.1 (b), the existing accessory structure (Old Mill) shall be permitted in the front yard, having a minimum front yard setback of 7.05 metres.

# 7.5.90 PART OF LOT 18, CONCESSION 9(NG)'R1-122'&'R1-122(H)' (500-2008-0003) N/S BASELINE ROAD 'R1-123' (500-2010-0010) 'R1-131' (500-2015-0038) (Map 7)

a) Notwithstanding Section 6.1(a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply on lands shown in heavy outline and designated 'R1-122', 'R1-123', and 'R1-131' in Schedule 'A' attached hereto:

	R1-122	R1-123	R1-131
Lot Frontage (Min)			
Interior Lot	12.8 metres	15 metres	Not applicable
Corner Lot	15.8 metres	18 metres	14.7 metres
Lot Area (Min)			
Interior Lot	$384 \text{ m}^2$	$450 \text{ m}^2$	Not applicable
Corner Lot	$474 \text{ m}^2$	$540 \text{ m}^2$	$554 \text{ m}^2$
Front Yard (Min)			
To Attached Garage	6 metres (i)	6 metres (i)	6 metres (i)
To Dwelling	5 metres (i)	5 metres (i)	5 metres (i)
Exterior Side			
Yard (Minimum)	4 metres	4 metres	4 metres
	(i) (ii)	(i) (ii)	(i)(ii)
Rear Yard			
(Minimum)	7.5 metres	7.5 metres	7.5 metres
Interior Side	1.2 metres,	1.2 metres,	1.2 metres,
Yard (Minimum)	plus 0.5	plus 0.5	plus 0.5
	metres for	metres for	metres for
	each	each	each
	additional	additional	additional
	or partial	or partial	or partial
	storey above	storey above	storey above
	the second	the second	the second
	(iii)	(iii)	(iii)
Lot Coverage	Not	Not	
(Maximum)	Applicable	Applicable	

- (i) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
- (ii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
- (iii) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.
- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - i) Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.
  - iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
  - iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached

garage.

- v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres from a sight triangle and 0.9 metres from a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the

minimum yard requirements of the by-law.

- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- iv) Notwithstanding i) and ii) above, where a lot or block abuts a commercial zone, a fence may be erected along the common lot line or in the commercial zone to a maximum height of 3 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.
- e) Notwithstanding any other provision herein, while the '(H)' Holding symbol is in place, no buildings or structures shall be permitted to be erected on land shown in heavy outline and designated 'R1-122(H)' in Schedule 'A' attached hereto. Pursuant to Section 36 of the Planning Act, R.S.O. 1990, as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from the land under the following circumstances;

For lands zoned 'R1-122(H)', the Town of Georgina Council has passed a resolution issuing draft plan approval and allocating municipal servicing capacity to the lands.

7.5.91 LOT 45, PLAN 397 'R1-124'

(500-2008-0006) THE QUEENSWAY SOUTH/BESSBOROUGH DRIVE (Map 2)

(500-2018-0009)

- a) For the purposes of this by-law, Section 6.1 shall apply to a day nursery use.
- b) Notwithstanding Section 7.2, on land shown in heavy outline and designated 'R1-124' in Schedule 'A' attached hereto, a day nursery having a maximum capacity of 39 children shall also be a permitted use.
- c) Notwithstanding Section 5.28 (b), a total of 9 on-site parking spaces shall be provided for a day nursery use having a maximum of 39 children, 3 of which must be identified for staff parking.
- d) Notwithstanding Section 5.31, a planting strip shall not be required.
- e) Notwithstanding Section 6.1 (d), the following shall apply:

EXTERIOR SIDE YARD (MINIMUM)

1.4 metres

# \*7.5.92 PART OF LOT 9, CONCESSION 3(NG) AND (500-2008-0009) LOT 95, REGISTERED PLAN 290 EXTENSION OF BRENNER COURT AND N/S OF RIVEREDGE DRIVE

'R1-125'
(Map 2)

a) Notwithstanding Sections 6.1 (a), (b), (c), (e), (f) and (i), the following requirements shall apply on lands shown in heavy outline and designated 'R1-125' in Schedule 'A' attached hereto:

PROVISION	REQUIREMENT
LOT FRONTAGE (MINIMUM)	12 metres
LOT AREA (MINIMUM)	360 sq. metres
FRONT YARD (MINIMUM)	
- Dwelling	4 metres
- Garage	6 metres
* except where a lot fronts onto	

<sup>\*</sup> General Amendment is required to correct the number 7.5.90 to 7.5.92.

Riveredge Drive the minimum front yard shall be 6 metres to both the dwelling and the garage.	
REAR YARD (MINIMUM)  * except for Lots 2 and 3 backing onto the watercourse the minimum rear yard shall be 3 metres.	8 metres
INTERIOR SIDE YARD (MINIMUM)	1.2 metres plus 0.5 metres for each additional or partial storey above the second
Lot Coverage (Maximum)	40%

- b) Notwithstanding Sections 5.1 (f), 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - i) Every lot shall provide a garage.
  - ii) Any detached garage must be of a peaked roof design and the height shall not exceed 3 metres measured from average grade to the highest point of the side walls where they intersect with the roof structure and 4.5 metres from average grade to the top of the peak.
  - iii) With the exception of those lots fronting onto Riveredge Drive, the minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.
  - iv) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
  - v) No attached garage shall project into the front yard more than 2 metres beyond any

wall of the dwelling facing the street. In the case where the garage projects beyond any wall of the dwelling facing the street, a front porch shall be required. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.

- vi) In the case of a dwelling with an attached garage, and with the exception of those lots fronting onto Riveredge Drive, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- vii) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, and interior side yard not extending beyond the front wall of the dwelling. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.

- ii) Fences are permitted in the front and exterior side yards, as well as the interior side yard beyond the front wall of the dwelling, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
- iii) Notwithstanding i) and ii) above, where the front yard abuts the rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

# 7.5.93 PART OF LOT 22, REGISTERED PLAN 130 'R1-126' (500-2008-0012) PART 1 65R-13431 (Map 3) E/S METROPOLITAN AVENUE

Notwithstanding Section 7.1, one accessory apartment shall be permitted within a single family dwelling, on land shown in heavy outline and designated 'R1-126' in Schedule 'A' attached hereto. Furthermore, the floor area of the accessory apartment shall not exceed 65 square metres and a minimum of two parking spaces shall be provided for the accessory apartment.

Further, notwithstanding Section 2.80, the floor area of the accessory apartment shall not include laundry facilities.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

7.5.94 PART LOT 3, CONCESSION 7 (G) 'R1-127' (500-2008-0015) N/S HIGHWAY 48 'R1-128' (Map 7)

a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply on lands shown in heavy outline and designated 'R1-127' and 'R1-128' in Schedule 'A' attached hereto:

Zone	R1-127	R1-128
Lot Frontage (Minimum)		
Interior Lot	9 metres	12 metres
Corner Lot	12 metres	15 metres
Lot Area (Minimum)		
Interior Lot	$270 \text{ m}^2$	$360  m^2$
Corner Lot	$360 \text{ m}^2$	$450 \text{ m}^2$
Front Yard (Minimum)		
To Attached Garage	6 metres (i)	6 metres (i)
To Dwelling	5 metres (i)	5 metres (i)
Exterior Side Yard		
(Minimum)	3 metres (i)(ii)	3 metres (i)(ii)
Rear Yard (Minimum)	7.5 metres	7.5 metres
Interior Side Yard	1.2 metres on	1.2 metres
(Minimum)	one side and	
	0.6 metres on	
	the other side	
	(iii)	
Lot Coverage (Maximum)	Not Applicable	Not Applicable

- .....
  - (i) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be  $2.5\,$  metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be  $0.6\,$  metres.
  - (ii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide vehicular access to the exterior flankage of a corner lot.
  - (iii) All interior side yards of less than 1.2 metres shall be paired together on abutting lots.
  - b) Notwithstanding Sections 5.28 (b), (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply

to garages, driveways, and parking areas:

- i) An attached garage shall be provided for every lot.
- ii) The minimum number of parking spaces on a lot zoned 'R1-127' shall be two per unit, one of which must be located within an attached garage and the other which must be provided in a driveway private to the unit and in the front yard.
- iii) The minimum interior dimensions of an attached garage on a lot zoned 'R1-127' shall be 3 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 3.5 metres.
- iv) The minimum interior dimensions of an attached garage on a lot zoned 'R1-128' shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.
- v) No encroachments shall be permitted into a required parking space located within an attached garage, save and except for one step (2 risers) into the minimum garage length.
- vi) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch

or entry feature adjacent to the attached garage.

- vii) No part of any driveway or parking area in the front yard shall be located closer than 0.6 metres to a sight triangle or to a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
  - iv) Notwithstanding i) and ii) above, where a
     lot or block abuts a commercial zone, a
     fence may be erected along the common lot

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

line or in the commercial zone to a maximum height of 3 metres.

d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

### 7.5.95 PART LOTS 1 & 2, PLAN 65M-2613, AND 'R1-129' (500-2008-0017) PARTS 2 & 3, PLAN 65R-17156 (Map 3)

Notwithstanding Section 7.1, one accessory apartment shall be permitted within a single family dwelling on land shown in heavy outline and designated 'R1-129' in Schedule 'A' attached hereto. Furthermore, the floor area of the accessory apartment shall not exceed 60 square metres and a minimum of two parking spaces shall be provided for the accessory apartment.

### 7.5.96 LOT 1 AND BLOCK 69, PLAN 65M-3031 'R1-130' (500-2009-0007) (Map 2)

Notwithstanding Section 7.1, one accessory apartment shall be permitted within a single family dwelling on land shown in heavy outline and designated 'R1-130' in Schedule 'A' attached hereto. Furthermore, the floor area of the accessory apartment shall not (500-2010-0001) exceed the lesser of 58.52 m<sup>2</sup> (630 ft<sup>2</sup>).

Further, notwithstanding Section 5.28 (a) and (b), a minimum of two parking spaces shall be provided for the single family dwelling and a minimum of two parking spaces shall be provided for the accessory apartment, all having a minimum parking space size of 2.5 metres  $\times$  5.7 metres.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

#### [7.5.97 NOT USED]

7.5.98 PT.LOTS 18 & 19, Con 9(NG) 'R1-132' (500-2010-0013) N/S BASELINE ROAD 'R1-133' 'R1-134' (Map 7)

a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply on lands shown in heavy outline and designated 'R1-132', 'R1-133', and 'R1-134' in Schedule 'A' attached hereto:

Zone	R1-132	R1-133	R1-134
Lot Frontage (Min)			
Interior Lot	12.0 metres	12.0 metres	20.0 metres
Corner Lot	15.0 metres	15.0 metres	23.0 metres
Lot Area (Min)			
Interior Lot	$330 \text{ m}^2$	$360 \text{ m}^2$	520 m <sup>2</sup>
Corner Lot	n/a	$450 \text{ m}^2$	590 m <sup>2</sup>
Front Yard (Min)			
To Attached	6.0 metres(i)	6.0 metres(i)	6.0 metres(i)
Garage	5.0 metres(i)	5.0 metres(i)	5.0 metres(i)
To Dwelling			
Exterior Side	n/a	4.0 metres(i)	4.0 metres(i)
Yard (Minimum)		(ii)	(ii)
Rear Yard (Min)	7.0 metres	7.5 metres	7.0 metres
Interior Side	1.2 metres,	1.2 metres,	1.2 metres,
Yard (Minimum)	plus 0.5	plus 0.5	plus 0.5
	metres for	metres for	metres for
	each	each	each
	additional or	additional or	additional or
	partial	partial	partial
	storey above	storey above	storey above
	the second	the second	the second
	(iii)	(iii)	(iii)
Lot Coverage	Not	Not	Not
(Maximum)	Applicable	Applicable	Applicable

- (i) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
- (ii) Pursuant to By-law Number 2004-0078 (PWO-2), as

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

- amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
- (iii) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.
- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways and parking areas:
  - i) Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6.0 metres, except in the 'R1-134' zone where the maximum interior garage width may be 9.0 metres.
  - iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
  - iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2.0 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.
  - v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front shall be

located closer than 0.6 metres from a sight triangle and 0.9 metres from a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.

- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3.0 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2.0 metres height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum requirements. Any fence within the above noted yards that exceeds metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

- iii) Notwithstanding ii)above, where the front yard abuts the rear yard or back half of the interior yard of an abutting residential lot, fences not exceeding 2.0 metres in height are permitted along the common lot line.
- iv) Notwithstanding i) and ii) above, where a lot or block abuts a commercial or industrial zone, a fence may be erected along the common lot line or in the commercial or industrial zone to a maximum height of 3.0 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2.0 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

### 7.5.99 PART OF LOTS 6 AND 7, BLOCK 16, PLAN 69 'R1-135' (500-2011-0003) PART OF UNNAMED LANE BLOCK 16, PLAN 69 (Map 7)

a) Notwithstanding Sections 5.12, 6.1 (f) and (i) the following requirements shall apply on lands shown in heavy outline and designated 'R1-135' in Schedule 'A' attached hereto:

Interior Side Yard (Minimum)	1.2 metres plus 0.5 metres for each additional or partial storey above the second. (i)
Lot Coverage (Maximum)	
One storey dwelling	40%
Two storey dwelling	35%

- (i) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3 metres.
- b) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear and side yards only. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front yard, provided such fences do not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding ii)above, where the front yard abuts the rear yard or back half of the interior yard of an abutting residential lot, or a lot containing a non-residential use, fences not exceeding 2 metres in height are permitted along the common lot line.

### 7.5.100 PART OF LOTS 6 AND 7, BLOCK 16, PLAN 69 'R1-136' (500-2011-0003) PART OF HIGH STREET, PLAN 69 (Map 7)

a) Notwithstanding Section 5.12, 5.45 (a) or any other provision of this By-law, the following requirements shall apply on lands shown in heavy outline and designated 'R1-136' in Schedule 'A' and further indicated in Schedule 'B-67' attached hereto:

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

- i) No further encroachments shall be permitted into the hatched area shown in Schedule 'B-67' attached hereto.
- ii) The minimum setback for the main wall of a dwelling to the hypotenuse of a sight triangle which forms part of the street between High Street and East Street shall be 6.0 metres, and the minimum setback for any other building or structure to the hypotenuse of a sight triangle which forms part of the street between High Street and East Street shall be 5.0 metres.
- b) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear and side yards only. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front yard and along the hypotenuse of sight triangle, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding i) and ii) above, a fence not exceeding 0.9 metres in height shall be permitted along the rear lot line between the hypotenuse of the sight triangle and to a point measured 6.0 metres easterly thereto.
- c) Notwithstanding Section 5.45 (a) as it applies

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

to yard encroachments for unenclosed porches and steps in the required front yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

### 7.5.101 PART OF LOTS 1, 2, and 3

`R1-137 (WS)'

(500-2012-0002) **CONCESSION 3 (NG)** 

(Maps 1 and 2)

(2013-0140) (2013-0155)

(2014 - 0007)

a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), (i) insofar as it affects the lands zoned 'R1-137 (WS)' on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-137 (WS)
PERMITTED USE <sup>1</sup>	S
ZONE REQUIREMENT	
LOT FRONTAGE (MINIMUM) M.	11.02
LOT AREA (MINIMUM) SQ.M.	280 <sup>3</sup>
FRONT YARD (MINIMUM) M.	
TO GARAGE	5.84
TO DWELLING	4.04,7
EXTERIOR SIDE YARD (MINIMUM) M.	2.44,5,6
REAR YARD (MINIMUM) M.	6.0
INTERIOR SIDE YARD (MINIMUM) M.	0.6 and 1.2

- 1 Permitted Use S = Single Family Dwelling.
- 2 Except that in the case of a corner lot the minimum lot frontage shall be 12.2 metres.
- 3 Except that in the case of a corner lot the minimum lot area shall be 310 square metres.
- 4 The minimum setback for any building or structure to a sight triangle shall be 0.6 metres.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

- 5 Pursuant to By-law Number 2004-0078 (PWO-2) as amended, no entrance shall be permitted to provide vehicular access to the exterior flankage of a corner lot.
- 6 The minimum exterior side yard setback shall be 3.0 metres if the exterior side yard abuts a road having a width of 23 metres or greater.
- 7 Where there is no sidewalk crossing the front yard, the minimum front yard setback may be reduced to 3.0 metres, provided the minimum rear yard setback is 7.0 metres.
- b) Notwithstanding Sections 5.28 (b) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways and parking areas:
  - i) In the area zoned R1-137(WS) in Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage on a lot zoned R1-137 shall be 5.48 metres in width and 5.7 metres in length.
- c) Notwithstanding Section 2.230, in areas zoned 'R1-137(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be front lot line or side lot line for purposes of

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

calculating Minimum Front or Minimum Exterior Side Yards. For the purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and front Lot Line so that they would intersect at a point.

- d) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the interior side and rear yards only. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding ii) above, where the front yard abuts the rear yard or interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- e) Notwithstanding Section 5.35, in the areas zoned 'R1-137(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- f) Notwithstanding Section 5.45(a) as it applies

to yard encroachments for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior yard areas in areas zoned 'R1-137 (WS)' on Schedule 'A' hereto, such encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-law 500, as amended, continue to apply.

g) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-137(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

# 7.5.102 PART LOTS 6 AND 7 CONCESSION 3 (NG) 'R1-138' (2013-0100) 'R1-139' (Map 2)

(a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply to lands shown in heavy outline and designated 'R1-138' and 'R1-139' on Schedule 'A' hereto:

ZONE	R1-138	R1-139	
Permitted Use <sup>(i)</sup>	S	S	
Lot Frontage			
(Minimum)			
Interior Lot	12.0 metres	15.0 metres	
Corner Lot	16.0 metres	18.5 metres	
Lot Area (Minimum)			
Interior Lot	394 m <sup>2</sup>	$525 \text{ m}^2$	
Corner Lot	$520 \text{ m}^2$	$750 \text{ m}^2$	
Front Yard (Minimum)			

Page 7-105

To Dwelling	5.0 metres(ii)	5.0 metres(ii)
To Attached Garage	6.0 metres(ii)	6.0 metres(ii)
Exterior Side Yard	3.5 metres(iii)	3.5 metres(iii)
(Minimum)		
Rear Yard (Minimum)	7.5 metres	7.5 metres
Interior Side Yard	1.2 metres plus	1.2 metres plus
(Minimum)	0.5 for each	0.5 for each
	additional or	additional or
	partial storey	partial storey
	above the	above the
	second (iv)	second (iv)
Lot Coverage	Not Applicable	Not Applicable

- (i) Permitted Use S = Single Family Dwelling
- (ii) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
- (iii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide vehicular access to the exterior flankage of a corner lot.
- (iv) Where there is a detached garage in the rear yard of a lot, the minimum interior side on the side providing access to a detached garage shall be 3.5 metres.
- (b) Notwithstanding Sections 5.28 (b), (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - (i) Every lot shall provide a garage.
  - (ii) The minimum number of parking spaces on a lot zoned 'R1-138' and 'R1-139', shall be four per unit, two of which must be located within a garage and two of which

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

must be provided in a driveway private to the unit.

- (iii) The minimum interior dimensions of a garage on a lot zoned 'R1-138' and 'R1-139' shall be 6.0 metres in width and 5.7 metres in length.
- (iv) No encroachments shall be permitted into a required parking space location within a garage, save and except for one step (2 risers) into the minimum garage length or minimum garage width.
- (v) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered enclosed porch or entry feature adjacent to the attached garage.
- (vi) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres to a sight triangle and 0.9 metres to an interior side lot line. Furthermore, the maximum width or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- (vii) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres to a side lot

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway parking area in the front yard shall be 3.0 metres.

- (c) Notwithstanding Section 2.230, in areas designated 'R1-138' and 'R1-139' in Schedule 'A' herein, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For the purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot line and Front Lot line so that they would intersect at a point.
- (d) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - (i) Fences not exceeding 2.0 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2.0 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - (ii) Fences not exceeding 0.9 metres in height are permitted in the front yard. Such fences are exempt from the minimum yard requirements of the by-law.
  - (iii) Notwithstanding (i) and (ii) above, and any other zoning provisions to the contrary, the erection of fences and

provisions applied thereto for corner lots, including the interior "corner" lot opposite the 'OS' zoned block, shall be permitted in accordance with an approved Fencing/Landscape Plan.

- (e) Notwithstanding Section 5.35 for lands designated 'R1-138' and 'R1-139' in Schedule 'A' herein, where local street lines intersect, a 5.0 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(a).
- (f) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Balconies, Unenclosed Porches, Steps and Decks in the required front yard and exterior side yard areas, such unenclosed porches may be permitted to encroach 2.0 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45(a) continue to apply.

# 7.5.103 PART OF LOT 18, CONCESSION 9 (NG) 'R1-140','R1-141' (2013-0142) N/S BASELINE ROAD 'R1-142'&'R1-143' (Map 7)

a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply on lands shown in heavy outline and designated 'R1-140', 'R1-141', 'R1-142', and 'R1-143' in Schedule 'A' attached hereto:

Zone	R1-140	R1-141	R1-142	R1-143
Lot Frontage				
(Min)				
Interior Lot	11 m	12.2 m	12.8 m	15 m
Corner Lot	14 m	15.2 m	15.8 m	18 m
Lot Area (Min)				
Interior Lot	330 m²	366 m²	384 m²	450 m <sup>2</sup>
Corner Lot	420 m <sup>2</sup>	456 m²	474 m²	540 m <sup>2</sup>
Zone	R1-140	R1-141	R1-142	R1-143

Page 7-109

Front Yard(Min) To Attached Garage To Dwelling	6 m <sup>(i)</sup> 5 m <sup>(i)</sup>	6 m <sup>(i)</sup> 5 m <sup>(i)</sup>	6 m <sup>(i)</sup> 5 m <sup>(i)</sup>	6 m <sup>(i)</sup> 5 m <sup>(i)</sup>
Exterior Side Yard (Min)	4 m <sup>(i)</sup> , (ii)	4 m <sup>(i)</sup> , <sup>(ii)</sup>	4 m <sup>(i)</sup> , <sup>(ii)</sup>	4 m <sup>(i)</sup> , <sup>(ii)</sup>
Rear Yard (Min)	7.5 m	7.5 m	7.5 m	7.5 m
Interior Side Yard (Min)	0.6 m on other side plus 0.5 m for each additional or partial	0.6 m on other side plus 0.5 metres for each additional or partial	1.2 m, and 0.6 m on other side plus 0.5 m for each additional or partial storey above the second (iii)	plus 0.5 m for each additional or partial storey above the
Lot Coverage	Not	Not	Not	Not
(Max)	Applicable	Applicable	Applicable	Applicable

- (i) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
- (ii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
- (iii) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.
- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - i) Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage shall be 5.48 metres in width by 5.7 metres in length. Furthermore, the

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

maximum interior garage width shall be 6 metres.

- iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
- iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.
- v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres from a sight triangle and 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway or parking area in the front yard shall be 5.5 metres and the maximum width shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

driveway or parking area in the front yard shall be 3 metres.

- c) Notwithstanding the provisions of Section 5.12 the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
  - iv) Notwithstanding i) and ii) above, where a lot or block abuts a commercial zone, a fence may be erected along the common lot line or in the commercial zone to a maximum height of 3 metres.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard or exterior side yard with

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

## 7.5.104 PART OF LOTS 2, 3, 4 and 5 (2016-0029) CONCESSION 3 (NG)

'R1-144 (WS)' (Map 2)

a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), (i) insofar as it affects the lands zoned R1-144 (WS) on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-144 (WS)
PERMITTED USE	$S^1$
LOT FRONTAGE (MINIMUM) M.	15.3 <sup>2</sup>
LOT AREA ( MINIMUM) SQ. M.	4103
FRONT YARD (MINIMUM) M.	
TO GARAGE	5.8
TO DWELLING	4.0
EXTERIOR SIDE YARD (MINIMUM) M.	2.4
REAR YARD (MINIMUM) M.	6.0
INTERIOR SIDE YARD (MINIMUM) M.	0.6 AND 1.2

<sup>&</sup>lt;sup>1</sup> Permitted Use - S = Single Family Dwelling

b) Notwithstanding Section 2.230, in areas zoned 'R1-144(WS)' on Schedule A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would

<sup>&</sup>lt;sup>2</sup> Except that in the case of a corner lot the minimum lot frontage shall be 16.5 metres.

<sup>&</sup>lt;sup>3</sup> Except that in the case of a corner lot the minimum lot area shall be 430 metres.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

intersect at a point.

- c) Notwithstanding Section 5.28(b), in the areas zoned 'R1-144(WS)' on Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.
- d) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-144(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.35, in areas zoned 'R1-144(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- Notwithstanding Section 5.45(a) as it applies f) to yard encroachment for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-Schedule `A' 144 (WS)' on hereto, encroachments may be permitted to encroach 1.5 into any required front metres yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-Law Number 500, as

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

amended, continue to apply.

- g) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-144(WS)' on Schedule 'A' hereto, shall be subject to the following:
  - i. Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate
  - ii. Fences are permitted in the front yard area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii. Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
  - iv. Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.
- h) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-144(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

### 7.5.105 PART OF LOTS 2, 3, 4 and 5, (2016-0029) CONCESSION 3 (NG)

'R1-145 (WS)'
(Map 2)

a) Notwithstanding Section 6.1 (a), (b), (c), (d), (e), (f), (i) insofar as it affects the lands zoned R1-145 (WS) on Schedule 'A' hereto, the following zone requirements shall apply:

ZONE	R1-145 (WS)	
PERMITTED USE	$S^1$	
LOT FRONTAGE (MINIMUM) M.	18.32	
LOT AREA ( MINIMUM) SQ. M.	4903	
FRONT YARD (MINIMUM) M.		
TO GARAGE	5.8	
TO DWELLING	4.0	
EXTERIOR SIDE YARD (MINIMUM) M.	2.4	
REAR YARD (MINIMUM) M.	6.0	
INTERIOR SIDE YARD (MINIMUM) M.	0.6 AND 1.2	

<sup>&</sup>lt;sup>1</sup> Permitted Use - S = Single Family Dwelling

- b) Notwithstanding Section 2.230, in areas zoned 'R1-145(WS)' on Schedule 'A' hereto, in the case of a corner lot in a residential zone where a sight triangle forms part of the street, the portion of the sight triangle forming part of the lot line shall not be deemed to be a front lot line or a side lot line for purposes of calculating Minimum Front or Minimum Exterior Side Yards. For purposes of such calculations, the Exterior Side Lot Line and Front Lot Line shall be deemed to be the continued projection of the Exterior Side Lot Line and Front Lot Line so that they would intersect at a point.
- c) Notwithstanding Section 5.28(b), in the areas

<sup>&</sup>lt;sup>2</sup> Except that in the case of a corner lot the minimum lot frontage shall be 19.5 metres.

<sup>&</sup>lt;sup>3</sup> Except that in the case of a corner lot the minimum lot area shall be 510 metres.

zoned 'R1-145(WS)' on Schedule 'A' hereto, a minimum of three parking spaces per dwelling unit shall be provided. Parking shall be allowed in a garage and in a driveway, private to the unit, leading to a garage which may be located in the front yard or in the exterior side yard in the case where a garage is accessed by a driveway crossing an exterior side lot line. Every lot shall provide a garage.

- d) Notwithstanding Section 5.28(i), as it applies to the minimum distance between a driveway and the intersection of street lines, in areas zoned 'R1-145(WS)' on Schedule 'A' hereto, driveways shall be located no closer than 0.6 metres from any required sight triangle and 0.9 metres from the interior side lot line.
- e) Notwithstanding Section 5.35, in areas zoned 'R1-145(WS)' on Schedule 'A' hereto, where local street lines intersect, a 5 metre sight triangle shall be required to be maintained in accordance with the provisions of Section 5.35(b).
- f) Notwithstanding Section 5.45(a) as it applies to yard encroachment for Balconies, Unenclosed Porches and Steps, Decks, Handicap Ramps and Elevators in the required front yard and exterior side yard areas in areas zoned 'R1-145 (WS)' Schedule `A' on hereto, encroachments may be permitted to encroach 1.5 metres into any required front yard or exterior side yard with an additional encroachment permitted for steps provided they are not located any closer than 0.9 metres to the front lot line or exterior side lot line. All other yard encroachments as provided in Section 5.45(a) within By-Law Number 500, as amended, continue to apply.
- g) Notwithstanding the provisions of Section

- 5.12, the erection of fences on residential lots or blocks within lands zoned 'R1-145(WS)' on Schedule 'A' hereto, shall be subject to the following:
- i. Fences not exceeding 2 metres in height are permitted in the side and rear yards only. Such fences are exempt from the minimum yard provisions of the by-law. Any fence within the side or rear yard that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate
- ii. Fences are permitted in the front yard area provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
- iii. Notwithstanding ii) above, where the front yard abuts a side yard or a rear yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted.
- iv. Notwithstanding i) and ii) above, where a lot or block zoned commercial or institutional abuts a lot or block zoned residential, a fence may be erected in the commercial or institutional zone to a height not exceeding 3.0 metres.
- h) Notwithstanding Section 5.34 (b) insofar as it affects the lands zoned 'R1-145(WS)' on Schedule 'A' hereto, only wall or roof mounted satellite receiving dishes shall be permitted. Wall mounted satellite receiving dishes shall only be permitted on the rear or interior side walls of the dwelling.

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

(Map 3)

a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), and (i), the following requirements shall apply on lands shown in heavy outline and designated 'R1-146', 'R1-147', 'R1-148', and 'R1-149' in Schedule 'A' attached hereto:

Zone	R1-146	R1-147	R1-148	R1-149
Lot Frontage (Min) Interior Lot Corner Lot	12.2 metres	12.8 metres	15 metres	18 metres
	15.2 metres	15.8 metres	18 metres	21 metres
Lot Area (Min) Interior Lot Corner Lot Front Yard (Min)	366 m <sup>2</sup>	384 m <sup>2</sup>	450 m <sup>2</sup>	540 m <sup>2</sup>
	456 m <sup>2</sup>	474 m <sup>2</sup>	540 m <sup>2</sup>	630 m <sup>2</sup>
To Attached Garage To Dwelling Exterior Side Yard (Min)	6 metres (i)	6 metres (i)	6 metres (i)	6 metres (i)
	5 metres (i)	5 metres (i)	5 metres (i)	5 metres (i)
	4 metres	4 metres	Not	4 metres
	(i) (ii)	(i) (ii)	Applicable	(i) (ii)
Rear Yard (Min)	7.5 metres	7.5 metres	7.5 metres	7.5 metres
Interior Side Yard (Min)	1.2 metres, plus 0.6 metres on the other side, plus 0.5 metres for each additional or partial storey above the second (iii)	plus 0.6 metres on the other side, plus 0.5 metres for each additional or partial storey above the second (iii)	plus 0.5 metres for each additional or partial storey above the second (iii)	partial storey above the second (iii)
Lot Coverage(Max)	Not	Not	Not	Not
	Applicable	Applicable	Applicable	Applicable

(i) The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or

- structure to a sight triangle which forms part of the street shall be 0.6 metres.
- (ii) Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
- (iii) Where there is a detached garage in the rear yard of a lot, the minimum interior side yard on the side providing access to a detached garage shall be 3.5 metres.
- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - i) Every lot shall provide a garage.
  - ii) The minimum interior dimensions of a garage shall be 4.5 metres in width by 5.7 metres in length. Furthermore, the maximum interior garage width shall be 6 metres.
  - iii) No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
  - iv) No attached garage shall project into the front yard more than 1 metre beyond the most distant point of any wall of the dwelling facing the street at the ground floor level, or more than 2 metres beyond the most distant point of any wall of the dwelling facing the street at the ground floor level where there is a covered unenclosed porch or entry feature. In no case shall an attached garage project forward beyond a covered unenclosed porch or entry feature adjacent to the attached garage.

- v) In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres from a sight triangle and 0.9 metres from a side lot line. Furthermore, the maximum width of a driveway or parking area in the front yard shall be the interior width of the attached garage on the lot, plus 0.5 metres.
- vi) In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i) Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii) Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.

- iii) Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- iv) Notwithstanding i) and ii) above, where a fence is required for noise attenuation purposes and is located along the flankage of a lot abutting Old Homestead Road, the fence height shall be a maximum/minimum of 2.2 metres from the front wall of the dwelling to the rear lot line. Where the fence is required along the rear of a lot the fence height shall be a maximum/minimum of 2.4 metres along the rear lot line and along the exterior lot line to the rear wall of the dwelling.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are permitted to encroach 2 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

# 7.5.107 PART OF LOT 14, CON. 3 (NG) 'R1-150','R1-151' (500-2018-0014) N/S CHURCH STREET & 'R1-152' (Map 3)

a) Notwithstanding Sections 6.1 (a), (b), (c), (d), (e), (f), (i) and (j), the following requirements shall apply on lands shown in heavy outline and designated 'R1-150', 'R1-151', and 'R1-152' in 'Schedule 'A' attached hereto:

Page 7-122

Zone	R1-150	R1-151	R1-152
Lot Frontage (Min) Interior Lot Corner Lot	15.0 metres 18.0 metres	12.0 metres 15.0 metres	15.0 metres 18.0 metres
Lot Area (Min) Interior Lot Corner Lot	450 m <sup>2</sup> 540 m <sup>2</sup>	360 m <sup>2</sup> 450 m <sup>2</sup>	450 m <sup>2</sup> 540 m <sup>2</sup>
Front Yard (Min) To Attached Garage To Dwelling Exterior Side	6 metres (i) 5 metres (i) 4 metres(i)(ii)	6 metres (i) 5 metres (i) 4 metres (i)(ii)	6 metres (i) 5 metres (i) 4 metres(i)(ii)
Yard (Min) Rear Yard (Min)	8.0 metres	7.0 metres	7.0 metres
Interior Side Yard (Min)	1.2 metres, plus 0.5 metres for each additional or partial storey above the second (iii)	side and 0.6 metres on the other side, plus 0.5 metres for each additional or partial storey above the second (iii)	0.5 metres for each additional or partial storey above the second (iii)
Lot Coverage (Max)	Not Applicable	Not Applicable	Not Applicable
Height of Dwelling (Max)	11 metres	12 metres	11 metres

- i. The minimum setback for the main wall of a dwelling to a sight triangle which forms part of the street shall be 2.5 metres, and the minimum setback for any other building or structure to a sight triangle which forms part of the street shall be 0.6 metres.
- ii. Pursuant to By-law Number 2004-0078 (PWO-2), as amended, no entrance shall be permitted to provide access to the exterior flankage of a corner lot.
- iii. Where there is a detached garage in the rear yard of a lot, the minimum interior side yard

#### SECTION 7 - LOW DENSITY URBAN RESIDENTIAL (R1) ZONE (cont.)

on the side providing access to a detached garage shall be 3.5 metres.

- b) Notwithstanding Sections 5.28 (h) and (i), and any other provisions to the contrary, the following additional requirements shall apply to garages, driveways, and parking areas:
  - i. Every lot shall provide a garage.
  - ii. The minimum interior dimensions of a garage shall be 5.48 metres in width by 5.7 metres in length of which 3.0 metres in width by 5.7 metres in depth shall be unobstructed area with the exception of one step. Furthermore, the maximum interior garage width shall be 6 metres.
  - iii. No encroachments shall be permitted into a required parking space located within a garage, save and except for one step (2 risers) into the minimum garage length.
    - iv. No part of an attached garage shall project beyond the front wall of the first storey of the dwelling except where a porch is provided, in which case the attached garage shall not project beyond the front of the porch.
      - v. In the case of a dwelling with an attached garage, no part of any driveway or parking area in the front yard shall be located closer than 0.6 metres from a sight triangle and 0.6 metres from a side lot line. Furthermore, the minimum width of a driveway or parking area in the front yard shall be 5.5 metres and the maximum width shall be the interior width of the attached garage on the lot, plus 0.5 metres.

- vi. In the case of a lot with a detached garage in the rear yard, no part of any driveway or parking area shall be located closer than 0.9 metres from a side lot line. Furthermore, the minimum width of a driveway leading to a parking area and a detached garage in the rear yard shall be 2.5 metres, and the maximum width of a driveway or parking area in the front yard shall be 3 metres.
- c) Notwithstanding the provisions of Section 5.12, the erection of fences on residential lots shall be subject to the following:
  - i. Fences not exceeding 2 metres in height are permitted in the rear yard, as well as within the back half of the interior side yard. Such fences are exempt from the minimum yard requirements. Any fence within the above noted yards that exceeds 2 metres in height must be erected in compliance with the minimum yard requirements for the appropriate zone.
  - ii. Fences are permitted in the front and exterior side yards, as well as the front half of the interior side yard, provided such fence does not exceed 0.9 metres in height. Such fences are exempt from the minimum yard requirements of the by-law.
  - iii. Notwithstanding ii) above, where the front yard abuts the rear yard or back half of the interior side yard of an abutting residential lot, fences not exceeding 2 metres in height are permitted along the common lot line.
- d) Notwithstanding Section 5.45 (a) as it applies to yard encroachments for Unenclosed Porches and Steps in the required front and exterior side yard areas, unenclosed porches are

permitted to encroach 2 metres into any required front yard or exterior side yard with an additional 0.5 metre encroachment permitted for steps. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

e) Notwithstanding Section 5.45(a) as it applies to yard encroachments for Window Bays in the required front, rear, interior and exterior side yard areas, Bay, Box-out, and Bow Windows with or without foundations with a maximum width of 3.2 metres may project into any required front, rear or exterior side yard a maximum distance of 1 metre. All other yard encroachments as provided in Section 5.45 (a) within By-law Number 500, as amended, continue to apply.

# 7.5.110 PART OF LOT 14, CON. 3 (NG) 'R1-157(H)' (500-2019-0003) N/S CHURCH STREET (Map 3)

Notwithstanding any other provision herein, while the '(H)' Holding symbol is in place no buildings or structures shall be permitted to be erected on the lands shown in heavy outline and designated R1-157(H) on Schedule 'A' attached hereto. Pursuant to Section 36 of the Planning Act, R.S.O. 1990, as amended, Council shall enact a by-law to remove the '(H)' Holding symbol from the lands under the following circumstances:

1. All necessary requirements of the Town and the LSRCA including the submission of a detailed Ecological Offsetting Strategy, Detailed Stormwater Management Plan and Detailed Hydrogeologic Assessment have been satisfied and all necessary approvals have been received. There shall be no site alteration or development on these lands while the (H) Holding symbol is in place.